NATO UNCLASSIFIED



Acquisition Directorate

Boulevard Leopold III B-1110 Brussels,
Belgium Telephone: +32 (0)2 707 2259
E-mail: <u>Elif.Bailey@ncia.nato.int</u>

NCIA/ACQ/2023/06642 28 February 2023

To: See Distribution List

Subject: Amendment 1 REQUEST FOR QUOTATION (RFQ)-CO-115852-BMD

INTEGRATION TEST BED ITB BUILD 6 (ITB 6) HARDWARE UPGRADE

References: A. AC/4-2261 (1996 Edition)

B. AC/4-D(2019)0004 (INV)

C. Issuance of RFQ-CO-115852-BMD dated 16 February 2023

- In accordance with Reference A and B, the purpose of this Amendment 1 to RFQ-CO-115852-BMD is to respond to a Clarification Request (CR) received from Prospective Bidders (Attachment A).
- The answer to the CR requires one revision to the RFQ within the Book I, Annex A. Bidding Sheets; which is hereby attached (Attachment B). For ease of reference, all changes in the document have been marked in red colour.
- 3. By virtue of this amendment, Attachment A and Attachment B cancel and supersede any previous version issued in the context of the Request for Quotation in subject.
- 4. Except as provided in the paragraphs above, all other terms and conditions of the Request for Quotation remain unchanged.
- 5. Bid Closing Time for RFQ-CO-115852-BMD is 14:00 (Brussels time) on 06 March 2023.
- 6. The NCI Agency point of contact for this action is Ms Elif Bailey, Contracting Officer, Acquisition Directorate, email to: Elif.Bailey@ncia.nato.int co: Irina.Anghel@ncia.nato.int

FOR THE CHIEF OF ACQUISITION

Elif Bailey Contracting Officer

Enclosures:

Annex A: Distribution List

Attachment A: RFQ-CO-115852-BMD – Amendment 1– Answer to Clarification Request

Attachment B:RFQ-CO-115852-BMD - Amendment 1- Book I, Annex A. Bidding Sheets

NATO Communications and Information Agency

Boulevard Leopold III

1110 Brussels

Belgium www.ncia.nato.int

NATO UNCLASSIFIED





Boulevard Leopold III B-1110 Brussels, Belgium Telephone: +32 (0)2 707 2259 Email: Elif.Bailey@ncia.nato.

NCIA/ACQ/2023/06642 28 February 2023

Annex A DISTRIBUTION LIST

NATO Delegations

Albania Lithuania

Belgium Luxembourg
Bulgaria Montenegro

Canada The Netherlands

Croatia Norway Czech Republic Poland Denmark Portugal Estonia Romania Slovakia France Slovenia Germany Greece Spain Turkiye Hungary

Iceland United Kingdom
Italy United States

Latvia

NATO HQ

NATO Office of Resources

Capability Implementati on Branch

Attn: Deputy Branch Chief

SACTREPEUR

Attn:

Investment Assistant

NATO Communications and Information Agency

Boulevard Leopold III

1110 Brussels

Belgium www.ncia.nato.int

Attachment A. Answer to Clarification Request

Tuesday, February 28, 2023

TECHNICAL										
Serial #	RFQ Book	RFQ Section Ref.	Question:	Answer:	Published by Amendment #					
T.1	Book I, Annex A	Bidding	CLIN 3.7 is obsolete. Please confirm description and serial number of the device these will be going into	NCI Agency confirms the following model and part numbers of the VSAN hosts and capacity disks are currently in use: P05172-B21 HPE DL380 Gen10+ 8SFF NC CTO Svr (VSAN hosts) P40562-B21 HPE 3.2TB SAS MU SFF BC PM1645a SSD (VSAN capacity disks) If the part number of the disks is obsolete, the replacement item shall meet the following requirements: - Minimum size shall be 3.2TB, - the manufacturer shall be HPE, - the disk interface shall be SAS, - the type shall be SSD, - the form factor shall be SFF, - the use type shall be MU - Minimum speed shall be 12G - Shall be compatible with existing server, (P05172-B21 - HPE DL380 Gen10+ 8SFF NC CTO Svr).						

NATO UNCLASSIFIED

RFQ-CO-115852 -BMD CLIN Summary											
BASE CONTRACT											
CLIN	Description	Part Number	Tempest Testing CoC: Certificate of Conformity	SOW Reference	Required Delivery Date	Delivery Destination	Unit of Measure	Quantity	Unit Price	Total Firm Fixed Price	Optional Comments (Mandatory for zero costs lines)
									Declare C	urrency =>	
1	ITB 6 HW Upgrade			2.1	EDC: Effective Date of Contract	NCIA The Hague					
1.1	HPE 1.92TB SAS MU SFF BC VS MV SSD (CACHE DISKS)	P40511-B21	N/A	as above	EDC + 7 weeks	as above	Each	11	-	-	
1.2	HPE 64GB 2Rx4 PC4-3200AA-R Smart Kit	P06035-B21	N/A	as above	EDC + 7 weeks	as above	Each	20	-	-	
1.3	HPE Trusted Platform Module 2.0 Gen10 Plus Black Rivets Kit	P13771-B21	N/A	as above	EDC + 7 weeks	as above	Each	12	-	-	
1.4	Switch 12x 1GB Port PoE Layer 3 2x uplink at 1GB 2x uplink 10GB SFP+ fixed uplink ports; Powered using 315W internal power supply unit; Fanless 2xFO MM 1GB. 2xFO MM 10GB VLAN Trunking Protocol (VTP). Jumbo Frames NBD support and Subscription for IOS update Switch 8 Port 10GB	C9200CX-12P-2X2G	Level B + CoC	as above	EDC + 12 weeks	as above	Each	1	-	-	
1.5	DELL Mobile Precision 7760 (Intel Xeon W-11955, 24MB cache, 8 cores, 2.6GHz to 5 Ghazi, 45 W, vPro) 1920x1080 NVIDIA RTX A3000, 6GB GDDR6. 64 GB RAM (2x32 GB, DDR4, 3200Mhz, ECC, SODIMM 4TB Gen4 PCIe x4 NVMe,SSD. A minimum of 1 slot shall be empty 2xUSB3.0, 2xUSB min c, 1xAudio English US Keyboard Primary Battery: 6 Cell, 93 Wh, Lithium Ion Power Adapter 2400SFF No Wireless module With Trust Platform Module	Form Fit Function of DELL Mobile Precision 7760 Acceptable	Level B + CoC	as above	EDC + 12 weeks	as above	Each	3	-	-	
	DELL Mobile Precision 7770 Workstation (Intel i7 -12850HX (25MB cache, 24 Threads, 16 cores, 2.1GHz to 4.8 GHz) NVIDIA RTX - at least 4GB RAM 17.3 inch FHD 1920x1080 64 GB RAM (2x32 GB, DDR4, 3200Mhz, ECC, SODIMM 2TB, M.2.2280, Gen4 PCIe x4 NVMe,SSD.A minimum of 1 slot shall be empty English US Keyboard 2xUSB3.0, 2xUSB min c, 1xAudio Primary Battery: 6 Cell, 93 Wh, Lithium Ion Power Adapter 2400SFF No Wireleass module With Trust Platform Module	Form Fit Function of DELL Mobile Precision 7770 Acceptable	Level B + CoC	as above	EDC + 12 weeks	as above	Each	1	-	-	
1.7	INT Xeon-G 6334 CPU for HPE	P36933-B21	N/A	as above	EDC + 7 weeks	as above	Each	2	-	-	
1.8	HPE 16GB 1Rx4 PC4-3200AA-R Smart Kit	P06029-B21	N/A	as above	EDC + 7 weeks	as above	Each	6	-	-	
1.9	HPE DL360 Gen10+ High Perf Heat Sink Kit	P26479-B21	N/A	as above	EDC + 7 weeks	as above	Each	2	-	-	
1.10	HPE DL36x Gen10+ High Perf Fan Kit	P26477-B21	N/A	as above	EDC + 7 weeks	as above	Each	2	-	-	
1.11	HPE D3610 w/12 8TB 12G SAS 7.2K LFF (3.5in) Midline Smart Carrier HDD 96TB	Q1J13A	N/A	as above	EDC + 7 weeks	as above	Each	2	-	-	
1.12	HPE External 2.0m (6ft) Mini-SAS HD 4x to Mini-SAS HD 4x Cable	716197-B21	N/A	as above	EDC + 7 weeks	as above	Each	2	-	-	
1.13	HPE Smart Array P408e-p SR Gen1012G SAS PCle Plug-in Controller	804405-B21	N/A	as above	EDC + 7 weeks	as above	Each	2	-	-	
1.14	HPE DL300 GEN10+ 1U CMA FOR Rail Kit	P26489-B21	N/A	as above	EDC + 7 weeks	as above	Each	2	-	-	

CLIN Summary Instruction:

Bidders are to populate all **yellow cells**. Firn prices need to be provided for every CLIN, v omissions.

If Bidder decides to keep any CLIN at zero or reason for it has to be explained in the corresponding Comments field.

For the CLIN Summary Tab Bidders have 2 o A) Columns may be added to the right of th table; two columns "Unit Price" and "Total I Fixed Price" would be added for each additi currency of the bid;

B) Bidders may duplicate the CLIN Summary each currency bid.

Note: Any formulas existing in the cells are jonly to assist the bidder and ultimately all calculations are the bidder's responsibility. It the contractor may alter any formulas necesprovide an accurate, clear and traceable bia required.

Important Note: The total sum of the "Firm Price" column in this CLIN Summary sheet sequal the grand total from the "Offer Summ These totals are also required to be traceab totals from the details tabs (Labour+Material+Travel+ODC)= Grand Tots Summary Tab.

RFQ-CO-115852 -BMD CLIN Summary											
			, in c	BASE CONTRACT	······································						
CLIN	Description	Part Number	Tempest Testing CoC: Certificate of Conformity	SOW Reference	Required Delivery Date	Delivery Destination	Unit of Measure	Quantity	Unit Price	Total Firm Fixed Price	Optional Comments (Mandatory for zero costs lines)
	Declare Curren										
TOTAL PRI	TOTAL PRICE CLIN 1										
2	ITB 6 HW Upgrade 1 year warranty			2.1	C1A= CLIN1 Acceptance	NCIA The Hague	Lot	1		1	
2.1	CLIN1 1 year warranty	N/A	N/A	3.9	C1A to C1A + 1 years	as above	Each	1	-	-	
2.2	Obsolescense Report CLIN 1	N/A	N/A	3.9.14, 3.9.15	C1A + 9 Months	as above	Each	1	-	-	
TOTAL PRI										-	
Total Firm	Fixed Price Base Contract									-	
				EVALUATED OPTIONS							
CLIN	Description	Part Number	Tempest Testing CoC: Certificate of Conformity	SOW Reference	Required Delivery Date	Delivery Destination	Unit of Measure	Quantity	Unit Price	Total Firm Fixed Price	Optional Comments (Mandatory for zero costs lines)
								Dec	lare Currenc	y =>	
3	ITB 6 HW Upgrade Optional items including 1 year warranty			2.2	EDC: Effective Date of Contract	NCIA The Hague					
3.1	Single Foam transport case for CLIN 1.4, CLIN1.5, CLIN1.6 and 1 CISCO VOIP Phone 8841 Custom fitted foam dividers to receive and firmly hold each item. Rigid, Watertight, crushproof, and dustproof. Strong polyurethane wheels with quiet rolling stainless steel bearings. Open cell core with solid wall design (single piece, NOT welded/glued/screwed together) - strong, light weight Retractable extension trolley handle Easy one finger open double-throw latches Stainless steel hardware and padlock protectors Automatic Pressure Equalization Valve to balance interior pressure and to keep water out comfortable rubber over-molded top and side handles	Form Fit Function Acceptable	N/A	as above	EDC + 7 weeks	as above	Each	2		-	
3.2	NVDIA Licenses	NVIDIA RTX vWS Subscription License 1 Year, 1 CCU	N/A	as above	as above	as above	Each	16	-	-	

RFQ-CO-115852 -BMD CLIN Summary											
CLIN	Description	Part Number	Tempest Testing CoC: Certificate of Conformity	SOW Reference	Required Delivery Date	Delivery Destination	Unit of Measure	Quantity	Unit Price	Total Firm Fixed Price	Optional Comments (Mandatory for zero costs lines)
	T		ı				I		Declare Cu	ırrency =>	
3.3	Dell S5248F-ON Switch, 48x25GbE SFP28, 4x100GbE QSFP28, 2x100GbE QSFP-DD, PSU to IO, 2xPSU (210-APFB) User Documentation EMEA 1 (631-ABXS) ProSupport Plus OS10 Enterprise Software Support-Maintenance Base Warranty (709-13025) 1Yr Return to Depot - Minimum Warranty (709-17021) 90 Day SW Bug Fixes Support Media Replacement (709-17022) Info Sku stating 3rd Party O/S will be warranted by vendor (710-73324) Support Services (528-10337) INFO 1Yr ProSupport Plus and Next Business Day On-Site Service (865-85511) ProSupport Plus and Next Business Day On-Site Service (865-85511) ProSupport Plus and Next Business Day On-Site Service Jumper Cord - C13/C14, 2M, 250V, 10A (EU, TW, APCC countries except ANZ (450-AFCW) Dell Networking Cable, 2x100GbE, QSFP28-DD to QSFP28-DD, Passive Copper Direct Attach, No FEC, 0.5M (470-ACTP) Dell Networking, Transceiver, SFP+, 10GbE, SR, 850nm Wavelength, 300m Reach (407-BCZR) Dell Networking, Transceiver, SFP, 1000BASE-T (407-BCZT) OS10 Enterprise, SS248F-ON (634-BRUN)	210-APFB						1			
3.4	Jumper Cord - C13/C14, 2M, 250V, 10A (EU, TW, APCC countries except ANZ)	450-AFCW	N/A	as above	EDC +10 months	as above	Each	2	-	-	
3.5	Dell Networking, Transceiver, SFP+, 10GbE, SR, 850nm Wavelength, 300m Reach	407-BCZR	N/A	as above	EDC +10 months	as above	Each	14	-	-	
3.6	Dell Networking, Transceiver, SFP, 1000BASE-T	407-BCZT	N/A	as above	EDC +10 months	as above	Each	6	-	-	
3.7	HPE 3.2TB SAS MU SFF BC PM1645a SSD (CAPACITY DISKS) If PN above is obsolete, the replacement item shall meet the following requirements: - Minimum size shall be 3.2TB, - the manufacturer shall be HPE, - the disk interface shall be SAS, - the type shall be SSD, - the type shall be SSD, - the type shall be SFF, - the use type shall be MU - Minimum speed shall be 12G - Be compatible with server P05172-B21 - HPE DL380 Gen10+ 8SFF NC CTO Svr.	P40562-B21 If P40562-B21 is obsole Form Fit Function Acceptable	N/A	as above	EDC +10 months	as above	Each	1		-	
3.8	HPE 3.2TB SAS MU SFF BC MV SSD (CAPACITY DISKS)	P49053-B21	N/A	as above	EDC +10 months	as above	Each	1	-	-	

	RFQ-CO-115852 -BMD CLIN Summary										
CLIN	Description	Part Number	Tempest Testing CoC: Certificate of Conformity	BASE CONTRACT SOW Reference	Required Delivery Date	Delivery Destination	Unit of Measure	Quantity	Unit Price	Total Firm Fixed Price	Optional Comments (Mandatory for zero costs lines)
3.9	Single Foam transport case for transporting: - a single foam block of dimension - Length: 65cm; Heigth: 43 cm; Depth: 20cm - 1xNTP server unit of dimension - Length: 45cm; Heigth: 29 cm; Depth: 4.5cm - 1xGPS receiver unit of dimension - Length: 43cm; Heigth: 29 cm; Depth: 4.5cm - power string with at least 10 power outlets Custom fitted foam dividers to receive and firmly hold each item. Rigid, Watertight, crushproof, and dustproof. Strong polyurethane wheels with quiet rolling stainless steel bearings. Open cell core with solid wall design (single piece, NOT welded/glued/screwed together) - strong, light weight Retractable extension trolley handle Easy one finger open double-throw latches Stainless steel hardware and padlock protectors Automatic Pressure Equalization Valve to balance interior pressure and to keep water out Comfortable rubber over-molded top and side handles	Form Fit Function Acceptable	N/A	as above	EDC + 7 weeks	as above	Each	2	-	urrency =>	
TOTAL PRICE CLIN 3 NCIA The											
4	ITB 6 HW Upgrade Extended Warranty & Support			3.9	C1A= CLIN1 Acceptance	Hague				1	
4.1	Annual Extended Warranty & Support CLIN 1 (Year 1)	N/A	N/A	3.9	C1A + 1 years to C1A + 2 years	as above	Lot	1	-	-	
4.2	Obsolescense Report CLIN 1 (Year 1)	N/A	N/A	3.9.14, 3.9.15	C1A + 21 Months	as above	Each	1	-	-	
4.3	Annual Extended Warranty & Support CLIN 1 (Year 2)	N/A	N/A	3.9	C1A + 2 years to C1A + 3 years	as above	Lot	1	-	-	
4.4	Obsolescense Report CLIN 1 (Year 2)	N/A	N/A	3.9.14, 3.9.15	C1A + 33 Months	as above	Each	1	-	-	
4.5	Annual Extended Warranty & Support CLIN 1 (Year 3)	N/A	N/A	3.9	C1A + 3 years to C1A + 4 years	as above	Lot	1	-	-	
4.6	Obsolescence Report CLIN 1 (Year 3)	N/A	N/A	3.9.14, 3.9.15	C1A + 45 Months	as above	Each	1	-	-	
TOTAL PRI	CE CLIN 4									-	
5	SubCLIN3.3 Extended Warranty & Support			3.9	C3.3A=CLIN3.3 Acceptance	NCIA The Hague					
5.1	Annual Extended Warranty & Support CLIN 3.3 (Year 1)	N/A	N/A	3.9	C3.3A + 1 years to C3.3A + 2 years	as above	Lot	1	-	-	
5.2	Annual Extended Warranty & Support CLIN 3.3 (Year 2)	N/A	N/A	3.9	C3.3A + 2 years to C3.3A + 3 years	as above	Lot	1	-	-	
5.3	Annual Extended Warranty & Support CLIN 3.3 (Year 3)	N/A	N/A	3.9	C3.3A + 3 years to C3.3A + 4 years	as above	Lot	1	-	-	
5.4	Obsolescence Report CLIN 3.3 (Year 3)	N/A	N/A	3.9.14, 3.9.15	C3.3A + 45 Months	as above	Each	1	-	-	
TOTAL PRI								•		-	
Total Firm	otal Firm Fixed Price Evaluated Options										