

329	<p>GroundSupportStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipme nt::BallisticMissile::GroundSupportStatusReport</p> <p>Type: <Class></p>	<p>The BM GSE Type Details data element represents parameters for all other types of equipment that support BM operations apart from launchers. Other than category of equipment these parameters relate to mobility</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_M2MLEPjsEemscYqpT03mmA</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AccountingUnit	<u>Integer</u>	<u>EquipmentStatusReport</u>	0..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BallisticMissileGroundSupportEquipment	<u>GroundSupport</u>	<u>GroundSupportStatusReport</u>	1..1	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Colour	<u>EquipmentColourType</u>	<u>EquipmentStatusReport</u>	0..1	
Condition	<u>ConditionType</u>	<u>EquipmentStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>EquipmentStatusReport</u>	1..1	
EquipmentAttributes	<u>EquipmentAttribute</u>	<u>EquipmentStatusReport</u>	0..*	
Evaluation	<u>EquipmentEvaluationType</u>	<u>EquipmentStatusReport</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identifier	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nomenclature	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>EquipmentStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>EquipmentStatusReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Year	<u>Year4DigitType</u>	<u>EquipmentStatusReport</u>	0..1	

330	<p>GroundSupportTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTECHINT</p> <p>Type: <Class></p>	<p>The BM GSE Type Details data element represents parameters for all other types of equipment that support BM operations apart from launchers. Other than category of equipment these parameters relate to mobility</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_MfuQ0P1lEemkcIoqyiQteg</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BallisticMissileGroundSupportEquipment	<u>GroundSupport</u>	<u>GroundSupportTECHINT</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIP_isArmouredIndicator	<u>Boolean</u>	<u>MilitaryVehicleTECHINT</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
MilitaryTypeVehicleCategoryCode	<u>MilitaryTypeVehicleCategoryCode</u>	<u>MilitaryVehicleTECHINT</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
StatusReports	GroundSupportTECHNITStatusReport	GroundSupportTECHINT	0..*	
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	TECHINTAttribute	TECHINT	0..*	
Vehicle	Vehicle	VehicleTECHINT	0..*	

331	<p>GroundSupportTECHNITStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTECHNITStatusReport</p> <p>Type: <Class></p>	<p>The BM GSE Type Details data element represents parameters for all other types of equipment that support BM operations apart from launchers. Other than category of equipment these parameters relate to mobility</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_niVk8PjpEemscYqpT03mmA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTECHNITStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeldentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMGroundSupportTECHINT	<u>GroundSupportTECHINT</u>	<u>GroundSupportTECHNITStatusReport</u>	1..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Crew	<u>Integer</u>	<u>VehicleTECHINTStatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTECHNITStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GroundSupportTECHINT	<u>GroundSupportTypeCode</u>	<u>GroundSupportTECHNITStatusReport</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MaximumGrade	<u>AngleDegrees</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Steepest slope that can be climbed by the launch platform
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MobilityCode	<u>MobilityCode</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Code categorising the type of mobility of the equipment e.g. towed
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Range	<u>Distance</u>	<u>TECHINTStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Size	<u>DimensionsLengthWidthHeightType</u>	<u>TECHINTStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed	<u>Speed</u>	<u>TECHINTStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SpeedTable	<u>MobileSystemSpeedTable</u>	<u>VehicleTECHINTStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINTStatusReport</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	
VehicleHeight	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Width of launch platform
VehicleLength	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Width of launch platform
VehicleMass	<u>Mass</u>	<u>VehicleTECHINTStatusReport</u>	0..1	
VehicleNumber	<u>Integer</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Number of vehicles which the ballistic missile (BM) launcher type comprises
VehicleObstacleCrossingCapability	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Maximum obstacle that can be crossed by the launch platform
VehicleTurningRadius	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Minimum turning circle of launch platform
VehicleType	<u>VehicleTECHINT</u>	<u>VehicleTECHINTStatusReport</u>	1..1	
VehicleUnrefuelledRange	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Maximum distance that the launch platform can drive before re-fuelling
VehicleWeightLoaded	<u>Mass</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Weight of launch platform
VehicleWeightUnloaded	<u>Mass</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Weight of launch platform

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTECHNITStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
VehicleWidth	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Width of launch platform
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	

332	<p>GroundSupportTypeCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTypeCode</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_vhvhwPi4EemkcIoqyiQteg</p>
-----	---	---



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::GroundSupportTypeCode - Owned Enumeration Literals		
Name	Short Name	Value
AIMING		
AMBULANCE		
C2		
CHECKOUT		
COMMUNICATIONS		
COMPRESSOR		
COMPUTER		
CRANE		
ENGINEER		
FIRE_CONTROL		
FUEL		
GENERATOR		
METEOROLOGICAL		
OTHER		
OXIDIZER		
POL		
RESUPPLY		
SPARES		
SURVEY		
TEST		
<i>Results truncated to first 20 rows...</i>		

333	<p>GroupOrganisation</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::GroupOrganisation</p> <p>Type: <Class></p>	<p>An Organisation that is non-formal in nature and classes together its members due to mutual or common circumstances. [MIP-IM 5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_I_SN4IpMEysatGy543LrA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::GroupOrganisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Organisation</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GroupOrganisationCategoryCode	<u>GroupOrganisationCategoryCode</u>	<u>GroupOrganisation</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrganisationCategoryCode	<u>OrganisationCategoryCode</u>	<u>Organisation</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>OrganisationStatusReport</u>	<u>Organisation</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::GroupOrganisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Organisation</u>	0..*	

334	<p>GroupOrganisationCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::GroupOrganisationCategoryCode Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_RYaBNZMoEeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::GroupOrganisationCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
CivilianConvoy		
OtherGroupOrganisation		
OtherGroupOrganisation - ContractorGroup		
OtherGroupOrganisation - CriminalGroup		
OtherGroupOrganisation - DisplacedPersonGroup		
OtherGroupOrganisation - EducationalGroup		
OtherGroupOrganisation - FinancialGroup		
OtherGroupOrganisation - ForeignFightersGroup		
OtherGroupOrganisation - GangGroup		
OtherGroupOrganisation - InsurgentGroup		
OtherGroupOrganisation - IntellectualGroup		
OtherGroupOrganisation - IntelligenceGroup		
OtherGroupOrganisation - InternallyDisplacedPersonGroup		
OtherGroupOrganisation - JournalistGroup		
OtherGroupOrganisation - JudicialGroup		
OtherGroupOrganisation - LandownerGroup		
OtherGroupOrganisation - LocalInhabitantGroup		
OtherGroupOrganisation - MedicalGroup		
OtherGroupOrganisation - MerchantGroup		
OtherGroupOrganisation - PoliceChiefGroup		
<i>Results truncated to first 20 rows...</i>		

335	HairColour INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Hair Colour Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8eaad39c2bed4bb2aabacac3b53ef806
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::HairColour - Owned Enumeration Literals		
Name	Short Name	Value
BLACK		Black
BLOND		Blond
BROWN		Brown
GREY		Grey
Light/Dark		Light/Dark
NKN		Not Known
NONE		None
NOS		Not otherwise specified
RED		Red
Undefined		
WHITE		White
<i>Results truncated to first 20 rows...</i>		

336	HairType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Hair Type Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_b32eaa139ca24333a1ce39e69202d3c1
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::HairType - Owned Enumeration Literals		
Name	Short Name	Value
BALD		Bald
DYED		Dyed
Undefined		
<i>Results truncated to first 20 rows...</i>		

337	<p>HardenedAircraftShelterType</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::HardenedAircraftShelterType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nS_SNpS5EeyQ1-341B09AA</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::HardenedAircraftShelterType - Owned Enumeration Literals		
Name	Short Name	Value
0		Special code for QTY=0
A		Small (Arched) (21.0*11.5*6.0)
B		Medium (Arched) (27.0*13.0*7.5)
C		Large (Arched) (30.0*16.0*8.25)
D		Large (Arched) (29.4*19.0*7.7)
F		Some Present - Number Unknown
G		Obsolete code
H		Underground
J		Screened
K		Large (Arched-Steel Shelled) (26.2*15.4*7.7)
L		Under Construction
M		Mixed
N		Size Undetermined
NKN		Not known
NOS		Not otherwise specified
P		Large (Flat Roof) (28.8*16.0*9.9)
R		Caves
T		Trapezoidal (30.0*16.0*8.3)
X		Command Post Shelter
Y		Inverted T Shape (20*15*6.5)
<i>Results truncated to first 20 rows...</i>		

338	HardenedType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::HardenedType e Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpIx1BUvEeuBSdMjVejhEA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::HardenedType - Owned Enumeration Literals		
Name	Short Name	Value
H		Hard
M		Medium
S		Soft
UN		Unknown
Undefined		
<i>Results truncated to first 20 rows...</i>		

339	HeadquarterType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::HeadquarterType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_J8veAJP3EeyQ1-341B09AA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::HeadquarterType - Owned Enumeration Literals		
Name	Short Name	Value
AC HQ		Air Component HQ
DHQ		Deployable HQ
HQ		Headquarter
JFHQ		Joint Force HQ
LC HQ		Land Component HQ
NC HQ		Navy Component HQ
NOS		Not otherwise specified
No		Default value!
RHQ		Regional HQ
Sub Component HQ		Sub Component HQ
Undefined		
<i>Results truncated to first 20 rows...</i>		

340	<p>HighPayoffTarget</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::High PayoffTarget</p> <p>Type: <Class></p>	<p>high-payoff target A target whose loss to the enemy will significantly contribute to the success of the friendly course of action. High-payoff targets are those high-value targets that must be acquired and successfully attacked for the success of the friendly commanders mission. Also called HPT - USA JP 1-02</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_EgEv0LYJJEeq3tqpngAnA8g</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::HighPayoffTarget - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
COA	<u>CourseOfAction</u>	<u>HighPayoffTarget</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
JTS_Target	<u>JTS_TARGET</u>	<u>Target</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

341	<p>HighValueTarget INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::High ValueTarget Type: <Class></p>	<p>high-value target A target the enemy commander requires for the successful completion of the mission. The loss of high-value targets would be expected to seriously degrade important enemy functions throughout the friendly commanders area of interest. Also called HVT. USA JP 1-02</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8i8hMLYIEeq3tqpngAnA8g</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::HighValueTarget - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
COA	<u>CourseOfAction</u>	<u>HighValueTarget</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
JTS_Target	<u>JTS_TARGET</u>	<u>Target</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

342	HostilityType INTEL-FS Spiral 2::NATO::JISR::Domain::common::HostilityType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_820c28e83c284b04bd3afad60cc36fb3
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::HostilityType - Owned Enumeration Literals		
Name	Short Name	Value
A		Assumed Friend
F		Friend
H		Hostile
N		Neutral
P		Pending
S		Suspect
U		Unknown
Undefined		
<i>Results truncated to first 20 rows...</i>		

343	HyphenType INTEL-FS Spiral 2::NATO::Datatypes::HyphenType Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_UqE40IjSEeyic-Bak-igaQ
-----	--	--

INTEL-FS Spiral 2::NATO::Datatypes::HyphenType - Owned Attributes

Attribute Name	Type Name	Defining Class	Mltplcty	Description
-	<u>HyphenType</u>	<u>HyphenType</u>	1..1	



344	ICP_IR INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::ICP_IR Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_TmeC4KQQEeqcbY-0Q2WwQw
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::ICP_IR - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ICP	<u>IntelligenceCollectionPlan</u>	<u>ICP_IR</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IR	<u>InformationRequirement</u>	<u>ICP_IR</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::ICP_IR - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

345	<p>IEDIncident</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::IED::IEDIncident</p> <p>Type: <Class></p>	<p>An IED incident. The preferred weapon of insurgents and terrorists has become an improvised explosive device, or IED. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_s4oLOVl3Eeq_ycE4Xm7uyA</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::IED::IEDIncident - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AttackGeometry	<u>String</u>	<u>IEDIncident</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BoobyTrappedType	<u>Boolean</u>	<u>IEDIncident</u>	0..1	
CJOCNotes	<u>String</u>	<u>IEDIncident</u>	0..1	
Category	<u>IncidentCategory</u>	<u>IEDIncident</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Detained	<u>Integer</u>	<u>IEDIncident</u>	0..1	
DiscoverDescription	<u>String</u>	<u>IEDIncident</u>	0..1	
Discoverer	<u>String</u>	<u>IEDIncident</u>	0..1	
EmplacementType	<u>EmplacementType</u>	<u>IEDIncident</u>	0..1	
EmploymentType	<u>EmploymentType</u>	<u>IEDIncident</u>	0..1	
EquipmentLines	<u>EquipmentLine</u>	<u>IEDIncident</u>	0..*	
EventGeometry	<u>String</u>	<u>IEDIncident</u>	0..1	
Exploited	<u>Boolean</u>	<u>IEDIncident</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::IED::IEDIncident - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Projected	<u>Boolean</u>	<u>IEDIncident</u>	0..1	
SIGACTNumber	<u>String</u>	<u>IEDIncident</u>	0..1	
SIGACTRemarks	<u>String</u>	<u>IEDIncident</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Status		<u>IEDIncident</u>	0..1	
StatusReports	<u>EventStatusReport</u>	<u>Event</u>	1..*	
SuicideType	<u>Boolean</u>	<u>IEDIncident</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TacticalComments	<u>String</u>	<u>IEDIncident</u>	0..1	
Target		<u>IEDIncident</u>	0..1	
TargetDescription	<u>String</u>	<u>IEDIncident</u>	0..1	
TrackingNumber	<u>String</u>	<u>IEDIncident</u>	0..1	

346	<p>IEDIncident_Event</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::IED::IEDIncident_Event</p> <p>Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_s4oLtFl3Eeq_ycE4Xm7uyA</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::IED::IEDIncident_Event - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Event	<u>Event</u>	<u>IEDIncident_Event</u>	0..*	
Event1	<u>Event</u>	<u>Event Event</u>	0..*	
Event2	<u>Event</u>	<u>Event Event</u>	0..*	
EventCategory	<u>SP1_EventType</u>	<u>Event Event</u>	0..1	
EventEventRelationshipCategoryCode	<u>EventEventRelationshipCategoryCode</u>	<u>Event Event</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IEDIncident	<u>IEDIncident</u>	<u>IEDIncident_Event</u>	0..*	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_EventType	<u>SP1_EventSubType</u>	<u>Event Event</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::IED::IEDIncident_Event - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP2_EventType	<u>SP2_EventType</u>	<u>Event_Event</u>	0..1	
Significance	<u>SignificanceType</u>	<u>Event_Event</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

347	IEDInitiatorCategory INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::IEDInitiatorCategory Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_5cb95ff3127a452daf5705cfb1ec9dc6
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::IEDInitiatorCategory - Owned Enumeration Literals		
Name	Short Name	Value
ELEC		Electric
NELEC		Nonelectric
Undefined		
<i>Results truncated to first 20 rows...</i>		

348	IEDInitiatorType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::IEDInitiatorType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7445283afb5f4b7cba15878adce067e9
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::IEDInitiatorType - Owned Enumeration Literals		
Name	Short Name	Value
COMMD		Commercial - Detonator
COMMI		Commercial - Ignitor
IMPD		Improvised - Detonator
IMPI		Improvised - Ignitor
MILD		Military - Detonator
MILI		Military - Ignitor
Undefined		
<i>Results truncated to first 20 rows...</i>		

349	IIE Dissemination State Machine INTEL-FS Spiral 2::NATO::JISR::Staff::Dissemination::IIE Dissemination State Machine Type: <StateMachine>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_M2QaMDxQEeq7k_ryVtKvZQ
-----	---	--

350	<i>IIEAttribute</i> INTEL-FS Spiral 2::NATO::JISR::Metadata::IIEAttribute Type: <DataType>	Abstract Extensibility Point - realization will be implementation specific. platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7_Zf8AO_EeuBo-B1K15fhQ
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Metadata::IIEAttribute - Owned Attributes

Attribute Name	Type Name	Defining Class	Mltplct Y	Description
AttrbuteValue	<u>String</u>		0..1	
Confidence	<u>Confidence</u>		0..1	
IntelligenceInformationNecessity	<u>IntelligenceInformationNecessity</u>		0..1	

<p>351</p>	<p><i>IIERelated</i> INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::IIERelated Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_5aGMoEPJEey4T-QSDgmN4w</p>
------------	--	---

INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::IIERelated - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

352	IIE_IIE INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::IIE_IIE Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_eHkAQJqSEeq4n8oITCKtwg
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::IIE_IIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIE1	<u>IIERelated</u>	<u>IIE_IIE</u>	0..*	
IIE2	<u>IIERelated</u>	<u>IIE_IIE</u>	0..*	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP2_TimePeriod	<u>AbsoluteTimePeriod</u>	<u>IIE_IIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::IIE_IIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>



353	IRMCMIIIE INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRMCMIIIE Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_uzAe8KQLEeqcbY-0Q2WwQw
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRMCMIIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

354	<p>IR_IR INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::IR_IR Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ONuKQKiqEeqj-Pktwv_oDw</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::IR_IR - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ICP	<u>IntelligenceCollectionPlan</u>	<u>IR_IR</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IR1	<u>InformationRequirement</u>	<u>IR_IR</u>	0..*	
IR2	<u>InformationRequirement</u>	<u>IR_IR</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::IR_IR - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

355	ISRAssetActivityRequirementType INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Task::ISRAssetActivityRequirementType Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_oZuqIA7yEeuFGaXSA9xcfg
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Task::ISRAssetActivityRequirementType - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
CollectionInfo	<u>CollectionInfoType</u>	<u>ISRAssetActivityRequirementType</u>	0..1	
CollectionInterval	<u>CollectionTimeInterval</u>	<u>ISRAssetActivityRequirementType</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GeographicAreaOfInterest	<u>GeographicAreaOfInterestOrReferenceType</u>	<u>ISRAssetActivityRequirementType</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
Identifier	<u>string</u>	<u>ISRAssetActivityRequirementType</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ReportedProduct	<u>ProductReferenceType</u>	<u>ISRAssetActivityRequirementType</u>	0..*	
RequiredInformation	<u>ContextualReferencesType</u>	<u>ISRAssetActivityRequirementType</u>	0..*	
RequiredProduct	<u>RequiredProductType</u>	<u>ISRAssetActivityRequirementType</u>	0..*	

356	ISRAssetStatusType INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT:: ISRAssetStatusType Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7aRGED65Eeu6IMtaAVHbRA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT::ISRAssetStatusType - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
PlannedAvailability	<u>PlannedAvailabilityType</u>	<u>ISRAssetStatusType</u>	0..*	
ReportingDateTimeZulu	<u>DateTimeZuluType</u>	<u>ISRAssetStatusType</u>	0..1	
ReportingSystem	<u>UniquePlatformIdentificationType</u>	<u>ISRAssetStatusType</u>	0..1	
Sensors	<u>SensorStatusType</u>	<u>ISRAssetStatusType</u>	0..*	
SystemStatus	<u>SystemStatusType</u>	<u>ISRAssetStatusType</u>	0..1	Status of Reporting System

357	ISRIntelligenceDiscipline INTEL-FS Spiral 2::NATO::JISR::Domain::common::ISRIntelligenceDiscipline Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#024c3d71ab9247eda8fc36407fce8b9c
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::ISRIntelligenceDiscipline - Owned Enumeration Literals

Name	Short Name	Value
ACINT		ACINT
COMINT		COMINT
ELINT		ELINT
HUMINT		HUMINT
IMINT		IMINT
MASINT		MASINT
OSINT		OSINT
SIGINT		SIGINT
Undefined		

Results truncated to first 20 rows...

358	<p>ISRLocation INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT:: ISRLocation Type: <Class></p>	<p>Assume that BlueISRLocation is not as complex as a BSO Place platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_1vcDAKf4Eeq0mqb5FoCn4g</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT::ISRLocation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Facility</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GeoLocationCode	<u>GeoLocationCodeType</u>	<u>ISRLocation</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Location	<u>Location</u>	<u>ISRLocation</u>	0..1	
LocationName	<u>String</u>	<u>ISRLocation</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>FacilityStatusReport</u>	<u>Facility</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT::ISRLocation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Facility</u>	0..*	

359	ISRLocationAccuracy INTEL-FS Spiral 2::NATO::JISR::Domain::common::ISRLocationAccuracy Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#4d6049d08d4b4b1581d3c88ecdd8284c
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::ISRLocationAccuracy - Owned Enumeration Literals		
Name	Short Name	Value
Item100m		100 m
Item10m		10 m
Item1km		1 km
Item1m		1 m
LARGER		Larger > 1km
Undefined		
<i>Results truncated to first 20 rows...</i>		

360	<p>ISROBAT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISROBAT:: ISROBAT</p> <p>Type: <Class></p>	<p>An OrganisationStructure that provides the identification, strength, command structure, and disposition of the personnel, units, and equipment of any military force.</p> <p>Remarks: Although sometimes used in other ways, this term most frequently applies to the grouping of forces for a specific campaign. [MIM-5.1]</p> <p>An Order of Battle (ORBAT) is a catalogue listing the entities (force elements, military units and non-military elements) potentially available for operations with the ability to structure these entities into an organisational hierarchy. [TOPFAS CDM]</p> <p>A Friendly Order of Battle (ORBAT) describes the identification, strength, command structure, and disposition of the personnel, units, and equipment of friendly forces. Adapted from AAP-06</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_1BOccKiYEeq9_6HSbxh_gw</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISROBAT::ISROBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Actor_Actor	<u>Actor_Actor</u>	<u>ORBAT</u>	0..*	
Actor_EquipmentHolding	<u>Actor_Equipment</u>	<u>ORBAT</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BISRU_BISRU	<u>BlueSRUnit_BlueSRUnit</u>	<u>ISROBAT</u>	0..*	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BlueSROperation	<u>SROperation</u>	<u>ISROBAT</u>	0..*	
BlueSROperation_CurrentORBAT	<u>SROperation</u>	<u>ISROBAT</u>	0..1	
BlueSRUnit_BlueSRSystem	<u>BlueSRUnit_BlueSRSystem</u>	<u>ISROBAT</u>	0..*	
ChainOfCommand	<u>String</u>	<u>ORBAT</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ORBAT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
NOC	<u>NationOfConcern</u>	<u>ORBAT</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBATName	<u>String</u>	<u>ORBAT</u>	0..1	
OperationPlanIdentifier	<u>string</u>	<u>ORBAT</u>	0..1	
OrderOfBattle	<u>OrderOfBattleType</u>	<u>ORBAT</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISROBAT::ISROBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
ValidtyEnd	<u>DateTimeZuluType</u>	<u>ORBAT</u>	0..1	
ValidtyStart	<u>DateTimeZuluType</u>	<u>ORBAT</u>	0..1	

361	<p>ISROperation INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISROBAT:: ISROperation Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_pXNj4AxyEeuZzaYHy643dw</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISROBAT::ISROperation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BlueISROBAT	<u>ISROBAT</u>	<u>ISROperation</u>	0..*	
CurrentORBAT	<u>ISROBAT</u>	<u>ISROperation</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExerciselIndicator	<u>boolean</u>	<u>ISROperation</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OperationCategory	<u>OperationCategoryType</u>	<u>ISROperation</u>	0..1	
OperationName	<u>string</u>	<u>ISROperation</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT::ISROperation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

362	ISRPlatformVisibility INTEL-FS Spiral 2::NATO::JISR::Domain::common::ISRPlatformVisibility Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#3bf726e2bdf944c39a2cdc3356992f6c
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::ISRPlatformVisibility - Owned Enumeration Literals		
Name	Short Name	Value
LOW		Low
NOTAPPLICABLE		Not applicable
OVERT		Overt
Undefined		
<i>Results truncated to first 20 rows...</i>		

363	ISRR_CR INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::CM::CRM::ISRR::ISRR_CR Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_PaRRgKcsEeq3hrtrHnJN5Q
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::CM::CRM::ISRR::ISRR_CR - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CR	<u>CollectionRequirement</u>	<u>ISRR_CR</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
ISRR	<u>ISRRRequest</u>	<u>ISRR_CR</u>	1..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::CM::CRM::ISRR::ISRR_CR - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

364	<p>ISRRequest INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::CM::CRM::ISRR::ISRRequest Type: <Class></p>	<p>patternforaboutisurn:nato:majiic:ccirm:request:ISRRequisiteType/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12} platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_U9YcIKcpEq3hrtrHnJN5Q</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::CM::CRM::ISRR::ISRRequest - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	String	IntelligenceInformationEntity	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	BusinessProcess	IntelligenceInformationEntity	0..*	
Background	String	Request	0..1	This section gives the background to the request, detailing, for example, sources already consulted and the information already obtained on the subject
CTM	ChoreographyTaskMessage	BusinessProcess	1..*	
CollectionInfo	CollectionInfoType	ISRRequest	0..1	
Description	String	IntelligenceInformationEntity	0..1	
EffectivenessRating	DegreeOfEffectiveness	Request	0..1	
EffectivenessRatingReason	String	Request	0..1	
ExtensibleType	ExtensibleTypeGroup	Entity	0..1	
ID	Integer	Entity	0..1	
IIEAttributes	IIEAttribute	IntelligenceInformationEntity	0..*	
IIEs	IntelligenceInformationEntity	BusinessProcess	0..*	
ISRStaffPOC	OnBehalfOf	Request	0..1	
IdentifierUUID	String	Entity	0..1	
Justification	String	Request	0..1	This section must detail the justification for the request, explaining why the information is being requested
Key	String	Entity	1..1	
Metadata	StaffMetadata	StaffIIE	1..1	
Name	String	Entity	0..1	
Priority	NumericPriorityType	Request	0..1	
ReportingInstructions	string	Request	0..1	
RequestAssessment	string	Request	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::CM::CRM::ISRR::ISRRequest - Owned Attributes				
Attribute Name	Type Name	Defining Class	Multiplicity	Description
RequestCTM	<u>RequestCTM</u>	<u>Request</u>	1..*	
RequestStatus	<u>ForOwnerStatusEnum</u>	<u>Request</u>	0..1	
RequirementsForJustification	<u>RequirementDescription</u>	<u>Request</u>	0..*	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Subject	<u>String</u>	<u>Request</u>	0..1	Brief statement sufficient to identify the subject area on which information is required
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
UnitPriority	<u>UnitPriorityType</u>	<u>Request</u>	0..*	
ValidatedBy	<u>String</u>	<u>Request</u>	0..1	Indicates the person or organization validating the request and responsible for monitoring the collection and reporting

365	ISRRequestStatus INTEL-FS Spiral 2::NATO::JISR::Domain::common::ISRRequestStatus Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#8649dfaf935a4c9faaddafa6c0d23e9
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::ISRRequestStatus - Owned Enumeration Literals		
Name	Short Name	Value
FULFILLED		Fulfilled
RESUBMITTED		Resubmitted
STOPPED		Stopped
SUBMITTED		Submitted
Undefined		
<i>Results truncated to first 20 rows...</i>		

366	<p>ISRSystem</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT:: ISRSystem Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_RBFn0Kf8Eeq0mqb5FoCn4g</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMC::Organisation::ISRORBAT::ISRSystem - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
APP6BSymbolIDCodingReference	<u>String</u>	<u>ISRSystem</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattleSpaceDimension	<u>BattleSpaceDimensionType</u>	<u>ISRSystem</u>	0..1	
CandidateTarget	<u>CandidateTarget</u>	<u>Equipment</u>	0..*	
Capability	<u>CapabilityType</u>	<u>ISRSystem</u>	0..1	
CollectionCapacityPerDeck	<u>Integer</u>	<u>ISRSystem</u>	0..1	
ContactInfo	<u>PointOfContactDataType</u>	<u>ISRSystem</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EnglishName	<u>String</u>	<u>ISRSystem</u>	0..1	
ExploitationCapacityPerHour	<u>Integer</u>	<u>ISRSystem</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Identifiers	<u>IdentifiersType</u>	<u>ISRSystem</u>	0..1	
IsPrime	<u>Boolean</u>	<u>ISRSystem</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>ISRSystem</u>	0..1	
PresenceAtLocation	<u>PresenceAtLocationType</u>	<u>ISRSystem</u>	0..1	
ReportableItemIdentifier	<u>String</u>	<u>Materiel</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT::ISRSystem - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumberIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
StatusReports	<u>EquipmentStatusReport</u>	<u>Equipment</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
SystemDescription	<u>string</u>	<u>ISRSystem</u>	0..1	
TECHINT	<u>TECHINT</u>	<u>Equipment</u>	1..1	Type of all (non-expendable) items needed to outfit/equip an individual or unit. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]
Target	<u>Target</u>	<u>Equipment</u>	0..*	

367	<p>ISRUnit INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT:: ISRUnit Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_1GEdQKf1Eeq0mqb5FoCn4g</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT::ISRUnit - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
4559_C2CategoryCode	<u>OrganisationTypeCommandAndControlCategoryCode</u>	<u>ISRUnit</u>	0..1	
4559_Identification	<u>MilitaryUnitIdentificationType</u>	<u>ISRUnit</u>	0..1	
4559_IntelCollectionDiscipline	<u>IntelligenceDisciplineType</u>	<u>ISRUnit</u>	0..*	
4559_MilitaryUnitName	<u>MilitaryUnitNameType</u>	<u>ISRUnit</u>	0..1	
4559_ServiceType	<u>MilitaryOrganisationTypeServiceCode</u>	<u>ISRUnit</u>	0..1	
4559_UnitReferenceNumber	<u>UnitReferenceNumberType</u>	<u>ISRUnit</u>	0..1	
4559_UnitSize	<u>UnitTypeSizeCode</u>	<u>ISRUnit</u>	0..1	
4559_UnitTypeCode	<u>UnitTypeSupplementarySpecialisationCode</u>	<u>ISRUnit</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Unit</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
CollectionCapacityPerDeck	<u>Integer</u>	<u>ISRUnit</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExploitationCapacityPerHour	<u>Integer</u>	<u>ISRUnit</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GovernmentOrganisationCategoryCode	<u>GovernmentOrganisationCategoryCode</u>	<u>GovernmentOrganisation</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Organisation::ISRORBAT::ISRUnit - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
MIP_mainActivityCode	MainActivityCode	GovernmentOrganisation	0..1	
Metadata	BattlespaceMetadata	BattlespaceIE	1..1	
MilitaryOrganisationStatusReport	MilitaryOrganisationStatusReport	MilitaryOrganisation	1..*	
Name	String	Entity	0..1	
OrganisationCategoryCode	OrganisationCategoryCode	Organisation	0..1	
SP1_GeoEntities	Geometry	IntelligenceInformationEntity	0..*	
StatusReports	UnitStatusReport	Unit	1..*	
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	Target	Unit	0..*	
UnitCategoryCode	UnitCategoryCode	Unit	1..1	

368	IdentificationDocumentStatusType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::IdentificationDocumentStatusType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_HLgQMP5-EemStdWDbKQaHA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::IdentificationDocumentStatusType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

369	IdentificationDocumentType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::IdentificationDocumentType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_b7d37f239992422bb54e390c714b5af3
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::IdentificationDocumentType - Owned Enumeration Literals		
Name	Short Name	Value
CIVID		Civilian ID
MILID		Military ID
MILORD		Military Orders
NOS		Not otherwise specified
PSSPRT		Passport
Undefined		
<i>Results truncated to first 20 rows...</i>		

370	<p>ImageProduct INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ImageProduct Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_v9TOz_vDEemmBcVzc-_U7g</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ImageProduct - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AllowedCategories	<u>AllowedCategory</u>	<u>ImageProduct</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BENumber	<u>String</u>	<u>ImageProduct</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
Categorycode	<u>CategoryCode</u>	<u>ImageProduct</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CloudCoverPercentage	<u>UnlimitedNatural</u>	<u>ImageProduct</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Countrycode	<u>SP1_CountryCode</u>	<u>ImageProduct</u>	0..1	
DecompressionTechnique	<u>DecompressionTechnique</u>	<u>ImageProduct</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ImageProduct - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Functionalcategorycode	<u>FunctionalCategoryCode</u>	<u>ImageProduct</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identifier	<u>String</u>	<u>ImageProduct</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Imagequality	<u>ImageQuality</u>	<u>ImageProduct</u>	0..1	
Imagetype	<u>ImageType</u>	<u>ImageProduct</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
MissionNumber	<u>String</u>	<u>ImageProduct</u>	0..1	
NATOId	<u>String</u>	<u>ImageProduct</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
NumberOfBands	<u>Integer</u>	<u>ImageProduct</u>	0..1	
NumberOfParts	<u>Integer</u>	<u>ImageProduct</u>	0..1	
P1	<u>Point</u>	<u>ImageProduct</u>	0..1	
P2	<u>Point</u>	<u>ImageProduct</u>	0..1	
P3	<u>Point</u>	<u>ImageProduct</u>	0..1	
P4	<u>Point</u>	<u>ImageProduct</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ImageProduct - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
RequestIdentifier	<u>String</u>	<u>ImageProduct</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SensorType	<u>SensorType</u>	<u>ImageProduct</u>	0..1	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>String</u>	<u>ImageProduct</u>	0..1	
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

371	ImageQuality INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ImageQuality Type: <Enumeration>	National Image Interpretability Rating Scales - defines and measures the quality of images and the performance of imaging systems. [IPIWG-4.20] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0f1c58b7b0b242f48950c4c09618d2d0
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ImageQuality - Owned Enumeration Literals

Name	Short Name	Value
0		0
1		1
2		2
3		3
4		4
5		5
6		6
7		7
8		8
9		9
Undefined		

Results truncated to first 20 rows...

372	ImageType INTEL-FS Spiral 2::NATO::JISR::Staff::Product::ImageType Type: <Enumeration>	Identifies the image type associated with the product. STANAG 4559 AEDP platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_01b5a7b0415a4d83b9fc2f80d988f675
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::ImageType - Owned Enumeration Literals

Name	Short Name	Value
baro		Barometric Pressure
bp		Black-White Photo
cat		CAT
cp		Colour Photo
current		Water Current
depth		Water Depth
dtem		Elevation Model
eo		Electro-Optical
fl		Forward looking infrared
fp		FP
hr		High Resolution radar
hs		Hyperspectral
ir		Infrared
leg		Legend
locg		Location Grids
map		Map
matr		Other types of Matrix Data
mri		Magnetic Resonance Imagery
ms		Multispectral
op		Optical

Results truncated to first 20 rows...

373	<p>ImpactPointPrediction</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::ImpactPointPrediction</p> <p>Type: <Class></p>	<p>The location and uncertainty of the point on the ground where a ballistic object is calculated to hit, normally expressed as a point surrounded by an elliptical area with 3-sigma probability that the impact will be within the area, plus the time that the impact is calculated to occur. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_UrD1kKITTEeyktZquZBKZ_w</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::ImpactPointPrediction - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMPPoint	<u>BMPPoint</u>	<u>ImpactPointPrediction</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::ImpactPointPrediction - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
PredictedImpactTime	<u>TimePoint</u>	<u>ImpactPointPrediction</u>	1..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::ImpactPointPrediction - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

374	Imported INTEL-FS Spiral 2::NATO::JISR::Domain::INTEL-FS Spiral 1 Other::Imported Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_fBwf8P8IEemnbr38OATpNQ
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::INTEL-FS Spiral 1 Other::Imported - Owned Enumeration Literals

Name	Short Name	Value
FILEIMPORT		
Undefined		

Results truncated to first 20 rows...

375	<p>ImprovisedExplosiveDevice</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDevice</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_FsEjEKoaEeydC_44xPHiuw</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDevice - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Equipment</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ReportableItemIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumberIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
StatusReports	<u>EquipmentStatusReport</u>	<u>Equipment</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDevice - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINT	<u>TECHINT</u>	<u>Equipment</u>	1..1	Type of all (non-expendable) items needed to outfit/equip an individual or unit. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]
Target	<u>Target</u>	<u>Equipment</u>	0..*	

376	<p>ImprovisedExplosiveDeviceStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_JaHiIKOaEeydC_44xPHiuw</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
AccountingUnit	<u>Integer</u>	<u>EquipmentStatusReport</u>	0..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AINP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Colour	<u>EquipmentColourType</u>	<u>EquipmentStatusReport</u>	0..1	
Condition	<u>ConditionType</u>	<u>EquipmentStatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>EquipmentStatusReport</u>	1..1	
EquipmentAttributes	<u>EquipmentAttribute</u>	<u>EquipmentStatusReport</u>	0..*	
Evaluation	<u>EquipmentEvaluationType</u>	<u>EquipmentStatusReport</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identifier	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nomenclature	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>EquipmentStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>EquipmentStatusReport</u>	1..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Year	<u>Year4DigitType</u>	<u>EquipmentStatusReport</u>	0..1	



377	ImprovisedExplosiveDeviceTECHINT INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceTECHINT Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_pAPGMKOYEeydC_44xPHiuw
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
DaisyChainType	<u>DaisyChainType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DeviceType	<u>DeviceType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>TECHINTStatusReport</u>	<u>TECHINT</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Switches	<u>SwitchTECHINT</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..*	
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
TechnicalComments	<u>String</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	

378	<p>ImprovisedExplosiveDeviceTECHINTStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR:: Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceTECHINTStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_MQxmMKOaEeydC_44xPHiuw</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Range	<u>Distance</u>	<u>TECHINTStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Size	<u>DimensionsLengthWidthHeightType</u>	<u>TECHINTStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed	<u>Speed</u>	<u>TECHINTStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINTStatusReport</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::ImprovisedExplosiveDeviceTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	

379	IncidentCategory INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::IED::IncidentCategory Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_5edcd785d17f404ca86bdc2503f9e2a2
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::IED::IncidentCategory - Owned Enumeration Literals		
Name	Short Name	Value
CACHE		Cache
COMPONENTS		Components
CWIED		Command Wire IED
DET		Detainee
DFIRE		Direct Fire
ENROLL		Enrollments
EXPL		Explosion
FIND		Find
FOUND		Found and Cleared
HOAX		Hoax
IED		IED
NKN		Not known
RCIED		Remote Control IED
TURNIN		Turn-In
Undefined		
false		false
<i>Results truncated to first 20 rows...</i>		



380	IncidentReport INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IncidentReport::IncidentReport Type: <Class>	Message identifier (Name):FIRST HOSTILE ACT (FIRST HOSTILE ACT REPORT) Related Documents:BI-SC REPORTING DIRECTIVE, VOL. III STANAG 2434 Purpose:The FIRST HOSTILE ACT is used to rapidly provide major NATO commands with information on initial enemy/opposition forces (OPFOR) hostile acts in order to enable major NATO commands to react as early as possible. Sponsor:SHAPE Notes:none Status:Published [APP-11-D-1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SXkW8KDHEeqz4qMNCq9PtQ
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IncidentReport::IncidentReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IncidentReport	<u>IncidentReport</u>	<u>IncidentReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IncidentReport::IncidentReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IncidentReport::IncidentReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

381	<p>IncidentSpotReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IncidentSpotReport::IncidentSpotReport</p> <p>Type: <Class></p>	<p>Message identifier (Name):INCSPOTREP (INCIDENT SPOT REPORT)</p> <p>Related Documents:NONE</p> <p>Purpose:The INCSPOTREP is used to provide time critical information on important events that have an immediate impact on operations.</p> <p>Sponsor:COUNCIL OPERATIONS AND EXERCISE COMMITTEE (COEC). SHAPE</p> <p>Notes:1. Set MSGID provides the ability to indicate that the message is an initial, follow-up or final report. 2. To specify any additional information not covered by any of the other sets in the message, add set remarks (RMKS) as the last set in the message.</p> <p>Status:Published [APP-11-D-1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SXooYKDHEeqz4qMNCq9PtQ</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IncidentSpotReport::IncidentSpotReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IncidentSpotReport	<u>IncidentSpotReport</u>	<u>IncidentSpotReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IncidentSpotReport::IncidentSpotReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IncidentSpotReport::IncidentSpotReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

382	IndicInterpType INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::IndicInterpType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_dce43fabb92c4b45be63e02564ac960c
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::IndicInterpType - Owned Enumeration Literals		
Name	Short Name	Value
CQ		CONFIRMS QUESTION
DQ		DENIES QUESTION
Undefined		
<i>Results truncated to first 20 rows...</i>		

383	IndicObsType INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::IndicObsType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_14ff856d4e7f4a9aa3c34efecfe9334e
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::IndicObsType - Owned Enumeration Literals		
Name	Short Name	Value
CO		CONFIRMED
NE		NEGATED
NO		NOT_OBSERVED
Undefined		
<i>Results truncated to first 20 rows...</i>		

384	IndicType INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::IndicType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_45aba363cfa1456fa6049135d9843e9b
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::IndicType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
alert		Alert
combat		Combat
identification		Identification
tactical		Tactical
warning		Warning
<i>Results truncated to first 20 rows...</i>		

385	<p>Indicator INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::Indicator Type: <Class></p>	<p>In intelligence usage, an item of information which reflects the intention or capability of a potential enemy to adopt or reject a course of action. [AAP-06]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_i6k1YJ9KEeqGY6i_CL9eLQ</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::Indicator - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EndTime	<u>DateTimeZuluType</u>	<u>Indicator</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IndicationStatement	<u>String</u>	<u>Indicator</u>	0..1	
IndicatorInterpretationType	<u>IndicInterpType</u>	<u>Indicator</u>	0..1	
IndicatorObservationType	<u>IndicObsType</u>	<u>Indicator</u>	0..1	
IndicatorType	<u>IndicType</u>	<u>Indicator</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Parent	<u>Indicator</u>	<u>Indicator</u>	1..1	
Priority	<u>Integer</u>	<u>Indicator</u>	0..1	
QuantitativeStatement	<u>string</u>	<u>Indicator</u>	0..1	
Requirement	<u>Requirement</u>	<u>Indicator</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StartTime	<u>DateTimeZuluType</u>	<u>Indicator</u>	0..1	
SubIndicator	<u>Indicator</u>	<u>Indicator</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::Indicator - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

386	IndicatorCategory INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::Indicator Category Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#f4df863987034c96849ef7eaf36202c1
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::IndicatorCategory - Owned Enumeration Literals		
Name	Short Name	Value
ALERTORWARNING		ALERTORWARNING
IDENTIFICATION		IDENTIFICATION
TACTICALORCOMBAT		TACTICALORCOMBAT
Undefined		
<i>Results truncated to first 20 rows...</i>		

387	Indicator Interpretation INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::Indicator Interpretation Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#9d1f40c94f524ebc82e19c2cb6d53cf7
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::Indicator Interpretation - Owned Enumeration Literals		
Name	Short Name	Value
CONFIRMSQUESTION		Confirms question
DENIESQUESTION		Denies question
Undefined		
<i>Results truncated to first 20 rows...</i>		

388	IndicatorObservation INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::Indicator Observation Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#5d611206bce1406eaf5f5c73089d0986
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::Indicator::IndicatorObservation - Owned Enumeration Literals		
Name	Short Name	Value
CONFIRMED		Confirmed
NEGATED		Negated
NOT_OBSERVED		Not observed
Undefined		
<i>Results truncated to first 20 rows...</i>		



389	Indicator_ProductIIE INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Indicator_ProductIIE Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_uQHYSLb5EeuhOv6Z1V6HhA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Indicator_ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Indicator	<u>Indicator</u>	<u>Indicator_ProductIIE</u>	0..*	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Product	<u>ProductIIE</u>	<u>Indicator_ProductIIE</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Indicator_ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

390	<p>IndustrialFacility</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::IndustrialFacility</p> <p>Type: <Class></p>	<p>A facility designed to enable or support industrial business processes.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qkgg8IpgEeysatGy543LrA</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::IndustrialFacility - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Facility</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IndustrialFacilityCategoryCode	<u>IndustrialFacilityCategoryCode</u>	<u>IndustrialFacility</u>	1..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>FacilityStatusReport</u>	<u>Facility</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::IndustrialFacility - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Target	<u>Target</u>	<u>Facility</u>	0..*	

391	<p>IndustrialFacilityCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::IndustrialF acilityCategoryCode</p> <p>Type: <Enumeration></p>	<p>Category Codes class of Industrial Facility generated by Spiral 2 from [MIM-5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_skk_DJJWEeybR8MjY-oHwA</p>
-----	--	---



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::IndustrialFacilityCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
AircraftProductionComplex		
ChemicalProductionComplex		
EquipmentManufacture		
GeneralMotorVehicleProductionComplex		
HighTechnologyComplex		
IndustrialWorks		
MaintenanceFacility		
MaintenanceFacility - AircraftMaintenanceFacility		
MaintenanceFacility - MotorVehicleMaintenanceFacility		
MilitaryProductionFacility		
MilitaryProductionFacility - GuidedMissileProductionComplex		
MilitaryProductionFacility - MilitaryAircraftProductionAndAssemblyFacility		
MilitaryProductionFacility - MilitaryAmmunitionAndExplosivesProductionFacility		
MilitaryProductionFacility - MilitaryArmamentProductionFacility		
MilitaryProductionFacility - MilitaryBridgeProductionFacility		
MilitaryProductionFacility - MilitaryChemicalAndBiologicalWarfareProductionFacility		
MilitaryProductionFacility - MilitaryEngineeringEquipmentProductionFacility		
MilitaryProductionFacility - MilitaryMissileAndSpaceSystemProductionFacility		
MilitaryProductionFacility - MilitaryShipConstructionFacility		



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::IndustrialFacilityCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
MilitaryProductionFacility - MilitaryVehicleProductionFacility		
<i>Results truncated to first 20 rows...</i>		

392	InfoSource INTEL-FS Spiral 2::NATO::JISR::Metadata::InfoSource Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_064c57d5976f4ca2b9fad9974669bd37
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::InfoSource - Owned Enumeration Literals

Name	Short Name	Value
.MULTIPLE		See attached documents
ACCI		ACCI KFOR HQ
ACO O S S		ACO O S S
ACO Open Sou		ACO Open Sou
ACO Open Source System		ACO Open Source System
AF SOUTH SIGINT		AF SOUTH SIGINT
AFSOUTH		AFSOUTH
AFSOUTH INTS		AFSOUTH INTS
AIRCOM		AIRCOM
AM/PM ANALYS		AM/PM ANALYS
AMIB		AMIB
AMIB HR REP		AMIB HR REP
ARRC		ARRC
ARRC G2		ARRC G2
BDF		BDF
BENIC		BENIC
BID		BID
BLACKBIRD		BLACKBIRD
BULGARIA		Bulgaria
CANIC		CANIC

Results truncated to first 20 rows...

<p>393</p>	<p>InformationGroup INTEL-FS Spiral 2::NATO::JISR::Staff::InformationGroup::InformationGroup Type: <Class></p>	<p>InformationGroup is a means to store a logical collection of references to IIEs and relationships amongst IIEs. From MIP, "A collection of information that provides in its entirety the circumstances, conditions, environment, or perspective for a situation." One application of an InformationGroup might be in support of STANAG 2433 AIntP-3 Functional Production Areas: Functional Production Areas (FPAs). These deal not with individual categories of intelligence but with wider areas where intelligence is represented by a collection of differing categories or by relationships between categories. These FPAs are known as, for example, FPA Fuel and Power or FPA GOB. -- AIntP-3 THE NATO MILITARY INTELLIGENCE DATA EXCHANGE STANDARD Edition C Version 1 InformationGroups might be a means to collect IIEs belonging to a thematic group, subject matter area or domain</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_4Csz8CgpEugytI39FIQDQ</p>
------------	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::InformationGroup::InformationGroup - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Container	<u>InformationGroup</u>	<u>InformationGroup</u>	0..*	
Contains	<u>InformationGroup</u>	<u>InformationGroup</u>	0..*	
Content	<u>IntelligenceInformationEntity</u>	<u>InformationGroup</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

394	<p>InformationRequirement</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::InformationRequirement</p> <p>Type: <Class></p>	<p>Intelligence requirements provide the rationale and priority for any intelligence activity as well as providing the detail to allow the intelligence staff to answer the requirement in the most effective manner. Intelligence requirements should cover the broad scope of information on the political, military, economic, social, infrastructural and informational (PMESII) spectrum. The military spectrum will be covered by the commanders critical information requirement (CCIRs). Military types of intelligence requirements are: priority information requirements (PIR), specific intelligence requirement (SIR), essential elements of information (EEI). [AJP-2]Generic request for intelligence within the Intel community. Intelligence requirements provide the rationale and priority for any intelligence activity as well as providing the detail to allow the intelligence staff to answer the requirement in the most effective manner. AJP-2 EdA V1</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_tXs4YJ9GEEqI0aNN_NU_6Q</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::InformationRequirement - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AnticipatedTimeIntervalForActivity	<u>CalendarClockIntervalZuluType</u>	<u>Requirement</u>	0..1	Define start collection, stop collection
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CollectionInterval	<u>CalendarClockIntervalZuluType</u>	<u>Requirement</u>	0..1	
Comment	<u>String</u>	<u>Requirement</u>	0..1	This section provides any additional comments offered by the originator
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GeographicAreasOfInterest	<u>ControlFeature</u>	<u>Requirement</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Indicators	<u>Indicator</u>	<u>Requirement</u>	0..*	
IntelCollectionDiscipline	<u>IntelligenceDisciplineType</u>	<u>Requirement</u>	0..*	
Key	<u>String</u>	<u>Entity</u>	1..1	
LatestDateZuluOfInformationValue	<u>OpenEndDateTimeZuluType</u>	<u>Requirement</u>	0..1	
LatestReportDateZulu	<u>LatestReportDateZulu</u>	<u>Requirement</u>	0..1	
LocationAccuracyRequired	<u>LocationAccuracyEnum</u>	<u>Requirement</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Requirement</u>	0..1	
Originator	<u>OriginatorType</u>	<u>Requirement</u>	0..1	
Priority	<u>NumericPriorityType</u>	<u>Requirement</u>	0..1	ThefinalpriorityofRequirement.IfthepriorityisaCollectionRequirement(CR)thispriorityistheCRRank.TheIR'sprioritywithinthisplan

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::InformationRequirement - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RequiredInformation	<u>String</u>	<u>Requirement</u>	0..1	
RequiredProduct	<u>RequiredProductType</u>	<u>Requirement</u>	0..*	
SP1_Background	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_EndCollection	<u>DateTimeZuluType</u>	<u>InformationRequirement</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_Justification	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_LocationName	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_Narrative	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_StartCollection	<u>DateTimeZuluType</u>	<u>InformationRequirement</u>	0..1	
SerialNumber	<u>SerialNumberType</u>	<u>Requirement</u>	0..1	
Status	<u>InformationRequirementStatusType</u>	<u>Requirement</u>	0..1	The IR's status within current plan
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
SupportedOperations	<u>SupportedOperations</u>	<u>Requirement</u>	0..1	
Type	<u>RequirementTypeEnumeration</u>	<u>Requirement</u>	0..1	

395	InformationRequirementStatus INTEL-FS Spiral 2::NATO::JISR::Domain::common::InformationRequirementStatus Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#f23e71df186b423aa5f179b382d31cb7
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::InformationRequirementStatus - Owned Enumeration Literals		
Name	Short Name	Value
APPROVED		APPROVED
COMPLETED		COMPLETED
CONSOLIDATED		CONSOLIDATED
IN_ACTION		IN_ACTION
PARTIALLYCOMPLETED		PARTIALLYCOMPLETED
REDUNDANT		REDUNDANT
STOPPED		STOPPED
UNFULFILLED		UNFULFILLED
UNVALIDATED		UNVALIDATED
Undefined		
VALIDATED		VALIDATED
<i>Results truncated to first 20 rows...</i>		



396	InitiatorTECHINT INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::InitiatorTECHINT Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_s4oLv113Eeq_ycE4Xm7uyA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::InitiatorTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>IEDInitiatorCategory</u>	<u>InitiatorTECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
DaisyChainType	<u>DaisyChainType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DeviceType	<u>DeviceType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IEDInitiatorType	<u>IEDInitiatorType</u>	<u>InitiatorTECHINT</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::InitiatorTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
StatusReports	<u>TECHINTStatusReport</u>	<u>TECHINT</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Switches	<u>SwitchTECHINT</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..*	
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
TechnicalComments	<u>String</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	

397	<p>InstallationIdentificationSerialNumberType INTEL-FS Spiral 2::NATO::Datatypes::InstallationIdentificationSerialNumberType Type: <Class></p>	<p>INSTALLATION IDENTIFICATION SERIAL NUMBER1012431.055FixedStringInstructive platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Zvc2YJ77EeyXbaZqcCJdkQ</p>
-----	---	--

398	IntelReportType INTEL-FS Spiral 2::NATO::JISR::Domain::common::IntelReportType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#5c515fc990a242af8a669ef22ef19c16
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::IntelReportType - Owned Enumeration Literals

Name	Short Name	Value
AEWMISREP		AEWMISREP
AEWTACREP		AEWTACREP
AIRALLOC		AIRALLOC
AIRINTREP		AIRINTREP
AR_MESSAGE		AR_MESSAGE
CI_INTREP		CI INTREP
CI_INTSUM		CI INTSUM
CI_SUPINTREP		CI SUPINTREP
COMTECHREP		COMTECHREP
CONTACT_REPORTS_ON_NON_NATO_FORCES_IN_MARITIME_AREAS		CONTACT REPORTS ON NON NATO FORCES IN MARITIME AREAS
DEDOCREP		DEDOCREP
DETECHREP		DETECHREP
ELINTREP		ELINTREP
EOBREP		EOBREP
EVENTINTREC		EVENTINTREC
FORM_BLACK		FORM_BLACK
FORM_PURPLE		FORM_PURPLE
FORM_RED		FORM_RED
HUMINTREP		HUMINTREP
INFLIGHTREP		INFLIGHTREP

Results truncated to first 20 rows...

399	IntelRequireType INTEL-FS Spiral 2::NATO::JISR::Domain::common::IntelRequireType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_de3dbb949d7b406baa16358635bdbf38
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::IntelRequireType - Owned Enumeration Literals

Name	Short Name	Value
COLLECTION/EXPLOITATION PLAN		COLLECTION/EXPLOITATION PLAN
DOCUMENT		DOCUMENT
ELECTR ORDER OF BATTLE		ELECTR ORDER OF BATTLE
GMTI		GMTI
IMAGERY		IMAGERY
IR		IR
ISR		ISR
OPERATIONAL ROLES		OPERATIONAL ROLES
ORBAT		ORBAT
REPORT		REPORT
RFC		RFC
RFI		RFI
SYSTEM ASSIGNMENTS		SYSTEM ASSIGNMENTS
SYSTEM DEPLOYMENT STATUS		SYSTEM DEPLOYMENT STATUS
SYSTEM SPECIFICATIONS		SYSTEM SPECIFICATIONS
TDL DATA		TDL DATA
Undefined		
VIDEO		VIDEO

Results truncated to first 20 rows...

400	<p>IntelligenceCollectionPlan</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::IntelligenceCollectionPlan</p> <p>Type: <Class></p>	<p>The ICP is a detailed breakdown of how each intelligence requirement is to be satisfied. Normally in matrix or table form, it indicates by which means an intelligence requirement can be best satisfied, the frequency of coverage required and the type of product expected. It will indicate the general level of detail required and will list the organizations, agencies or assets best suited to the task. [AJP-2]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_PdyYQKP6EeqcbY-0Q2WwQw</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::IntelligenceCollectionPlan - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CXP	<u>CollectionExploitationPlan</u>	<u>IntelligenceCollectionPlan</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExerciseIndicator	<u>boolean</u>	<u>Plan</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GeographicAreasOfInterest		<u>Plan</u>	0..*	List of all Geographic Areas that constitute a part of the plan/list. The InformationRequirement and the Task elements refers into this list. Mandatory for all content types.
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IR_IR	<u>IR_IR</u>	<u>IntelligenceCollectionPlan</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>string</u>	<u>Plan</u>	0..1	Name of the plan or list. Mandatory for all content types.
OpenEndedTimeInterval	<u>OpenEndedTimeInterval</u>	<u>Plan</u>	0..1	Mandatory for all content types. Defines the plan validity in time. It may be continuous.
OperationName	<u>OperationNameChoiceType</u>	<u>Plan</u>	0..1	
PublishedStatus	<u>PublishedStatusType</u>	<u>Plan</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumber	<u>SerialNumberType</u>	<u>Plan</u>	0..1	The plan's or list's unique human-readable serial number. Must be consistent through updates. Mandatory for all content types.

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::IntelligenceCollectionPlan - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

401	IntelligenceDatasetType INTEL-FS Spiral 2::NATO::JISR::Metadata::IntelligenceDatasetType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_jAvk8DCsEeu49eb4bwCz_w
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::IntelligenceDatasetType - Owned Enumeration Literals

Name	Short Name	Value
EXERCISE		ENDURING FREEDOM
NOT DEFINED		NOT DEFINED
OPERATIONAL		UNIFIL
TRAINING		X4operation
TRIAL		TRJE18
Undefined		

Results truncated to first 20 rows...

402	<p><i>IntelligenceInformationEntity</i> INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::IntelligenceInformationEntity Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_wV4CYFAOEeuz5IRfvEwXdQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::IntelligenceInformationEntity - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

403	IntelligenceInformationNecessity INTEL-FS Spiral 2::NATO::JISR::Metadata::IntelligenceInformationNecessity Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Bu0sgKsOEeq78IgPnMC3xg
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::IntelligenceInformationNecessity - Owned Enumeration Literals		
Name	Short Name	Value
Conditional		
Mandatory		
Optional		
Undefined		
<i>Results truncated to first 20 rows...</i>		

404	IntelligenceInformationStatus INTEL-FS Spiral 2::NATO::JISR::Metadata::IntelligenceInformationStatus Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_juyXgAvdEeuvAM2KQ2beTg
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::IntelligenceInformationStatus - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

405	<p>IntelligenceReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IntelligenceReport::IntelligenceReport</p> <p>Type: <Class></p>	<p>Message identifier (Name):INTREP (INTELLIGENCE REPORT)</p> <p>Related Documents:STANAG 2511</p> <p>Purpose:THE INTREP IS USED FOR THE IMMEDIATE DISSEMINATION OF KEY INTELLIGENCE THAT COULD HAVE A SIGNIFICANT IMPACT ON CURRENT AND PENDING OPERATIONS AND PLANNING.</p> <p>Sponsor:NSA (JSB) JOINT INTELLIGENCE WORKING GROUP (JINTWG)</p> <p>Notes:none</p> <p>Status:Published [APP-11-D-1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SXrrsKDHEeqz4qMNCq9PtQ</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IntelligenceReport::IntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IntelligenceReport	<u>IntelligenceReport</u>	<u>IntelligenceReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IntelligenceReport::IntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IntelligenceReport::IntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

406	<p>IntelligenceSummary</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IntelligenceSummary::IntelligenceSummary</p> <p>Type: <Class></p>	<p>Message identifier (Name):INTSUM (INTELLIGENCE SUMMARY)</p> <p>Related Documents:STANAG 2511</p> <p>Purpose:THE INTSUM IS USED TO PERIODICALLY INFORM ADDRESSEES OF MILITARY, ASSOCIATED POLITICAL/ECONOMICAL OR OTHER RELATED INTELLIGENCE AND THE ASSESSMENT OF THIS. IT GIVES AN INDICATION OF CHANGE IN POTENTIAL OPFOR (OPPOSING FORCE) CAPABILITIES, PREPAREDNESS OR MILITARY POSTURE, ACTIVITIES, INTENTIONS, OBJECTIVES AND/OR COURSES OF ACTION IN PEACE, OPERATIONS OTHER THAN WAR, AND WAR.</p> <p>Sponsor:NSA (JSB) JOINT INTELLIGENCE WORKING GROUP (JINTWG)</p> <p>Notes:none</p> <p>Status:Published</p> <p>[APP-11-D-1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SXtg4KDHEeqz4qMNCq9PtQ</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IntelligenceSummary::IntelligenceSummary - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IntelligenceSummary	<u>IntelligenceSummary</u>	<u>IntelligenceSummary</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IntelligenceSummary::IntelligenceSummary - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::IntelligenceSummary::IntelligenceSummary - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

407	IntervalUnit INTEL-FS Spiral 2::NATO::JISR::Domain::common::IntervalUnit Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#fbc6aef705164198937fe8733589ed7f
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::IntervalUnit - Owned Enumeration Literals		
Name	Short Name	Value
TimeIntervalHours		Hours
TimeIntervalMinutes		Minutes
TimeIntervalSeconds		Seconds
Undefined		
<i>Results truncated to first 20 rows...</i>		

408	InvestigationStatusType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::InvestigationStatusType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_HkUPQP5yEemStdWDbKQaHA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::InvestigationStatusType - Owned Enumeration Literals		
Name	Short Name	Value
BLACK		
GREY		
GREYASSOCIATE		
Undefined		
WHITE		
WHITECLEARED		
<i>Results truncated to first 20 rows...</i>		

409	IrReportFrequency INTEL-FS Spiral 2::NATO::JISR::Domain::common::IrReportFrequency Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_a6d7a9fd69964a8c9eafbdee331c93ca
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::IrReportFrequency - Owned Enumeration Literals

Name	Short Name	Value
Annual		Annual
Biannual		Bi-annual
Bimonthly		Bi-monthly
Daily		Daily
Monthly		Monthly
Once		Once
Other		Other
Quarterly		Quarterly
Random		Random
See		See comments
UKN		Unknown
Undefined		
Weekly		Weekly
na		n/a

Results truncated to first 20 rows...

410	JIPOEII INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::JIPOEII Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_-v5tkP5tEeq_kdH4-w_tZQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::JIPOEIIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>



411	JIPOETask INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::JIPOETask Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_eRBV8KrzEeqHW_rW_y6eNBQ
-----	--	---

412	JTSPriority INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::JTSPriority Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpIxdBUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::JTSPriority - Owned Enumeration Literals

Name	Short Name	Value
1A		Critical : Immediate
1B		Critical : Urgent
1C		Critical : Routine
2A		Important : Immediate
2B		Important : Urgent
2C		Important : Routine
3A		Enabling : Immediate
3B		Enabling : Urgent
3C		Enabling : Routine
4A		Potential : Immediate
4B		Potential : Urgent
4C		Potential : Routine
Undefined		

Results truncated to first 20 rows...

413	<p>JTSWeaponType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::JTSWeaponType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpIxjRUvEeuBSdmjVejhEA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::JTSWeaponType - Owned Enumeration Literals		
Name	Short Name	Value
120MM		MBT MAIN GUN
25MM		M2 MAIN GUN
75MM		OTO MELERA
AAM		AIR-TO-AIR MSLS
AD.L		AREA DENIAL LRG
AD.S		AREA DENIAL SML
ADA		AIR DEFENSE ARTY
APC(RED)		AT MISSILE
ASW		ASW WEPS MIX
BEST		BEST
CBU		CLUSTER MUNITION
CM		CRUISE MISSILE
GA		BEST GROUND ATK
GP1000		1000KG GP BOMB
GP250		250KG GP BOMB
GP500		500KG GP BOMB
GPS1000		1000KG GPS
GPS250		250KG GPS
GPS500		500KG GPS
HARM		HARM
<i>Results truncated to first 20 rows...</i>		

414	KLVEntry INTEL-FS Spiral 2::NATO::JISR::Domain::common::KLVEntry Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_e63303807a314b059708e811c1b58a74
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::KLVEntry - Owned Enumeration Literals

Name	Short Name	Value
060E2B34010101010101200100000000		Designation
060E2B3401010101010102010100000000		URL string
060E2B3401010101010105050000000000		Episode
060E2B340101010101010201030000000000		Producer
060E2B340101010101010301020102000000		Byte order
060E2B340101010101010301030301000000		Time system offset
060E2B340101010101010420010201010000		Image source
060E2B340101010101010701010100000000		Coord. sys.
060E2B340101010101010701020102020000		Altitude
060E2B340101010101010701020103020000		Center (lat)
060E2B340101010101010701020103040000		Center (lon)
060E2B340101010101010701080101000000		Slant range
060E2B340101010101010701090201000000		Target width
060E2B340101010101010701100101000000		Sensor roll angle
060E2B340101010101010701100102000000		Angle to north
060E2B340101010101010701100103000000		Obliquity angle
060E2B340101010101010702010101010000		Date-Time stamp (UTC)
060E2B340101010101010702010201010000		Start date and time
060E2B340101010101010702010207010000		Event start date and time
060E2B34010101020420020101080000		FOV (hor)

Results truncated to first 20 rows...

<p>415</p>	<p>Kleilight INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::Kleilight Type: <Class></p>	<p>This SIGINT report type will have specific structured metadata extracted from the body of the report product. This class is an unclassified placeholder because the detailed content is classified.</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_oj-skKC4EeqLTN-8qqnNQw</p>
------------	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::Kleight - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::Kleight - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

416	Language INTEL-FS Spiral 2::NATO::JISR::Domain::common::Language Type: <Enumeration>	Language of the intellectual content of the product. All ISO 639-1 values plus Not applicable. Source: http://www.loc.gov/standards/iso639-2/englangn.html (official source) as of 11 November 2007. [IPIWG 4.20] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_dde21d036b6b41c8bd205be34a08a82e
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::Language - Owned Enumeration Literals

Name	Short Name	Value
aa		Afar
ab		Abkhazian
ae		Avestan
af		Afrikaans
afgh		Afghani
ak		Akan
am		Amharic
an		Aragonese
ar		Arabic
as		Assamese
av		Avaric
ay		Aymara
az		Azerbaijani
ba		Bashkir
bahm		Bahasa Melayu
be		Belarusian
bg		Bulgarian
bh		Bihari
bi		Bislama
bm		Bambara

Results truncated to first 20 rows...

417	LanguageCompetenceLevelType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::LanguageCompetenceLevelType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_a883470b9e7a41d39e10185d613b6f00
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::LanguageCompetenceLevelType - Owned Enumeration Literals		
Name	Short Name	Value
Level 0		No proficiency
Level 0+		No proficiency
Level 1		Survival
Level 1+		Survival
Level 2		Functional
Level 2+		Functional
Level 3		Professional
Level 3+		Professional
Level 4		Expert
Level 4+		Expert
Level 5		Highly-articulate native
Undefined		
<i>Results truncated to first 20 rows...</i>		

418	LaunchPlatformTypeCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LaunchPlatformTypeCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_aJZZQP6EemkcIoqyiQteg
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LaunchPlatformTypeCode - Owned Enumeration Literals		
Name	Short Name	Value
FLS		
MEL		
TEL		
Undefined		
<i>Results truncated to first 20 rows...</i>		

419	<p>LaunchPointPrediction</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::LaunchP ointPrediction</p> <p>Type: <Class></p>	<p>Launch Point Estimate - The location and uncertainty of the point on the ground from where a missile is calculated to have been launched, normally expressed as a point surrounded by an elliptical area with 3-sigma probability that the launch occurred within the area. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_WKg2IKITTEyktZquZBKZ_w</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::LaunchPointPrediction - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMPoint	<u>BMPoint</u>	<u>LaunchPointPrediction</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::LaunchPointPrediction - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::LaunchPointPrediction - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

420	<p>Launcher</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::Launcher</p> <p>Type: <Class></p>	<p>A Ballistic Missile Launcher Type represents the static intelligence information held on a type of system capable of launching ballistic missiles. BM Launcher Type Details Additional characteristics of a ballistic missile (BM) launcher type not stored in the opposing force (OPFOR) BM order of battle (ORBAT). Required for detailed analysis and modelling. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_KrJCEPjnEemscYqpTO3mmA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::Launcher - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMLauncherTECHINT	<u>LauncherTECHINT</u>	<u>Launcher</u>	1..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Equipment</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ReportableItemIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumberIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
StatusReports	<u>LauncherStatusReport</u>	<u>Launcher</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::Launcher - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINT	<u>TECHINT</u>	<u>Equipment</u>	1..1	Type of all (non-expendable) items needed to outfit/equip an individual or unit. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]
Target	<u>Target</u>	<u>Equipment</u>	0..*	
VehicleType	<u>VehicleTECHINT</u>	<u>Vehicle</u>	1..1	

421	<p>LauncherStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherStatusReport</p> <p>Type: <Class></p>	<p>A Ballistic Missile Launcher Type represents the static intelligence information held on a type of system capable of launching ballistic missiles. BM Launcher Type Details Additional characteristics of a ballistic missile (BM) launcher type not stored in the opposing force (OPFOR) BM order of battle (ORBAT). Required for detailed analysis and modelling. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_cCmD0PjsEemscYqpTO3mmA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AccountingUnit	<u>Integer</u>	<u>EquipmentStatusReport</u>	0..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMLauncherEquipment	<u>Launcher</u>	<u>LauncherStatusReport</u>	1..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIEAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Colour	<u>EquipmentColourType</u>	<u>EquipmentStatusReport</u>	0..1	
Condition	<u>ConditionType</u>	<u>EquipmentStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>EquipmentStatusReport</u>	1..1	
EquipmentAttributes	<u>EquipmentAttribute</u>	<u>EquipmentStatusReport</u>	0..*	
Evaluation	<u>EquipmentEvaluationType</u>	<u>EquipmentStatusReport</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identifier	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nomenclature	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>EquipmentStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>EquipmentStatusReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Year	<u>Year4DigitType</u>	<u>EquipmentStatusReport</u>	0..1	

422	<p>LauncherTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherTECHINT</p> <p>Type: <Class></p>	<p>A Ballistic Missile Launcher Type represents the static intelligence information held on a type of system capable of launching ballistic missiles. BM Launcher Type Details Additional characteristics of a ballistic missile (BM) launcher type not stored in the opposing force (OPFOR) BM order of battle (ORBAT). Required for detailed analysis and modelling. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_x_mdkPizEemkcIoqyiQteg</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMLauncherEquipment	<u>Launcher</u>	<u>LauncherTECHINT</u>	0..*	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIP_isArmouredIndicator	<u>Boolean</u>	<u>MilitaryVehicleTECHINT</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
MilitaryTypeVehicleCategoryCode	<u>MilitaryTypeVehicleCategoryCode</u>	<u>MilitaryVehicleTECHINT</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
StatusReports	<u>LauncherTECHINTStatusReport</u>	<u>LauncherTECHINT</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
Vehicle	<u>Vehicle</u>	<u>VehicleTECHINT</u>	0..*	

423	<p>LauncherTECHINTStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherTECHINTStatusReport</p> <p>Type: <Class></p>	<p>A Ballistic Missile Launcher Type represents the static intelligence information held on a type of system capable of launching ballistic missiles. BM Launcher Type Details Additional characteristics of a ballistic missile (BM) launcher type not stored in the opposing force (OPFOR) BM order of battle (ORBAT). Required for detailed analysis and modelling. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qmN1oPjpEemscYqpTO3mmA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMLauncherTECHINT	<u>LauncherTECHINT</u>	<u>LauncherTECHINTStatusReport</u>	1..1	Identification of the type of ballistic missile (BM) launch platform
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
Basing	<u>String</u>	<u>LauncherTECHINTStatusReport</u>	0..1	Description of how the launch platform is based
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
CoolDownTime	<u>TimeDuration</u>	<u>LauncherTECHINTStatusReport</u>	0..1	The time for which the launch platform will remain hot following a ballistic missile (BM) launch
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Crew	<u>Integer</u>	<u>VehicleTECHINTStatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	
ExpectedTearDownTime	<u>TimeDuration</u>	<u>LauncherTECHINTStatusReport</u>	0..1	The minimum time expected for taking a launch platform out of its launch configuration, for example to be ready to move
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
LaunchOperationDuration	<u>TimeDuration</u>	<u>LauncherTECHINTStatusReport</u>	0..1	The overall duration of a launch operation using the ballistic missile (BM) launch platform type
LaunchPlatformType	<u>LaunchPlatformTypeCode</u>	<u>LauncherTECHINTStatusReport</u>	0..1	Identification of the type of ballistic missile (BM) launch platform
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MaximumGrade	<u>AngleDegrees</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Steepest slope that can be climbed by the launch platform
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MinimumBetweenSalvosTime	<u>TimeDuration</u>	<u>LauncherTECHINTStatusReport</u>	0..1	The minimum time between two ballistic missile (BM) launches from the same launcher
MobilityCode	<u>MobilityCode</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Code categorising the type of mobility of the equipment e.g. towed
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	
OtherOperationalCountermeasures	<u>String</u>	<u>LauncherTECHINTStatusReport</u>	0..1	An intelligence assessment of any other countermeasures that this type of launch platform is expected to take
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
PrepreparedSiteExpectedSetupTime	<u>TimeDuration</u>	<u>LauncherTECHINTStatusReport</u>	0..1	The expected minimum time to ready the launch platform for a ballistic missile (BM) launch at a site that has been previously prepared for launch purposes

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Range	<u>Distance</u>	<u>TECHINTStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Size	<u>DimensionsLengthWidthHeightType</u>	<u>TECHINTStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed	<u>Speed</u>	<u>TECHINTStatusReport</u>	0..1	
SpeedTable	<u>MobileSystemSpeedTable</u>	<u>VehicleTECHINTStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINTStatusReport</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::LauncherTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UnpreparedSiteExpectedSetupTime	<u>TimeDuration</u>	<u>LauncherTECHINTStatusReport</u>	0..1	The expected minimum time to ready the launch platform for a ballistic missile (BM) launch at a site that has not been prepared for launch purposes
VehicleHeight	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Width of launch platform
VehicleLength	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Width of launch platform
VehicleMass	<u>Mass</u>	<u>VehicleTECHINTStatusReport</u>	0..1	
VehicleNumber	<u>Integer</u>	<u>LauncherTECHINTStatusReport</u>	0..1	Number of vehicles which the ballistic missile (BM) launcher type comprises
VehicleObstacleCrossingCapability	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Maximum obstacle that can be crossed by the launch platform
VehicleTurningRadius	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Minimum turning circle of launch platform
VehicleType	<u>VehicleTECHINT</u>	<u>VehicleTECHINTStatusReport</u>	1..1	
VehicleUnrefuelledRange	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Maximum distance that the launch platform can drive before re-fuelling
VehicleWeightLoaded	<u>Mass</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Weight of launch platform
VehicleWeightUnloaded	<u>Mass</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Weight of launch platform
VehicleWidth	<u>Distance</u>	<u>VehicleTECHINTStatusReport</u>	0..1	Width of launch platform
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	

424	LibraryCardCommand INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardCommand Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_f40b2b0b84ba4167b78d4cfa5cde0f56
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardCommand - Owned Enumeration Literals

Name	Short Name	Value
1GNC	1GNC	1GNC
66thMIGroup	66THM	66thMIGroup
ABW	ABW	ARUBA
AC CI	AC CI	AC CI
ACO - HQ AIRCOM	AIRCOM	Headquarters Allied Air Command
ACO - HQ LANDCOM	LANDCOM	Headquarters Allied Land Command
ACO - HQ MARCOM	MARCOM	Headquarters Allied Maritime Command
ACT	ACT	ACT
AFG	AFG	AFGHANISTAN
AFISR	AFISR	AFISR
AFMIC	AFMIC	AFMIC
[TRJE15] CAN BDE	NRFCANBDE	[TRJE15] CAN BDE
[TRJE15] CAN TF	NRFCANTF	[TRJE15] CAN TF
[TRJE15] CJ OPCOMM TF	CJOPCOMMTF	[TRJE15] CJ OPCOMM TF
[TRJE15] ESP BDE	NRFESPBDE	[TRJE15] ESP BDE
[TRJE15] GBR BDE	NRFGBRBDE	[TRJE15] GBR BDE
[TRJE15] ITA BDE	NRFITABDE	[TRJE15] ITA BDE
[TRJE15] JLSG	JLSG	[TRJE15] JLSG
[TRJE15] SHAPE CCOMC	SHAPECCOMC	[TRJE15] SHAPE CCOMC
[TRJE15] SOCC	SOCC	[TRJE15] SOCC

Results truncated to first 20 rows...

425	LibraryCardContentType INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardContentType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_c021a7932cf0465dbfc812ffd9ac6168
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardContentType - Owned Enumeration Literals

Name	Short Name	Value
ASSESSREP		ASSESSREP
Agenda		Agenda
Assessment		Assessment
Audio		Audio
Biometric Enabled Watch List (BEWL)		Biometric Enabled Watch List report
Briefing		Briefing
CIINTREP		CI-INTREP
CIINTSUM		CI-INTSUM
CISUPINTREP		CI-SUPINTREP
COASTLINE		COASTLINE
COLLASREP		COLLASREP
CTL		Collection Task List
CXP		Collection and Exploitation Plan
CYBERSITREP		CYBERSITREP
Correspondence		Correspondence
Database		Database
DecisionSheet		Decision-Sheet
Digest		Digest
Directive		Directive
Document		Document

Results truncated to first 20 rows...

426	LibraryCardDocumentType INTEL-FS Spiral 2::NATO::JISR::Domain::INTEL-FS Spiral 1 Other::LibraryCardDocumentType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_zWTOEP6CEemSTdWDbKQaHA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::INTEL-FS Spiral 1 Other::LibraryCardDocumentType - Owned Enumeration Literals

Name	Short Name	Value
Undefined		

Results truncated to first 20 rows...

427	LibraryCardDomain INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardDomain Type: <Enumeration>	This field stores the domain where the card was issued. [IPIWG 4.20] NB - the runtime enumeration has more values than those specified by [IPIWG 4.20]. platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_35af2d7240934a5f8c46b04b0adbca41
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardDomain - Owned Enumeration Literals		
Name	Short Name	Value
ACE		ACE
ACO		ACO
BICES		BICES
LOCE		LOCE
NBA		NBA
Other		Other
USBICES		USBICES
Undefined		
na		n/a
<i>Results truncated to first 20 rows...</i>		

428	<p>LibraryCardFunctionalArea</p> <p>INTEL-FS Spiral 2::NATO::JISR::Domain::common::LibraryCardFunctionalArea</p> <p>Type: <Enumeration></p>	<p>The functional area(s) that the document or product relates to. [IPIWG 4.20]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_c3f71e5889b84fa7920a7286157a6222</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::LibraryCardFunctionalArea - Owned Enumeration Literals		
Name	Short Name	Value
Admin		Admin
BUDFIN		BUDFIN
Biometrics		Biometrics
CIS		CIS
Cyber		Cyber
Exercise		Exercise
HUMINT		Human Intelligence
IMINT		IMINT
ISR		ISR
Intelligence		Intelligence
Logistics		Logistics
Operations		Operations
Other		Other
Plans		Plans
PolicyandRequirements		Policy and Requirements
Resources		Resources
Strategy		Strategy
Support		Support
Test		Test
na		n/a
<i>Results truncated to first 20 rows...</i>		

429	LibraryCardIntelType INTEL-FS Spiral 2::NATO::JISR::Domain::common::LibraryCardIntelType Type: <Enumeration>	The type of intelligence within the product. [IPIWG 4.20] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_fd4bcaf0511544d8aaa024125ba31df3
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::LibraryCardIntelType - Owned Enumeration Literals		
Name	Short Name	Value
Basic		Basic
Current		Current
Other		Other
Target		Target
Undefined		
na		n/a
<i>Results truncated to first 20 rows...</i>		

430	LibraryCardKeyword INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardKeyword Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_2a616a4922824651939b7acad100e827
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardKeyword - Owned Enumeration Literals

Name	Short Name	Value
ADF		Air - Air Defence Forces
AIRAT		Air - Aviation Threat
ALP		Afghan Local Police
ANA		Afghan National Army
ANSF		Afghan National Security Forces
APFI		Afghanistan/Pakistan - Finished Intelligence
APNDN		Afghanistan/Pakistan - Northern Distribution Network (NDN)
APPAKMIL		Afghanistan/Pakistan - PAKMIL
APT		Advanced Persistent Threat
AirVehiclesandSystems		Air Vehicles and Systems
Airport		Airport
Airstrike		Airstrike
Alliances		Alliances
Ammunition		Ammunition
AntiAfghanForces		Anti-Afghan Forces
AntiAircraft		Anti Aircraft
AntiCoalitionMilitia		Anti-Coalition Militia
ArmedConflict		Armed Conflict
ArmedServices		Armed Services
ArmsControl		Arms Control

Results truncated to first 20 rows...

431	LibraryCardLanguage INTEL-FS Spiral 2::NATO::JISR::Domain::INTEL-FS Spiral 1 Other::LibraryCardLanguage Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0KGpkP6CEemSTdWDbKQaHA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::INTEL-FS Spiral 1 Other::LibraryCardLanguage - Owned Enumeration Literals

Name	Short Name	Value
Undefined		

Results truncated to first 20 rows...

432	LibraryCardProductPeriod INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardProductPeriod Type: <Enumeration>	Periodicity of the product; daily, weekly, monthly, etc [IPIWG 4.20] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_c4315e7340214d25b5057e4eaf0f1e05
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::LibraryCardProductPeriod - Owned Enumeration Literals

Name	Short Name	Value
Annual		Annual
Biannual		Bi-annual
Bimonthly		Bi-monthly
Daily		Daily
Monthly		Monthly
Notlisted		Not listed
Periodical		Periodical
Quarterly		Quarterly
Random		Random
Undefined		
Weekly		Weekly
na		n/a

Results truncated to first 20 rows...

433	LighterThanAirAircraftAirframeDesignCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::LighterThanAirAircraftAirframeDesignCode Type: <Enumeration>	The class of LighterThanAirAircraft.[MIM-5.1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_zv_1NanSEeyDqfv-LSxQeQ
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::LighterThanAirAircraftAirframeDesignCode - Owned Enumeration Literals		
Name	Short Name	Value
Balloon		
Dirigible		
Undefined		
<i>Results truncated to first 20 rows...</i>		

434	<p>LighterThanAirAircraftTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::LighterThanAirAircraftTECHINT</p> <p>Type: <Class></p>	<p>A machine or device capable of atmospheric flight weighing less than the air it displaces.[MIM-5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8Vw25aBrEeyy5OfhuBqQAaw</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::LighterThanAirAircraftTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Aircraft	<u>Aircraft</u>	<u>AircraftTECHINT</u>	1..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>AircraftTECHINTStatusReport</u>	<u>AircraftTECHINT</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::LighterThanAirAircraftTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
airframeDesignCode	<u>LighterThanAirAircraftAirframeDesignCode</u>	<u>LighterThanAirAircraftTECHINT</u>	1..1	

435	LineOfOperation INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::LineOfOperation Type: <DataType>	In a campaign or operation, Line of Operation (LOO) is a logical line(s) linking effects and decisive conditions/decision points to an objective to implement a Course of Action (COA). OPERATIONS PLANNING CORE DOMAIN MODEL Edition 1.1 platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_mLCI8BquEeuxxbUChCO1Ag
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::LineOfOperation - Owned Attributes

Attribute Name	Type Name	Defining Class	Mltplct Y	Description
DecisionPoints	<u>DecisionPoint</u>		0..*	
DecisiveConditions	<u>DecisiveCondition</u>		0..*	
Description	<u>String</u>		0..1	
DesiredEndState	<u>EndState</u>		0..*	
Label	<u>String</u>		0..1	
Name	<u>String</u>		0..1	
Objective	<u>Objective</u>		1..*	
Objectives	<u>Objective</u>		0..*	
OperationalLevel	<u>OperationalLevel</u>		0..1	
PMECIndicator	<u>PMEC</u>		0..1	

436	List INTEL-FS Spiral 2::NATO::JISR::Staff::Target::List Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_foZrMEE2Eeu4wqzcLTBJvQ
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::List - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
JTS_List	<u>JTS_LIST</u>	<u>List</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

437	LocationFunctionCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::LocationFunctionCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ZGvsgAKkEe2KrcPg0jBupQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::LocationFunctionCode - Owned Enumeration Literals		
Name	Short Name	Value
<i>Results truncated to first 20 rows...</i>		

438	LocationIdType INTEL-FS Spiral 2::NATO::JISR::Domain::common::LocationIdType Type: <Enumeration>	<pre>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_55a0246b88474406a665d2c5e63bdc75</pre>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::LocationIdType - Owned Enumeration Literals

Name	Short Name	Value
BE		BE
MRL		MRL
TIN		TIN
Undefined		

Results truncated to first 20 rows...

439	<p>MCDAComparison</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::MCDA::MCDAComparison</p> <p>Type: <Class></p>	<p>A Multi-criteria Decision Analysis (MCDA) Comparison represents the inputs and results of MCDA used for comparing two or more possible options. Applications for BMD include OPFOR BM COAs and OPFOR BM Targeting Strategies. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_OFC_cAGLEeuX5ZaVaDWr1A</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::MCDA::MCDAComparison - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMOPFORBMCOA	<u>OPFORBMCOA</u>	<u>MCDAComparison</u>	2..*	
BMTargettingStrategy	<u>BMTargettingStrategy</u>	<u>MCDAComparison</u>	2..*	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CriterionScores	<u>CriterionScore</u>	<u>MCDAComparison</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EvaluationCriterion	<u>EvaluationCriterion</u>	<u>MCDAComparison</u>	1..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MeritScores	<u>MeritScore</u>	<u>MCDAComparison</u>	0..*	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::MCDA::MCDAComparison - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

440	<p>MISREP INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::MISREP Type: <Class></p>	<p>This SIGINT report type will have specific structured metadata extracted from the body of the report product. This class is an unclassified placeholder because the detailed content is classified.</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CKfMsKC5EeqLTN-8qqnNQw</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::MISREP - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::MISREP - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

441	MainChargeConfiguration INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::MainChargeConfiguration Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_b77e1a5c78bd405a90996d2f68ce080d
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::MainChargeConfiguration - Owned Enumeration Literals		
Name	Short Name	Value
DIPC		Directional - Improvised Platter Charge - Claymore
DIPE		Directional - Improvised Platter Charge - EFP
DIS		Directional - Improvised Platter Charge - without Metal Liner
DISM		Directional - Improvised Shape Charge - with Metal Liner
OIG		Omni-Directional - Improvised Grenade
OIM		Omni-Directional - Improvised Mine
OIMO		Omni-Directional - Improvised Mortar
OIR		Omni-Directional - Improvised Rocket
Undefined		
<i>Results truncated to first 20 rows...</i>		

<p>442</p>	<p>MainChargeTECHINT INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::MainChargeTECHINT Type: <Class></p>	<p>A main charge, the primary explosive behind the blast. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_s4oLz113Eeq_ycE4Xm7uyA</p>
------------	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::MainChargeTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
DaisyChainType	<u>DaisyChainType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DeviceType	<u>DeviceType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
EffectivenessDescription	<u>String</u>	<u>MainChargeTECHINT</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MainChargeConfiguration	<u>MainChargeConfiguration</u>	<u>MainChargeTECHINT</u>	0..1	
MainChargeType	<u>MainChargeTypeType</u>	<u>MainChargeTECHINT</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::MainChargeTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>TECHINTStatusReport</u>	<u>TECHINT</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Switches	<u>SwitchTECHINT</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..*	
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
TechnicalComments	<u>String</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
VolumeDescription	<u>String</u>	<u>MainChargeTECHINT</u>	0..1	

443	MainChargeTypeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::MainChargeTypeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_2cfd5c1edbb24df9b6dc7449aa690c6c
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::MainChargeTypeType - Owned Enumeration Literals		
Name	Short Name	Value
HCBA		High Explosive - Commercial - Blasting Agent
HCBE		High Explosive - Commercial - Binary Explosive
HCCE		High Explosive - Commercial - Cast Explosive
HCD		High Explosive - Commercial - Dynamite
HCDC		High Explosive - Commercial - Det Cord
HCLE		High Explosive - Commercial - Liquid Explosive
HCPE		High Explosive - Commercial - Plastic Explosive
HCSC		High Explosive - Commercial - Shaped Charge
HIEC		High Explosive - Improvised/HME - Explosive Compounds
HIEM		High Explosive - Improvised/HME - Explosive Mixtures (FOX)
HMD		High Explosive - Military - Demolition Materials
HMM		High Explosive - Military - Munitoins
LCP		Low Explosive - Commercial - Propellants
LCPF		Low Explosive - Commercial - Pyrotechnic Fireworks
LCS		Low Explosive - Commercial - Small Arms Ammunition / Cartridges Case
LIE		Low Explosive - Improvised/HME - Explosive Mixtures
LMI		Low Explosive - Military - Incendiary
LMP		Low Explosive - Military - Propellants
Undefined		
<i>Results truncated to first 20 rows...</i>		

444	MaritalStatus INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::MaritalStatus Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_f2a7a98d537b40b89f6db5eb4b1e8027
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::MaritalStatus - Owned Enumeration Literals		
Name	Short Name	Value
C		Cohabitation
D		Divorced
M		Married
P		With partner
PO		Polygamy
S		Single
SND		Separated but not divorced
U		Unknown
Undefined		
W		Widow(er)
<i>Results truncated to first 20 rows...</i>		



445	<p>MaritimeIntelligenceReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MaritimeIntelligenceReport::MaritimeIntelligenceReport</p> <p>Type: <Class></p>	<p>Message identifier (Name):MARINTREP (MARITIME INTELLIGENCE REPORT) Related Documents:BI-SC REPORTING DIRECTIVE, VOL. II STANAG 1176 STANAG 2434 STANAG 2511 Purpose:The MARINTREP is used to provide time sensitive advisory information pertaining to the movement of non-NATO forces in NATO maritime areas. Sponsor:NSA (JSB) JOINT INTELLIGENCE WORKING GROUP (JINTWG) Notes:none Status:Published [APP-11-D-1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SXv9IKDHEeqz4qMNCq9PtQ</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MaritimeIntelligenceReport::MaritimeIntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MaritimeIntelligenceReport::MaritimeIntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
MaritimeIntelligenceReport	<u>MaritimeIntelligenceReport</u>	<u>MaritimeIntelligenceReport</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MaritimeIntelligenceReport::MaritimeIntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	



446	MaritimeIntelligenceSummary INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MaritimeIntelligenceSummary::MaritimeIntelligenceSummary Type: <Class>	Message identifier (Name):MARINTSUM (MARITIME INTELLIGENCE SUMMARY) Related Documents:BI-SC REPORTING DIRECTIVE, VOL.II STANAG 1176 STANAG 2434 STANAG 2511 Purpose:The MARINTSUM is used to provide periodic summary information pertaining to the movement of non-NATO forces in NATO maritime areas. Sponsor:NSA (JSB) JOINT INTELLIGENCE WORKING GROUP (JINTWG) Notes:none Status:Published [APP-11-D-1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SX8xcKDHEeqz4qMNCq9PtQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MaritimeIntelligenceSummary::MaritimeIntelligenceSummary - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MaritimeIntelligenceSummary::MaritimeIntelligenceSummary - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
MaritimeIntelligenceSummary	<u>MaritimeIntelligenceSummary</u>	<u>MaritimeIntelligenceSummary</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MaritimeIntelligenceSummary::MaritimeIntelligenceSummary - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

447	Mass INTEL-FS Spiral 2::NATO::Datatypes::Mass Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8YwceAvLEeuLxPWg5VlrUQ
-----	---	--

INTEL-FS Spiral 2::NATO::Datatypes::Mass - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Units	<u>UnitOfWeightMassMeasurementType</u>		0..1	
Value	<u>UnlimitedNatural</u>		0..1	

448	MassPerUnitDuration INTEL-FS Spiral 2::NATO::Datatypes::MassPerUnitDuration Type: <DataType>	Supports Ballistic Missile fuel burn rates. A mass value and unit of weight/ mass measurement per duration value and unit of time measurement. platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8Y3w0AvLEeuLxPWg5VlrUQ
-----	--	--

INTEL-FS Spiral 2::NATO::Datatypes::MassPerUnitDuration - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
DurationUnits	<u>UnitOfTimeMeasurementHoursMinutesOrSecondsType</u>		0..1	
Mass	<u>Mass</u>		0..1	

449	<p><i>Materiel</i> INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Materiel Type: <Class></p>	<p>An apparatus, equipment or supply of military interest without distinction as to its application for administrative or combat purposes. [MIM-5.1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CT7rYP8mEqbKZ8T2BGMjg</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Materiel - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ReportableItemIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumberIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

450	<p><i>MatérielType</i> INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Matériel::MatérielType Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_OrIQMAPJEU25f5CCX70xg</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::MaterielType - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

451	<p>MedicalFacility</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MedicalFacility</p> <p>Type: <Class></p>	<p>A Facility used for treating illnesses and injuries.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qkgg8opgEeysatGy543LrA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MedicalFacility - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Facility</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MedicalFacilityCategoryCode	<u>MedicalFacilityCategoryCode</u>	<u>MedicalFacility</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>FacilityStatusReport</u>	<u>Facility</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MedicalFacility - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Target	<u>Target</u>	<u>Facility</u>	0..*	

452	MedicalFacilityCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MedicalFacilityCategoryCode Type: <Enumeration>	Category Codes class of Medical Facility generated by Spiral 2 from [MIM-5.1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_skk_SZJWEeybR8MjY-oHwA
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MedicalFacilityCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
DressingStation		
FieldHospital		
FixedHospital		
Hospital		
MedicalSupportFacility		
Undefined		
UnitMedicalStation		
<i>Results truncated to first 20 rows...</i>		

453	MeritScore INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::MCDA::MeritScore Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_n4s4QKnsEeyLGZOVAovaPQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::MCDA::MeritScore - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
OptionName	<u>String</u>		0..1	
Score	<u>UnlimitedNatural</u>		0..1	

454	<p>Metadata</p> <p>INTEL-FS Spiral 2::NATO::JISR::Metadata::Metadata</p> <p>Type: <DataType></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nIOzQEFiEeyOEaeeQ3ZSjA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Metadata::Metadata - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
APP6BSymbolIDCodingReference	<u>String</u>		0..1	
ASAT	<u>DateTimeZuluType</u>		1..1	ASAT = Date and Time of the information. The ASAT time attribute will identify the date/time of the original information, which may be different than the time the product was uploaded (automatically captured in Creation Date). [IFAS1-SOP]
AlternativeConfidentialityLabel	<u>ConfidentialityLabelType</u>		0..1	
AlternativeSymbol	<u>String</u>		0..1	
AlternativeSymbolFileLink	<u>String</u>		0..1	
ConfidenceAssessment	<u>Confidence</u>		0..1	
ConfidentialityLabel	<u>ConfidentialityLabelType</u>		1..1	
ContentType	<u>LibraryCardContentType</u>		0..1	
DatasetLabel	<u>String</u>		0..1	
Description	<u>String</u>		0..1	
DocumentVersion	<u>String</u>		0..1	
ExpirationDate	<u>DateTimeZuluType</u>		0..1	
ExternalId	<u>String</u>		0..1	Spiral 1 Identifier from external system for IIEs originating externally to INTEL-FS.
FileLink	<u>FileLink</u>		0..*	
FromImport	<u>Boolean</u>		0..1	Spiral 1 Implementation. Indicates that the IIE is a result of an import.
InfoManager	<u>String</u>		0..1	TBC - not documented and not clear what this is in the UI of Sprial 1
InformationCredibility	<u>Credibility</u>		0..1	
InformationSource	<u>InfoSource</u>		0..1	
IntelligenceDatasetType	<u>IntelligenceDatasetType</u>		0..1	
IntelligenceInformationNecessity	<u>IntelligenceInformationNecessity</u>		0..1	
IntelligenceInformationStatus	<u>IntelligenceInformationStatus</u>		0..1	

INTEL-FS Spiral 2::NATO::JISR::Metadata::Metadata - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
IsDeleted	<u>Boolean</u>		0..1	
IsTemplate	<u>Boolean</u>		0..1	
Keywords	<u>LibraryCardKeyword</u>		0..1	
MissionNumber	<u>String</u>		0..1	
OperationReference	<u>OperationReference</u>		0..1	The name used to describe an exercise or live set of military missions and activities. [AINTP-3]
OrganisationalNode	<u>String</u>		0..1	Organisational Node = It can be an headquarters or other organisation.It provides a logical structuring of Users, functionality and information, and may be independent of the physical node structure.It may be accessed locally or across the wide-area network.It have the flexibility to fully operate in a disconnected environment, without connectivity with other Nodes and to synchronise data when the connectivity between Nodes becomes available -- Spiral 1 Training Material
OriginatorConfidentialityLabel	<u>ConfidentialityLabelType</u>		0..1	
Periodicity	<u>LibraryCardProductPeriod</u>		0..1	
PointOfContact	<u>PointOfContact</u>		1..1	Replaces LibraryProduct POC, email, POC phone number, etc. with AEDP-19 POC definition. This is currently the richest POC definition from amongst the available standards. The name of the point of contact at the organisation that produced the product. [IPIWG-4.20] Product Point Of Contact. POC information should identify the individual or office with subject matter knowledge of the product, which may be different than the individual or office uploading the product. [IFAS1-SOP]

INTEL-FS Spiral 2::NATO::JISR::Metadata::Metadata - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Producer	<u>LibraryCardCommand</u>		1..1	<p>The entity primarily responsible for making the content of the resource. [IPIWG-4.20]</p> <p>The Producer of the product. The Producer attribute is to indicate the organisation/section that is responsible for the creation of the content of the product/report, which may be different than the organisation uploading the product. Users are not authorised to upload products with a Producer value different from their own organisation unless they are authorised by the actual producer to upload products on its behalf (e.g. SHAPE IRM uploads on behalf of Nations). [IFAS1-SOP]</p>
ProductType	<u>ContentType</u>		0..1	
PublicationSource	<u>LibraryCardDomain</u>		0..1	Spiral 1 Non documented
PublishedStatus	<u>PublishedStatusType</u>		0..1	
RelatedEntities	<u>String</u>		0..*	
RelatedFiles	<u>FileLink</u>		0..*	
Remarks	<u>String</u>		0..1	
Site	<u>String</u>		0..1	Spiral 1 Non documented
SourceDatasource	<u>String</u>		0..1	Spiral 1 Implementation specific. Used for IIEs sourced outside of INTEL-FS.
SourceReliability	<u>Reliability</u>		0..1	
SourceServer	<u>String</u>		0..1	Spiral 1 Implementation specific. Used for IIEs sourced outside of INTEL-FS.
SourceSystem	<u>String</u>		0..1	
SourceSystemIdentifier	<u>String</u>		0..1	
Title	<u>String</u>		0..1	A name given to the resource. Title should be provided in English even if the document is in another language. -- IPIWG 4.14 Common Layer
VersionNumber	<u>String</u>		0..1	

455	<p>MeteorologicFeature</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeature</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_iyxiEK6TEyhqvYn5rpp5g</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeature - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CategoryCode	<u>MeteorologicFeatureCategoryCode</u>	<u>MeteorologicFeature</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
interpretationCode	<u>MeteorologicFeatureInterpretationCode</u>	<u>MeteorologicFeature</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeature - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
probabilityPercent	<u>Decimal</u>	<u>MeteorologicFeature</u>	0..1	
sourceCode	<u>MeteorologicFeatureSourceCode</u>	<u>MeteorologicFeature</u>	0..1	

456	<p>MeteorologicFeatureCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeatureCategoryCode</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_3KopF66SEeyhqvYn5rpp5g</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeatureCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
Atmosphere		
CloudCover		
CloudCover - Clouds		
CloudCover - RadioactiveCloud		
CloudCover - Smoke		
Icing		
Icing - ClearIcing		
Icing - MixedIcing		
Icing - RimelIcing		
Light		
Light - CivilTwilight		
Light - Darkness		
Light - Daylight		
Light - Moonlight		
Light - NauticalTwilight		
OtherMeteorologicFeature		
OtherMeteorologicFeature - Cyclone		
OtherMeteorologicFeature - FunnelCloud		
OtherMeteorologicFeature - Hurricane		
OtherMeteorologicFeature - JetStream		
<i>Results truncated to first 20 rows...</i>		

457	MeteorologicFeatureInterpretationCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeatureInterpretationCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Wa918K6VEyqhqvYn5rpp5g
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeatureInterpretationCode - Owned Enumeration Literals		
Name	Short Name	Value
AbsoluteMaximum		
AbsoluteMinimum		
AverageMaximum		
AverageMinimum		
Nominal		
Undefined		
<i>Results truncated to first 20 rows...</i>		

458	MeteorologicFeatureSourceCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeatureSourceCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Wa919q6VEyhqvYn5rpp5g
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Feature::MeteorologicFeatureSourceCode - Owned Enumeration Literals		
Name	Short Name	Value
Forecast		
Observed		
Undefined		
<i>Results truncated to first 20 rows...</i>		

459	<p>MilitaryConvoy</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::MilitaryConvoy</p> <p>Type: <Class></p>	<p><p>A group of vehicles or vessels organised for the purpose of control and orderly movement with or without escort protection. [MIP-IM 5.1]</p><p></p></p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_xyF-EAaYEe2mqg4tNN1n_Q</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryConvoy - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Organisation</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GovernmentOrganisationCategoryCode	<u>GovernmentOrganisationCategoryCode</u>	<u>GovernmentOrganisation</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIP_mainActivityCode	<u>MainActivityCode</u>	<u>GovernmentOrganisation</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
MilitaryConvoyStatusReport	<u>MilitaryConvoyStatusReport</u>	<u>MilitaryConvoy</u>	1..*	
MilitaryOrganisationStatusReport	<u>MilitaryOrganisationStatusReport</u>	<u>MilitaryOrganisation</u>	1..*	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrganisationCategoryCode	<u>OrganisationCategoryCode</u>	<u>Organisation</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>OrganisationStatusReport</u>	<u>Organisation</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryConvoy - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Organisation</u>	0..*	

460	<p>MilitaryConvoyStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::MilitaryConvoyStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_4J9poAaZEe2sYY7WVDD50g</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryConvoyStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor	<u>Actor</u>	<u>ActorStatusReport</u>	1..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EquipmentLines	<u>EquipmentLine</u>	<u>OrganisationStatusReport</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryConvoyStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MIP_availabilityCode	<u>MilitaryOrganisationAvailabilityCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_commandAndControlCategoryCode	<u>MilitaryOrganisationCommandAndControlCategoryCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_commandAndControlRoleCode	<u>MilitaryOrganisationCommandAndControlRoleCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_daySpeed	<u>Decimal</u>	<u>MilitaryConvoyStatusReport</u>	0..1	
MIP_dayVehicleGapDimension	<u>Decimal</u>	<u>MilitaryConvoyStatusReport</u>	0..1	
MIP_emissionControlCode	<u>EmissionControlCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_fireModeCode	<u>MilitaryOrganisationFireModeCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_haltDuration	<u>TimeDuration</u>	<u>MilitaryConvoyStatusReport</u>	0..1	
MIP_identifier	<u>Token</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_isCommittedIndicator	<u>Boolean</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_isInActionIndicator	<u>Boolean</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_isInReserveIndicator	<u>Boolean</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_isMovingIndicator	<u>Boolean</u>	<u>MilitaryConvoyStatusReport</u>	0..1	
MIP_nightSpeed	<u>Decimal</u>	<u>MilitaryConvoyStatusReport</u>	0..1	
MIP_nightVehicleGapDimension	<u>Decimal</u>	<u>MilitaryConvoyStatusReport</u>	0..1	
MIP_packetGapDimension	<u>Decimal</u>	<u>MilitaryConvoyStatusReport</u>	0..1	
MIP_packetSizeQuantity	<u>Decimal</u>	<u>MilitaryConvoyStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryConvoyStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
MIP_readiness	<u>MilitaryOrganisationReadiness</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_readinessDuration	<u>TimeDuration</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_serviceCode	<u>MilitaryOrganisationServiceCode</u>	<u>MilitaryOrganisationStatusReport</u>	1..1	
MIP_trainingLevelCode	<u>MilitaryOrganisationTrainingLevelCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MilitaryConvoy	<u>MilitaryConvoy</u>	<u>MilitaryConvoyStatusReport</u>	1..1	
MilitaryOrganisation	<u>MilitaryOrganisation</u>	<u>MilitaryOrganisationStatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Organisation	<u>Organisation</u>	<u>OrganisationStatusReport</u>	1..1	
OrganisationAttributes	<u>OrganisationAttribute</u>	<u>OrganisationStatusReport</u>	0..*	
OrganisationCategoryTypes	<u>OrganisationCategoryAndType</u>	<u>OrganisationStatusReport</u>	0..*	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>ActorStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_EthnicGroup	<u>SP1_EthnicGroupType</u>	<u>OrganisationStatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>ActorStatusReport</u>	1..1	
SP2_EthnicGroup	<u>SP2_EthnicGroupType</u>	<u>OrganisationStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryConvoyStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

461	<p>MilitaryDistrictType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryDis trictType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nS1gIZS5EeyQ1-341B09AA</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryDistrictType - Owned Enumeration Literals		
Name	Short Name	Value
1		1
2		2
3		3
4		4
5		5
BA		Baltic
BE		BO - Belorussia
CA		RS - Central Asian
CP		UP - Carpathian
Central		Central
Eastern		Eastern
FE		RS - Far East
KA		RS - Kaliningrad/region
KI		UP - Kiev
LE		RS - Leningrad
MO		RS - Moscow
NC		RS - North Caucasus
Northern		Northern
O		Other
OB		Oblast
<i>Results truncated to first 20 rows...</i>		

462	<p>MilitaryFacility</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacility</p> <p>Type: <Class></p>	<p>A facility designed to support services that can be found only in the military and have no civilian equivalent.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qkhIAIpgEeysatGy543LrA</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacility - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Facility</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
MilitaryFacilityCategoryCode	<u>MilitaryFacilityCategoryCode</u>	<u>MilitaryFacility</u>	1..1	
MilitaryFacilityStatusReports	<u>MilitaryFacilityStatusReport</u>	<u>MilitaryFacility</u>	1..*	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>FacilityStatusReport</u>	<u>Facility</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacility - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Facility</u>	0..*	

463	<p>MilitaryFacilityCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacilityCategoryCode</p> <p>Type: <Enumeration></p>	<p>Category Codes class of Military Facility generated by Spiral 2 from [MIM-5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_skk_VpJWEeybR8MjY-oHwA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacilityCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
AirDefenceRadarSite		
AirborneEarlyWarningGroundFacility		
ArmyMilitaryBaseOrFacility		
ArtilleryLocatingSite		
Barracks		
Bivouac		
CommandPostFacility		
ElectronicWarfareSite		
Fortification		
Fortification - Bunker		
Fortification - Emplacement		
Fortification - FlakTower		
Fortification - Fort		
Fortification - FortifiedLine		
Fortification - Foxhole		
Fortification - Revetment		
Fortification - Shelter		
Fortification - SurfaceShelter		
Fortification - Trench		
Fortification - UndergroundShelter		
<i>Results truncated to first 20 rows...</i>		

464	<p>MilitaryFacilityStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacilityStatusReport</p> <p>Type: <Class></p>	<p>A facility designed to support services that can be found only in the military and have no civilian equivalent.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_x0eP8AHzeE2XkvMZROpAIg</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacilityStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Facility	<u>Facility</u>	<u>FacilityStatusReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacilityStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MIP_accessRestrictionCode	<u>FacilityAccessRestrictionCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_affectingPhenomenon	<u>MeteorologicFeature</u>	<u>FacilityStatusReport</u>	0..*	
MIP_areMinesPresentIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_demolitionStatusCode	<u>DemolitionStatusCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_dimensions	<u>ObjectDimensions</u>	<u>FacilityStatusReport</u>	0..1	
MIP_emissionControlCode	<u>EmissionControlCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_hasEnemyActivityIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_hasOccupationProgrammeIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_isActiveIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_isInReserveIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_isOpenIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_isStaffedIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_limitingFactorsText	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
MIP_operationalStatusCode	<u>OperationalStatusCode</u>	<u>FacilityStatusReport</u>	1..1	
MIP_operationalStatusDegradationReasonCode	<u>FacilityOperationalStatusDegradationReasonCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_operationalStatusQualifierCode	<u>FacilityOperationalStatusQualifierCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_primaryConstructionMaterialCode	<u>FacilityPrimaryConstructionMaterialCode</u>	<u>FacilityStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacilityStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
MIP_securityStatusCode	<u>SecurityStatusCode</u>	<u>FacilityStatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MilitaryFacility	<u>MilitaryFacility</u>	<u>MilitaryFacilityStatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Operation1		<u>FacilityStatusReport</u>	1..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_AirDefenceDistrict	<u>AirDefenceDistrictType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>FacilityStatusReport</u>	1..1	
SP1_AmmoCapacity	<u>AmmoTypeStorageType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_BENumber	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_BESuffix	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Category	<u>PlaceType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Condition	<u>PlaceConditionType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_DistrictNumber	<u>UnlimitedNatural</u>	<u>FacilityStatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_FacilityAircraftLines	<u>FacilityAircraftLine</u>	<u>FacilityStatusReport</u>	0..*	
SP1_FacilityAttributes	<u>FacilityAttribute</u>	<u>FacilityStatusReport</u>	0..*	
SP1_FacilityEquipmentLines	<u>FacilityEquipmentLine</u>	<u>FacilityStatusReport</u>	0..*	
SP1_FacilityType	<u>SP1_FacilityType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_FuelQuantity	<u>FuelQuantity</u>	<u>FacilityStatusReport</u>	0..1	
SP1_FunctionalCategory	<u>FunctionalCategoryCode</u>	<u>FacilityStatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP1_IntelLocation	<u>String</u>	<u>FacilityStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacilityStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_IsProhibited	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
SP1_IsRestricted	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
SP1_MIDBTargetId	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_MapSheet	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_MilitaryDistrict	<u>MilitaryDistrictType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_MultiNationalForce	<u>MultiNationalForceType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_OperationalStatus	<u>OperationalStatusType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_PercentCapacity	<u>UnlimitedNatural</u>	<u>FacilityStatusReport</u>	0..1	
SP1_PlaceActivity	<u>PlaceActivityType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_PlaceSite	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_PoliticalRegion	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Significance	<u>SignificanceType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_StateProvinceDistrict	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_TargetType	<u>SP1_TargetType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_TargetValue	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Transport	<u>TransportationType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Type	<u>SP1_PlaceSubType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Users	<u>ForceTypeType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Vulnerable	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
SP1_WaterBody	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>FacilityStatusReport</u>	1..1	
SP2_BasicEncyclopediaNumberType	<u>BasicEncyclopediaNumberType</u>	<u>FacilityStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MilitaryFacilityStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

<p>465</p>	<p>MilitaryOrganisation INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::MilitaryOrganisation Type: <Class></p>	<p>A GovernmentOrganisation that is officially sanctioned and is trained and equipped to exert force.[MIM-5.1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_I_S08IpMEysatGy543LrA</p>
------------	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryOrganisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Organisation</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GovernmentOrganisationCategoryCode	<u>GovernmentOrganisationCategoryCode</u>	<u>GovernmentOrganisation</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIP_mainActivityCode	<u>MainActivityCode</u>	<u>GovernmentOrganisation</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
MilitaryOrganisationStatusReport	<u>MilitaryOrganisationStatusReport</u>	<u>MilitaryOrganisation</u>	1..*	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrganisationCategoryCode	<u>OrganisationCategoryCode</u>	<u>Organisation</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>OrganisationStatusReport</u>	<u>Organisation</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryOrganisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Organisation</u>	0..*	

466	MilitaryOrganisationServiceCode INTEL-FS Spiral 2::NATO::JISR::Domain::common::MilitaryOrganisationServiceCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#f8a08973186d461eaf6a96c44651782a
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::MilitaryOrganisationServiceCode - Owned Enumeration Literals		
Name	Short Name	Value
AIRFRC		Air Force
ARMY		Army
BRDRGD		Border guard
COASTG		Coast guard
COMBND		Combined
CVLSVC		Civil service
GUERLL		Guerrilla
JOINT		Joint
LCLDFF		Local defence force
LCLMLT		Local militia
MARINE		Marines
NAVY		Navy
NKN		Not known
NOS		Not otherwise specified
PAR		Paramilitary
SPFRC		Special force
TERFRC		Territorial force
Undefined		
<i>Results truncated to first 20 rows...</i>		

<p>467</p>	<p><i>MilitaryOrganisationStatusReport</i> INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::MilitaryOrganisationStatusReport Type: <Class></p>	<p>A GovernmentOrganisation that is officially sanctioned and is trained and equipped to exert force.[MIM-5.1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_vazzeAaXEe2mqq4tNNln_Q</p>
------------	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryOrganisationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor	<u>Actor</u>	<u>ActorStatusReport</u>	1..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EquipmentLines	<u>EquipmentLine</u>	<u>OrganisationStatusReport</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryOrganisationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MIP_availabilityCode	<u>MilitaryOrganisationAvailabilityCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_commandAndControlCategoryCode	<u>MilitaryOrganisationCommandAndControlCategoryCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_commandAndControlRoleCode	<u>MilitaryOrganisationCommandAndControlRoleCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_emissionControlCode	<u>EmissionControlCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_fireModeCode	<u>MilitaryOrganisationFireModeCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_identifier	<u>Token</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_isCommittedIndicator	<u>Boolean</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_isInActionIndicator	<u>Boolean</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_isInReserveIndicator	<u>Boolean</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_readiness	<u>MilitaryOrganisationReadiness</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_readinessDuration	<u>TimeDuration</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
MIP_serviceCode	<u>MilitaryOrganisationServiceCode</u>	<u>MilitaryOrganisationStatusReport</u>	1..1	
MIP_trainingLevelCode	<u>MilitaryOrganisationTrainingLevelCode</u>	<u>MilitaryOrganisationStatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MilitaryOrganisation	<u>MilitaryOrganisation</u>	<u>MilitaryOrganisationStatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Organisation	<u>Organisation</u>	<u>OrganisationStatusReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryOrganisationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
OrganisationAttributes	<u>OrganisationAttribute</u>	<u>OrganisationStatusReport</u>	0..*	
OrganisationCategoryTypes	<u>OrganisationCategoryAndType</u>	<u>OrganisationStatusReport</u>	0..*	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>ActorStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_EthnicGroup	<u>SP1_EthnicGroupType</u>	<u>OrganisationStatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>ActorStatusReport</u>	1..1	
SP2_EthnicGroup	<u>SP2_EthnicGroupType</u>	<u>OrganisationStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20] Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryOrganisationStatusReport - Owned Attributes

Attribute Name	Type Name	Defining Class	Mltplcty	Description

468	<p>MilitaryOrganisation_MilitaryOrganisation INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::MilitaryOrganisation_MilitaryOrganisation Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_tzlxQP0NEyh17ghYJMX7Q</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryOrganisation_MilitaryOrganisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor1	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
Actor2	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..*	
C2Duration	<u>TimeDuration</u>	<u>MilitaryOrganisation_MilitaryOrganisation</u>	0..1	
C2Type	<u>C2TypeCode</u>	<u>MilitaryOrganisation_MilitaryOrganisation</u>	0..1	
CategoryCode	<u>UnitUnitRelationshipCategoryCode</u>	<u>MilitaryOrganisation_MilitaryOrganisation</u>	0..1	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	1..1	
MilitaryOrganisation1	<u>MilitaryOrganisation</u>	<u>MilitaryOrganisation_MilitaryOrganisation</u>	0..*	
MilitaryOrganisation2	<u>MilitaryOrganisation</u>	<u>MilitaryOrganisation_MilitaryOrganisation</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::MilitaryOrganisation_MilitaryOrganisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>Actor_Actor</u>	0..*	
Organisation1	<u>Organisation</u>	<u>Organisation_Organisation</u>	0..*	
Organisation2	<u>Organisation</u>	<u>Organisation_Organisation</u>	0..*	
OrganisationFunctionalAssociationCategoryCode	<u>OrganisationFunctionalAssociationCategoryCode</u>	<u>Organisation_Organisation</u>	1..1	
OrganisationOrganisationRelationshipCategoryCode	<u>OrganisationOrganisationRelationshipCategoryCode</u>	<u>Organisation_Organisation</u>	0..1	
PeaceWarMode		<u>MilitaryOrganisation_MilitaryOrganisation</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

469	MilitaryRank INTEL-FS Spiral 2::NATO::JISR::Domain::common::MilitaryRank Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_403ca76653104d6f8c1ac82294eac5cd
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::MilitaryRank - Owned Enumeration Literals

Name	Short Name	Value
EPTE		Enlisted private
NCO		NCO, not otherwise specified
NKN		Not known
OF1		OF-1
OF10		OF-10
OF2		OF-2
OF3		OF-3
OF4		OF-4
OF5		OF-5
OF6		OF-6
OF7		OF-7
OF8		OF-8
OF9		OF-9
OFFR		Officer, not otherwise specified
OR1		OR-1
OR2		OR-2
OR3		OR-3
OR4		OR-4
OR5		OR-5
OR6		OR-6

Results truncated to first 20 rows...

470	MilitaryServiceType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::MilitaryServiceType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_xPieEAQ8Ee2k2sDrVHuisA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::MilitaryServiceType - Owned Enumeration Literals		
Name	Short Name	Value
A		Army
F		Air Force
G		General Staff
M		Marines
N		Navy
P		Coast Guard
S		Strategic Rocket Forces
Undefined		
Y		Air Defense Forces
<i>Results truncated to first 20 rows...</i>		

471	<p>MilitaryTypeVehicleCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MilitaryTypeVehicleCategoryCode</p> <p>Type: <Enumeration></p>	<p>Category Codes class of Military Vehicle generated by Spiral 2 from [MIM-5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_TdA5UJJVEeybR8MjY-oHwA</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MilitaryTypeVehicleCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
CombatServiceSupportVehicle		
CombatServiceSupportVehicle - CargoGeneralServiceVehicle		
CombatServiceSupportVehicle - MilitaryTypeAmbulance		
CombatServiceSupportVehicle - MilitaryTypeFirefightingVehicle		
CombatServiceSupportVehicle - MilitaryTypeHeavyEquipmentTransportVehicle		
CombatServiceSupportVehicle - MilitaryTypeHeavyEquipmentTransportVehicle - TankTransporter		
CombatServiceSupportVehicle - MilitaryTypeMaintenanceVehicle		
CombatServiceSupportVehicle - MilitaryTypeMaterielHandlingVehicle		
CombatServiceSupportVehicle - MilitaryTypeMaterielHandlingVehicle - MilitaryTypeForklift		
CombatServiceSupportVehicle - MilitaryTypeTractor		
CombatServiceSupportVehicle - MilitaryTypeTrailer		
CombatServiceSupportVehicle - MilitaryTypeUtilityVehicle		
CombatServiceSupportVehicle - RecoveryVehicle		
CombatServiceSupportVehicle - RecoveryVehicle - ArmouredPersonnelCarrierRecoveryVehicle		
CombatServiceSupportVehicle - RecoveryVehicle - BattleTankRecoveryVehicle		
CombatServiceSupportVehicle - RefuelVehicle		
CombatSupportVehicle		



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MilitaryTypeVehicleCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
CombatSupportVehicle - CBRNDecontaminationVehicle		
CombatSupportVehicle - CBRNReconnaissanceVehicle		
CombatSupportVehicle - EngineeringVehicle		
<i>Results truncated to first 20 rows...</i>		

472	<p>MilitaryVehicleTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MilitaryVehicleTECHINT</p> <p>Type: <Class></p>	<p>A Vehicle primarily designed for military purposes.[MIM-5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ERwQEjVVEeybR8MjY-oHwA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MilitaryVehicleTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	String	IntelligenceInformationEntity	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	BusinessProcess	IntelligenceInformationEntity	0..*	
Category	EquipmentCategoryType	TECHINT	0..1	
CommonName	String	TECHINT	0..1	
CountryOfOrigin	SP1_CountryCode	TECHINT	0..1	
Description	String	IntelligenceInformationEntity	0..1	
Equipment	Equipment	TECHINT	0..*	
ExtensibleType	ExtensibleTypeGroup	Entity	0..1	
FullModel	String	TECHINT	0..1	
ID	Integer	Entity	0..1	
IIEAttributes	IIEAttribute	IntelligenceInformationEntity	0..*	
IdentifierUUID	String	Entity	0..1	
Key	String	Entity	1..1	
MIP_isArmouredIndicator	Boolean	MilitaryVehicleTECHINT	0..1	
Metadata	BattlespaceMetadata	BattlespaceIIE	1..1	
MilitaryTypeVehicleCategoryCode	MilitaryTypeVehicleCategoryCode	MilitaryVehicleTECHINT	1..1	
Model	String	TECHINT	0..1	
Name	String	Entity	0..1	
SP1_EquipmentTypeType	SP1_EquipmentTypeType	TECHINT	0..1	
SP1_GeoEntities	Geometry	IntelligenceInformationEntity	0..*	
SP2_EquipmentTypeType	SP2_EquipmentTypeType	TECHINT	0..1	
StatusReports	VehicleTECHINTStatusReport	VehicleTECHINT	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MilitaryVehicleTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
Vehicle	<u>Vehicle</u>	<u>VehicleTECHINT</u>	0..*	

473	MissileOperatingAreaStatusType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::MissileOperatingAreaStatusType Type: <Class>	The status of a missile operating area. platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_-G1fgKkJEeyPjPr1a0o5zw
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::MissileOperatingAreaStatusType - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ACTIVE	<u>MissileOperatingAreaStatusType</u>	<u>MissileOperatingAreaStatusType</u>	1..1	TBM threat relevant activities within missile operating area are observed.
INACTIVE	<u>MissileOperatingAreaStatusType</u>	<u>MissileOperatingAreaStatusType</u>	1..1	No TBM threat relevant activities within missile operating area are observed.
UNK	<u>MissileOperatingAreaStatusType</u>	<u>MissileOperatingAreaStatusType</u>	1..1	The status of the missile operating area is not known.



474	MissionReport INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MissionReport::MissionReport Type: <Class>	Message identifier (Name): MISREP (MISSION REPORT) Related Documents: ATP-27 (B) ATP-34 (A) Purpose: The MISREP is used to report mission results and items of intelligence interest in all tactical roles and to retransmit and/or amplify in-flight reports. Sponsor: (MC ASB) AIR OPERATIONS WORKING GROUP (AOWG) Notes: none Status: Published [APP-11-D-1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_rTfiEAu8Eeu4G_HvSBIF7Q
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MissionReport::MissionReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MissionReport::MissionReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
MissionReport	<u>MissionReport</u>	<u>MissionReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::MissionReport::MissionReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

475	MobileSystemMobilityData INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MobileSystemMobilityData Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_UfzGYK28EeynIZTqcIRC0A
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MobileSystemMobilityData - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
MaximumSpeed			0..1	The assessed maximum speed of a mobile platform for a specific category of terrain e.g. off road
MobilityAnalysisQuery	<u>MobilityAnalysisQuery</u>		0..*	
TerrainType	<u>MobilityTerrainCategoryCode</u>		0..1	A terrain category used to indicate what the each speed specified for a mobile platform applies to, e.g. road, water

476	MobileSystemSpeedTable INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MobileSystemSpeedTable Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_6Fj4EPizEemkcIoqyiQteg
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MobileSystemSpeedTable - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
MobileSystemMobilityData	<u>MobileSystemMobilityData</u>	<u>MobileSystemSpeedTable</u>	1..*	

477	<p>MobilityAnalysisQuery</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::Mobility::MobilityAnalysisQuery</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7k6cAAYzEeum2v_pqMzN1w</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::Mobility::MobilityAnalysisQuery - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MaximumGrade		<u>MobilityAnalysisQuery</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Mobility	<u>MobilityCode</u>	<u>MobilityAnalysisQuery</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StartingLocation		<u>MobilityAnalysisQuery</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::Mobility::MobilityAnalysisQuery - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
TimeLimit	<u>TimeDuration</u>	<u>MobilityAnalysisQuery</u>	0..1	
VehicleObstacleCrossingCapability	<u>Distance</u>	<u>MobilityAnalysisQuery</u>	0..1	
VehicleTurningRadius	<u>Distance</u>	<u>MobilityAnalysisQuery</u>	0..1	
VehicleWeight	<u>Mass</u>	<u>MobilityAnalysisQuery</u>	0..1	
VehicleWidth	<u>Distance</u>	<u>MobilityAnalysisQuery</u>	0..1	

478	MobilityCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MobilityCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_tS59kPi2EemkcIoqyiQteg
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MobilityCode - Owned Enumeration Literals		
Name	Short Name	Value
AMPHIBIOUS		
BARGE		
OVER_SNOW		
RAILWAY		
STATIC		
SUBSURFACE		
SURFACE		
TOWED		
TRACKED		
Undefined		
WHEELED		
WHEELED_LIMITED		
<i>Results truncated to first 20 rows...</i>		

479	MobilityStatusType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::MobilityStatusType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_J8veFZP3EeyQ1-341B09AA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::MobilityStatusType - Owned Enumeration Literals		
Name	Short Name	Value
MOVG		moving
STARTG		starting
STOPD		stopped
STOPG		stopping
Undefined		
<i>Results truncated to first 20 rows...</i>		

480	MobilityTerrainCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MobilityTerrainCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_6HuwYPilEemkcIoqyiQteg
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vehicle::MobilityTerrainCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
OFFROAD		
ONROAD		
Undefined		
WATER		
<i>Results truncated to first 20 rows...</i>		

481	<p>MobilityType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::MobilityType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_J8veHpP3EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::MobilityType - Owned Enumeration Literals		
Name	Short Name	Value
AIRBRN		Airborne
AIRCMP		Air, composite
AIRFW		Air, fixed wing
AIRLGT		Air, lighter than air
AIRRW		Air, rotary wing
AMOB		Air Mobile
AMPH		Amphibious
ANIMNT		Animal, mounted
ARASLT		Air Assault
ARCTIC		Arctic
ATRNP		Air Transportable
DSMNTD		Dismounted
Fishing		Fishing Vessel
Inshore		Inshore
LNDRAI		Land, railed
LNSDPP		Land, self-propelled
LNDTRC		Land, tracked
LNDTWD		Land, towed
LNDWHL		Land, wheeled
MLC		Military load classification
<i>Results truncated to first 20 rows...</i>		

482	MultiNationalForceType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MultiNationalForceType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nS1gzJS5EeyQ1-341B09AA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::MultiNationalForceType - Owned Enumeration Literals		
Name	Short Name	Value
C		C
CFOR		Coalition Force
E		E
ISFOR		International Stabilisation Force
N		N
NATO		NATO Troops
NW		NW
S		S
SE		SE
SR		SR
SW		SW
UE		UE Troops
UKN		Unknown
UN		UN Troops
Undefined		Undefined
W		W
<i>Results truncated to first 20 rows...</i>		

483	<p>NATOGradeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::NATOGradeType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Z1PTgP5xEemSTdWDbKQaHA</p>
-----	--	---



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::NATOGradeType - Owned Enumeration Literals		
Name	Short Name	Value
A1		
A2		
A3		
A4		
A5		
A6		
A7		
B1		
B2		
B3		
B4		
B5		
B6		
B7		
CIV		
EPTE		
NCO		
NKN		
OF1		
OF10		
<i>Results truncated to first 20 rows...</i>		

484	NOCOPFORBMLocationCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NOCOPFORBMLocationCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_41KK0AYrEeu9w9m8W8diuw
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NOCOPFORBMLocationCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
LauncherAssemblyArea		
LauncherHideArea		
LauncherReloadTransloadArea		
MobileLaunchExclusionArea		
MobileLaunchLocationsHotSpot		
MobileLaunchSite		
StaticLaunchSite		
Undefined		
<i>Results truncated to first 20 rows...</i>		

485	<p>NamedOverlay INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::NamedOverlay Type: <Class></p>	<pre>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_KbUlcDoPEeu_8e-rNS-THA</pre>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::NamedOverlay - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EnclosedOverlay	<u>Overlay</u>	<u>Overlay</u>	0..*	
EnclosingOverlay	<u>Overlay</u>	<u>Overlay</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_intelligenceSituationOverlayID	<u>String</u>	<u>NamedOverlay</u>	0..1	
SP1_nvgData	<u>String</u>	<u>NamedOverlay</u>	0..1	
SP1_nvgFilter	<u>String</u>	<u>NamedOverlay</u>	0..1	
SP1_nvgVersion	<u>NvgVersion</u>	<u>Overlay</u>	0..1	
SP1_overlayFile	<u>FileLink</u>	<u>Overlay</u>	0..1	
SP1_overlaySourceSystem	<u>OverlaySourceSystem</u>	<u>Overlay</u>	0..1	
SP1_subject	<u>InformationGroup</u>	<u>Overlay</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::NamedOverlay - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

486	<p>Nation INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::Nation Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_EgaZYAYeEeu9w9m8W8diuw</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::Nation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>NationStatusReport</u>	<u>Nation</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

487	NationFacilityRelationshipCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::NationFacilityRelationshipCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_4UjkQEueEe24bMIGluMb7A
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::NationFacilityRelationshipCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

488	NationNationRelationshipCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::NationRelationshipCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_wYXnkJMUEeybR8MjY-oHwA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::NationRelationshipCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

489	<p>NationOfConcern</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfConcern</p> <p>Type: <Class></p>	<p>A Nation of Concern is an area, region, organization or group which is the subject of intelligence requirements for ballistic missile and WMD capabilities. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_6-D7cKruEqHWrw_y6eNBQ</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfConcern - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>NationOfConcern</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>NationOfConcernStatusReport</u>	<u>NationOfConcern</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

490	<p>NationOfConcernStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfConcernStatusReport</p> <p>Type: <Class></p>	<p>A Nation of Concern is an area, region, organization or group which is the subject of intelligence requirements for ballistic missile and WMD capabilities. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_2tnhUAexEeulheJb-jQDog</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfConcernStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Actor	<u>Actor</u>	<u>ActorStatusReport</u>	1..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
Alliances	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMCooperation	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIEAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
CapabilityOfCoordinatedBMAndOtherAttacks	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfConcernStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ConstellationCoverageForOperationalArea	String	NationOfConcernStatusReport	0..1	
Country	SP1_CountryCode	StatusReport	0..1	
Description	String	IntelligenceInformationEntity	0..1	
ExtensibleType	ExtensibleTypeGroup	Entity	0..1	
GeneralMilitarySituation	String	NationOfConcernStatusReport	0..1	
GeneralPoliticalSituation	String	NationOfConcernStatusReport	0..1	
GuidanceConstellation	String	NationOfConcernStatusReport	0..1	
Hostility	HostilityType	StatusReport	0..1	
ID	Integer	Entity	0..1	
IIEAttributes	IIEAttribute	IntelligenceInformationEntity	0..*	
IdentifierUUID	String	Entity	0..1	
Key	String	Entity	1..1	
LikelihoodOfFirstUseOfBMs	String	NationOfConcernStatusReport	0..1	
LikelihoodOfFirstUseOfWMD	String	NationOfConcernStatusReport	0..1	
MIM_geographicLocation	Location	StatusReport	0..1	
MaximumPossibleRaidSize	Integer	NationOfConcernStatusReport	0..1	
Metadata	BattlespaceMetadata	StatusReport	1..1	
Military Strategic Aims	String	NationOfConcernStatusReport	0..1	
MilitaryStrategicEndGoals	String	NationOfConcernStatusReport	0..1	
MilitaryStrategicObjectives	String	NationOfConcernStatusReport	0..1	
Name	String	Entity	0..1	
Nation	Nation	NationStatusReport	1..1	
NationOfConcern	NationOfConcern	NationOfConcernStatusReport	1..1	
OPFORBMCOA	OPFORBMCOA	NationOfConcernStatusReport	0..*	
OPFORBMCONOPSAndTTP	OPFORBMCONOPSAndTTP	NationOfConcernStatusReport	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfConcernStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
OrganisationOfBMForces	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
PoliticalStrategicAims	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
PoliticalStrategicEndGoals	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
PoliticalStrategicObjectives	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
PossibleTargetForBMAAttacks	<u>BMTargetType</u>	<u>NationOfConcernStatusReport</u>	0..*	
PossibleTargetForWMDAttacks	<u>BMTargetType</u>	<u>NationOfConcernStatusReport</u>	0..*	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
RoleAndTypeOfBMOperations	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>ActorStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>ActorStatusReport</u>	1..1	
SimultaneousImpactsCapability	<u>Boolean</u>	<u>NationOfConcernStatusReport</u>	0..1	
SimultaneousLaunchesCapabiliy	<u>Boolean</u>	<u>NationOfConcernStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfConcernStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TreatiesSignedRatified	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
WMDCooperation	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	
_NationOfConcern	<u>String</u>	<u>NationOfConcernStatusReport</u>	0..1	

491	<p>NationOfProliferation</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfProliferation</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_-gjrsAIrEeuNS4XxnpGgSA</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfProliferation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BallisticMissileEquipment	<u>BallisticMissile</u>	<u>NationOfProliferation</u>	1..1	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>NationOfProliferation</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>NationStatusReport</u>	<u>Nation</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::BallisticMissile::NationOfProliferation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

492	<p>NationStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::NationStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_6d4jYAewEulheJb-jQDog</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::NationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor	<u>Actor</u>	<u>ActorStatusReport</u>	1..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::NationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nation	<u>Nation</u>	<u>NationStatusReport</u>	1..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>ActorStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>ActorStatusReport</u>	1..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::NationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

493	<p>Nation_Nation INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::Nation_Nation Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_oNmbAJMTEeybR8MjY-oHwA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::Nation_Nation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Actor1	<u>Actor</u>	<u>Actor Actor</u>	0..*	
Actor2	<u>Actor</u>	<u>Actor Actor</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nation1	<u>Nation</u>	<u>Nation Nation</u>	0..*	
Nation2	<u>Nation</u>	<u>Nation Nation</u>	0..*	
NationNationRelationshipCategoryCode	<u>NationNationRelationshipCategoryCode</u>	<u>Nation Nation</u>	1..1	
ORBAT	<u>ORBAT</u>	<u>Actor Actor</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Nation::Nation_Nation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

494	NonMilitaryServiceType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::NonMilitaryServiceType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_yGKkEAQ8Ee2k2sDrVHuisA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::NonMilitaryServiceType - Owned Enumeration Literals		
Name	Short Name	Value
C		Civilian
I		Irregular Forces
Undefined		
X		Paramilitary Forces
<i>Results truncated to first 20 rows...</i>		



495	NvgVersion INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::NvgVersion Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_JYJJ0DoSEeu_8e-rNS-THA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::NvgVersion - Owned Enumeration Literals		
Name	Short Name	Value
OTHER		
Undefined		
v_1_4		
v_1_5		
v_1_6		
<i>Results truncated to first 20 rows...</i>		

496	<p>OPFORBMCOA</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::BallisticMissile::OPFORBMC OA</p> <p>Type: <Class></p>	<p>Intelligence assessment of one or more adversary courses of action including BM course of action that should be considered in developing the strategic CONOPS. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_JaVV0KpBEeq0kau1c30z1Q</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::BallisticMissile::OPFORBMCOA - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMOPFORComparisonRecods	<u>BMOPFORComparisonRecord</u>	<u>OPFORBMCOA</u>	1..*	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CapabilityToCoordinateBMWithOtherAttacks		<u>OPFORBMCOA</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DescriptionOfCoordinationWithOtherAttacks	<u>String</u>	<u>OPFORBMCOA</u>	0..1	
DesiredEndState	<u>String</u>	<u>CourseOfAction</u>	0..1	The desired end state of an adversary. - BMD Logical Data Model
ExpectedRaidSize	<u>Integer</u>	<u>OPFORBMCOA</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
HPT	<u>HighPayoffTarget</u>	<u>CourseOfAction</u>	0..*	
HVT	<u>HighValueTarget</u>	<u>CourseOfAction</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IntentToCoordinateBMWithOtherAttacks		<u>OPFORBMCOA</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
LikelyUseOfBM	<u>String</u>	<u>OPFORBMCOA</u>	0..1	
LinesOfOperation	<u>LineOfOperation</u>	<u>CourseOfAction</u>	0..*	
MCDAComparison	<u>MCDAComparison</u>	<u>OPFORBMCOA</u>	0..*	
MaximumPossibleLaunchRate	<u>BMLaunchRate</u>	<u>OPFORBMCOA</u>	0..*	
MaximumPossibleRaidSize	<u>Integer</u>	<u>OPFORBMCOA</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::BallisticMissile::OPFORBMCOA - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Metadata	<u>StaffMetadata</u>	<u>StaffIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OPFORBMTargettingStrategy	<u>BMTargettingStrategy</u>	<u>OPFORBMCOA</u>	0..*	
OPFORCOAType		<u>OPFORBMCOA</u>	0..1	
Objective	<u>BMObjective</u>	<u>OPFORBMCOA</u>	1..*	
OperationalTempo	<u>OperationalTempo</u>	<u>OPFORBMCOA</u>	0..*	
Phases	<u>Phase</u>	<u>CourseOfAction</u>	0..*	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SimultaneousImpactsCapability		<u>OPFORBMCOA</u>	0..1	
SimultaneousLaunchesCapability		<u>OPFORBMCOA</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TaskIdentificationAndOrganisation	<u>String</u>	<u>OPFORBMCOA</u>	0..1	
TaskTimePhasing	<u>String</u>	<u>OPFORBMCOA</u>	0..1	
UseOfWMD	<u>UseOfWMD</u>	<u>OPFORBMCOA</u>	0..*	

497	<p>OPFORBMCONOPSAndTTP</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::Doct rine::BallisticMissile::OPFORBMCONOPSAndTTP</p> <p>Type: <Class></p>	<p>A clear and concise statement of the line of action chosen by a commander in order to accomplish his given mission. [AAP-6]An Opposing Force Ballistic Missile Concept of Operations and Tactics, Techniques and Procedures is an intelligence assessment of the line of action chosen by an adversary commander for the employment of ballistic missile capabilities in order to contribute to the accomplishment of their given mission, and the methods by which such capabilities can be employed. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ASa3UPvzEemNtI3vTXwM_w</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::Doctrine::BallisticMissile::OPFORBMCONOPSAndTTP - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CounterMeasures	<u>CounterMeasure</u>	<u>OPFORBMCONOPSAndTTP</u>	0..*	
CounterMeasuresText	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..*	
DeliveringFires	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
Deployment	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
LikelihoodOfFirstUseOfBM	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
LikelihoodOfFirstUseOfWMD	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
LimitationsOnDeploymentAndSustainmentFromFixedBases	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
NOC	<u>NationOfConcernStatusReport</u>	<u>OPFORBMCONOPSAndTTP</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OPFORBMORBAT	<u>OPFORBMORBAT</u>	<u>OPFORBMCONOPSAndTTP</u>	0..*	
OPFORBMUnitReadiness	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
PreferredTrajectories	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
RaidSize	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::Doctrine::BallisticMissile::OPFORBMCONOPSAndTTP - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SalvoTactics	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
SurviveToOperate	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
Sustainment	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
Training	<u>String</u>	<u>OPFORBMCONOPSAndTTP</u>	0..1	
oPFORBMForceStatusReport	<u>OPFORBMForceStatusReport</u>	<u>OPFORBMCONOPSAndTTP</u>	0..*	

<p>498</p>	<p>OPFORBMCentreOfGravity INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::CentreOfGravity::BallisticMissile::OPFORBMCentreOfGravity y Type: <Class></p>	<p>centre of gravity / centre de gravit CoG The primary source of power that provides an actor its strength, freedom of action and/or will to fight. MCJSB, 2017.09.01 [AAP-6] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_IYRJ8KpDEeq0kau1c3Oz1Q</p>
------------	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::CentreOfGravity::BallisticMissile::OPFORBMCentreOfGravity - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor	<u>Actor</u>	<u>CentreOfGravity</u>	1..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CriticalCapabilities	<u>CriticalCapability</u>	<u>CentreOfGravity</u>	0..*	
CriticalRequirements	<u>CriticalRequirement</u>	<u>CentreOfGravity</u>	0..*	
CriticalVulnerabilities	<u>CriticalVulnerability</u>	<u>CentreOfGravity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::CentreOfGravity::BallisticMissile::OPFORBMCentreOfGravity - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

499	<p>OPFORBMDoctrine</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step2ActorEvaluation::Doct rine::BallisticMissile::OPFORBMDoctrine</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_dl8nkKsSEeq78IqPnMC3xg</p>
-----	---	---

500	<p>OPFORBMForce</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::BallisticMissile::OPFORBMForce</p> <p>Type: <Class></p>	<p><p>An Opposing Force Ballistic Missile Force represents an intelligence assessment of the static data of an element of an adversary's BM forces. Elements can be military units or non-military forces. [BMD-ADD]
Force: Force or group capable of functioning as an offensive or defensive combat or support organization which the subject unit belongs to. It reflects an aggregation of military units within a single Service (i.e. Army, Air Force etc.) which operates under a single authority to accomplish a single mission. [AIDM]</p></p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_vJFdLpP7EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMForce - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Unit</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GovernmentOrganisationCategoryCode	<u>GovernmentOrganisationCategoryCode</u>	<u>GovernmentOrganisation</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIP_mainActivityCode	<u>MainActivityCode</u>	<u>GovernmentOrganisation</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
MilitaryOrganisationStatusReport	<u>MilitaryOrganisationStatusReport</u>	<u>MilitaryOrganisation</u>	1..*	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrganisationCategoryCode	<u>OrganisationCategoryCode</u>	<u>Organisation</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>OPFORBMForceStatusReport</u>	<u>OPFORBMForce</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMForce - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Unit</u>	0..*	
UnitCategoryCode	<u>UnitCategoryCode</u>	<u>Unit</u>	1..1	

501	<p>OPFORBMForceStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::BallisticMissile::OPFORBMForceStatusReport</p> <p>Type: <Class></p>	<p>An Opposing Force Ballistic Missile Force represents an intelligence assessment of the static data of an element of an adversary's BM forces. Elements can be military units or non-military forces. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_vJFdNpP7EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMForceStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ACOIDentificationCode	<u>String</u>	<u>UnitStatusReport</u>	0..1	
ActivationEndDate	<u>DateTimeZuluType</u>	<u>UnitStatusReport</u>	0..1	
ActivationStartDate	<u>DateTimeZuluType</u>	<u>UnitStatusReport</u>	0..1	
ActivityRole	<u>UnitRoleType</u>	<u>UnitStatusReport</u>	0..1	
ActivityType	<u>ActivityType</u>	<u>UnitStatusReport</u>	0..1	
Actor	<u>Actor</u>	<u>ActorStatusReport</u>	1..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlertStatus	<u>String</u>	<u>UnitStatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AssignmentStatus	<u>AllianceStatusType</u>	<u>UnitStatusReport</u>	0..1	
Available	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
AviationCode	<u>AviationCodeType</u>	<u>UnitStatusReport</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIEAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMForceStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
Category	<u>UnitCategory</u>	<u>UnitStatusReport</u>	0..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
CombatEffectiveness	<u>CombatEffectiveness</u>	<u>UnitStatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Course	<u>String</u>	<u>UnitStatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Direction	<u>DirectionType</u>	<u>UnitStatusReport</u>	0..1	
DutyStatus	<u>DutyStatusType</u>	<u>UnitStatusReport</u>	0..1	
EchelonForce	<u>String</u>	<u>UnitStatusReport</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FormationCategory	<u>FormationCategoryType</u>	<u>UnitStatusReport</u>	0..1	
HeadQuarter	<u>HeadquarterType</u>	<u>UnitStatusReport</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identification	<u>String</u>	<u>UnitStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMForceStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MIP_echelon	<u>Echelon</u>	<u>UnitStatusReport</u>	1..1	
MIP_employmentCaveatText	<u>String</u>	<u>UnitStatusReport</u>	0..1	
MIP_equipmentScalingCode	<u>EquipmentScalingCode</u>	<u>UnitStatusReport</u>	0..1	
MIP_equipmentTearardownDuration	<u>TimeDuration</u>	<u>UnitStatusReport</u>	0..1	
MIP_formalAbbreviatedName	<u>Token</u>	<u>UnitStatusReport</u>	0..1	
MIP_generalMobility	<u>Mobility</u>	<u>UnitStatusReport</u>	0..1	
MIP_higherFormationName	<u>Token</u>	<u>UnitStatusReport</u>	0..1	
MIP_isArmouredIndicator	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
MIP_isNotionalIndicator	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
MIP_isTaskForceIndicator	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
MIP_mainEquipmentSpecification	<u>MainEquipmentSpecification</u>	<u>UnitStatusReport</u>	0..*	
MIP_personnelStrength	<u>PersonnelCount</u>	<u>UnitStatusReport</u>	0..1	
MIP_reinforcementCode	<u>UnitReinforcementCode</u>	<u>UnitStatusReport</u>	0..1	
MIP_supplementarySpecialisationCode	<u>UnitSupplementarySpecialisationCode</u>	<u>UnitStatusReport</u>	0..1	
MIP_supportedMilitaryOrganisation	<u>MilitaryOrganisation</u>	<u>UnitStatusReport</u>	0..1	
MIP_transportationCode	<u>UnitTransportationCode</u>	<u>UnitStatusReport</u>	0..1	
MIP_usesUnmannedVehiclesIndicator	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MissionType	<u>String</u>	<u>UnitStatusReport</u>	0..1	
Mobility	<u>MobilityType</u>	<u>UnitStatusReport</u>	0..1	
MobilityStatus	<u>MobilityStatusType</u>	<u>UnitStatusReport</u>	0..1	
MultiNationalForce		<u>UnitStatusReport</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMForceStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Number	<u>String</u>	<u>UnitStatusReport</u>	0..1	
OPFORUnit		<u>UnitStatusReport</u>	0..1	
OperationalReadiness	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
OperationalStatus	<u>OperationalStatusType</u>	<u>UnitStatusReport</u>	0..1	
OrderOfBattle	<u>OrderOfBattleType</u>	<u>UnitStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
PersonnelCrisis	<u>Integer</u>	<u>UnitStatusReport</u>	0..1	
PersonnelMaterialEffectiveness	<u>PersonelMaterialEffectivenessType</u>	<u>UnitStatusReport</u>	0..1	
PersonnelPeace	<u>Integer</u>	<u>UnitStatusReport</u>	0..1	
PersonnelReported	<u>Integer</u>	<u>UnitStatusReport</u>	0..1	
Protection	<u>UnitProtectionType</u>	<u>UnitStatusReport</u>	0..1	
ReactionTime	<u>TimeDuration</u>	<u>UnitStatusReport</u>	0..1	
ReasonOpStatDegraded	<u>String</u>	<u>UnitStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
Rresponsibility	<u>String</u>	<u>UnitStatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>ActorStatusReport</u>	1..1	
SP1_Echelon	<u>SP1_EchelonType</u>	<u>UnitStatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP1_Nation	<u>SP1_CountryCode</u>	<u>UnitStatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>ActorStatusReport</u>	1..1	
SP2_Echelon	<u>SP2_EchelonSize</u>	<u>UnitStatusReport</u>	0..1	
Size	<u>UnitSizeCode</u>	<u>UnitStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMForceStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed		<u>UnitStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20] Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]
Unit	<u>Unit</u>	<u>UnitStatusReport</u>	1..1	
UnitAttributes	<u>UnitAttribute</u>	<u>UnitStatusReport</u>	0..*	
UnitEquipmentLine	<u>UnitEquipmentLine</u>	<u>UnitStatusReport</u>	0..*	
UnitSpeciality	<u>UnitSpecialityType</u>	<u>UnitStatusReport</u>	0..1	
UnitType	<u>SP1_UnitTypeType</u>	<u>UnitStatusReport</u>	0..1	
UnitTypeEquipment	<u>UnitTypeEquipmentType</u>	<u>UnitStatusReport</u>	0..1	
oPFORBMCONOPSAndTTP	<u>OPFORBMCONOPSAndTTP</u>	<u>OPFORBMForceStatusReport</u>	0..*	
opforbmforce	<u>OPFORBMForce</u>	<u>OPFORBMForceStatusReport</u>	1..1	

502	<p>OPFORBMHistoricalFiringEvent</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMHistoricalFiringEvent</p> <p>Type: <Class></p>	<p>An Opposing Force (OPFOR) Ballistic Missile (BM) Historical Firing Event (HFE) represents the information collected on the firing of a single BM including its trajectory and any associated information, such as interception data, assessed type and target and references to source reports. The OPFOR BM Historical Firing Event data element represents all the information stored for an individual ballistic missile firing including the initial information derived from the real time picture and any subsequent additions based on all source intelligence and other reports, e.g. from friendly forces. The table below indicates which parameters can be present in the initial record because they could be reported in or calculated from the real time picture. The full set of parameters can be populated or updated by an INTEL-FS user from other sources of information. The OPFOR BM Historical Firing Event data element includes a log of the tactical messages from which the initial HFE information was derived, represented by the Tactical Message data element. Each OPFOR BM Historical Firing Event data element will be linked to related standalone products including CBRN Hazard Reports and Missile Intercept Reports [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_eWh7ILIREeqGEZ5htVJYdw</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMHistoricalFiringEvent - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ObservedOPFORBMAActivity	<u>OPFORBMObservedActivity</u>	<u>OPFORBMHistoricalFiringEvent</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>OPFORBMHistoricalFiringEventStatusReport</u>	<u>OPFORBMHistoricalFiringEvent</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

<p>503</p>	<p>OPFORBMHistoricalFiringEventStatusReport INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMHistoricalFiringEventStatusReport Type: <Class></p>	<p>An Opposing Force (OPFOR) Ballistic Missile (BM) Historical Firing Event (HFE) represents the information collected on the firing of a single BM including its trajectory and any associated information, such as interception data, assessed type and target and references to source reports. The OPFOR BM Historical Firing Event data element represents all the information stored for an individual ballistic missile firing including the initial information derived from the real time picture and any subsequent additions based on all source intelligence and other reports, e.g. from friendly forces. The table below indicates which parameters can be present in the initial record because they could be reported in or calculated from the real time picture. The full set of parameters can be populated or updated by an INTEL-FS user from other sources of information. The OPFOR BM Historical Firing Event data element includes a log of the tactical messages from which the initial HFE information was derived, represented by the Tactical Message data element. Each OPFOR BM Historical Firing Event data element will be linked to related standalone products including CBRN Hazard Reports and Missile Intercept Reports [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nY-kUPr8Eem6M75ghptRYg</p>
------------	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMHistoricalFiringEventStatusReport - Owned				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Action	String	EventStatusReport	0..1	
ActionStatus	ActionStatusType	EventStatusReport	0..1	
ActualBMImpactPoint		OPFORBMHistoricalFiringEventStatusReport	0..1	Actual ballistic missile (BM) Impact Point reported in Intelligence Reports (INTREPs) or reports from own forces.
ActualBMImpactTime	DateTimeZuluType	OPFORBMHistoricalFiringEventStatusReport	0..1	Actual ballistic missile (BM) impact time reported in Intelligence Reports (INTREPs) or reports from own forces.
Address	PhysicalAddress	StatusReport	0..1	
AlternativelyKnownAs	BSOAlternativeIdentity	StatusReport	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	String	IntelligenceInformationEntity	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AttackComplexity	AttackComplexityType	EventStatusReport	0..1	
AttackLocations	EventLocationAttack	EventStatusReport	0..1	
BMFiringConsequences	String	OPFORBMHistoricalFiringEventStatusReport	0..1	Textual description of consequences of the firing event including consequences of non intercept (CONI) and consequences of intercept (COI)
BMInterceptFlag	Boolean	OPFORBMHistoricalFiringEventStatusReport	0..1	Information from friendly forces intercepts report on whether this ballistic missile (BM) was intercepted
BMLaunchDetectionFlag	Boolean	OPFORBMHistoricalFiringEventStatusReport	0..1	Information from friendly forces tracking reports on whether this ballistic missile (BM) was detected at launch
BMTrackFlag	Boolean	OPFORBMHistoricalFiringEventStatusReport	0..1	Information from friendly forces tracking reports on whether this ballistic missile (BM) was tracked
BPs	BusinessProcess	IntelligenceInformationEntity	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMHistoricalFiringEventStatusReport - Owned				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
BlastOrFragmentationRadius	<u>Distance</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	Blast or fragmentation radius from all source intelligence analysis
City	<u>String</u>	<u>StatusReport</u>	0..1	
CorrelatedBMType	<u>BMTypeCode</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	Ballistic Missile (BM) type deduced after all source Intelligence analysis. Closest matching missile type in Intelligence threat database, derived via threat typing
CorrelatedTrajectoryType	<u>TrajectoryType</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	Trajectory deduced after Intelligence analysis
CorrelationConfidenceForMissileType	<u>Confidence</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	Analyst's confidence in the assessed ballistic missile (BM) type after all source analysis
CorrelationConfidenceForTrajectory	<u>Confidence</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	Analyst's confidence in the assessed ballistic missile (BM) trajectory type after intelligence analysis
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EndDateTime	<u>DateTimeZuluType</u>	<u>EventStatusReport</u>	0..1	
EquipmentLines	<u>EquipmentLine</u>	<u>EventStatusReport</u>	0..*	
Event	<u>Event</u>	<u>EventStatusReport</u>	1..1	
EventActions	<u>EventAction</u>	<u>EventStatusReport</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMHistoricalFiringEventStatusReport - Owned				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
EventAttacks	<u>EventAttack</u>	<u>EventStatusReport</u>	0..*	
EventAttributes	<u>EventAttribute</u>	<u>EventStatusReport</u>	0..*	
EventCasualties	<u>EventCasualty</u>	<u>EventStatusReport</u>	0..*	
EventID	<u>String</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	
EventPriority	<u>EventPriorityCodeType</u>	<u>EventStatusReport</u>	0..1	
EventTypes	<u>EventTypes</u>	<u>EventStatusReport</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FiringEventTrajectoryData	<u>FiringEventTrajectoryData</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	1..1	
Forces	<u>EventForcesInvolvedType</u>	<u>EventStatusReport</u>	0..1	
FriendlyForceOperation	<u>String</u>	<u>EventStatusReport</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identification	<u>String</u>	<u>EventStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IncidentOwnership	<u>String</u>	<u>EventStatusReport</u>	0..1	
InterceptAltitude	<u>AltitudeType</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	If the ballistic missile (BM) was intercepted, the estimated altitude at which this took place. Intended for the estimation of consequences of intercept (COI)
JOCWatchId	<u>String</u>	<u>EventStatusReport</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MissDistance	<u>Distance</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	The maximum distance at which the missile can be expected to damage its target

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMHistoricalFiringEventStatusReport - Owned				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Name	<u>String</u>	<u>Entity</u>	0..1	
NumberOfDevices	<u>Integer</u>	<u>EventStatusReport</u>	0..1	
NumberOfSubmunitions	<u>Integer</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	Number of submunitions identified from all source intelligence analysis
OPFORBMHFE	<u>OPFORBMHistoricalFiringEvent</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	1..1	
OperationalStatus	<u>OperationalStatusType</u>	<u>EventStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Significance	<u>SignificanceType</u>	<u>EventStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StartDateTime	<u>DateTimeZuluType</u>	<u>EventStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
SubmunitionsDispersalRadius	<u>Distance</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	Submunitions dispersal radius identified in all source intelligence analysis

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMHistoricalFiringEventStatusReport - Owned				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
UseOfWMD	<u>Boolean</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	Whether the firing event involved a weapon of mass destruction (WMD), for example based on CBRN Hazard Reports correlated with the impact point
Verification	<u>EventVerificationType</u>	<u>EventStatusReport</u>	0..1	
WarheadType	<u>WarheadCategoryCode</u>	<u>OPFORBMHistoricalFiringEventStatusReport</u>	0..1	The warhead category assessed to have been carried based on all source reporting

504	<p>OPFORBMLocation</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocation</p> <p>Type: <Class></p>	<p>An Opposing Force Ballistic Missile Location represents an assessed, predicted or observed place of interest or facility at which an OPFOR BM Force is located for a defined period of time. The location's shape can be a point, a line or an area. The movement of mobile units will be represented by multiple instances of this Information Element. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ut3hMpS0EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Facility</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
MilitaryFacilityCategoryCode	<u>MilitaryFacilityCategoryCode</u>	<u>MilitaryFacility</u>	1..1	
MilitaryFacilityStatusReports	<u>MilitaryFacilityStatusReport</u>	<u>MilitaryFacility</u>	1..*	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>OPFORBMLocationStatusReport</u>	<u>OPFORBMLocation</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Facility</u>	0..*	

505	<p>OPFORBMLocationStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocationStatusReport</p> <p>Type: <Class></p>	<p>An Opposing Force Ballistic Missile Location represents an assessed, predicted or observed place of interest or facility at which an OPFOR BM Force is located for a defined period of time. The location's shape can be a point, a line or an area. The movement of mobile units will be represented by multiple instances of this Information Element. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ut3hN5S0EeyQ1-341BO9AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
CommunicationLinks	<u>String</u>	<u>OPFORBMLocationStatusReport</u>	0..1	Description of the communications links connecting the ballistic missile (BM) location. [BM-LDM]
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
CriticalFeatures	<u>String</u>	<u>OPFORBMLocationStatusReport</u>	0..1	Description of the critical features at the ballistic missile (BM) location. [BM-LDM]
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EventItemActivityOfInterest	<u>String</u>	<u>OPFORBMLocationStatusReport</u>	0..1	Event or item or activity of interest at the ballistic missile (BM) location. [BM-LDM]
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Facility	<u>Facility</u>	<u>FacilityStatusReport</u>	1..1	
Function	<u>LocationFunctionCode</u>	<u>OPFORBMLocationStatusReport</u>	1..1	
HideCriteria	<u>String</u>	<u>OPFORBMLocationStatusReport</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
LauncherType	<u>LaunchPlatformTypeCode</u>	<u>OPFORBMLocationStatusReport</u>	0..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MIP_accessRestrictionCode	<u>FacilityAccessRestrictionCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_affectingPhenomenon	<u>MeteorologicFeature</u>	<u>FacilityStatusReport</u>	0..*	
MIP_areMinesPresentIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_demolitionStatusCode	<u>DemolitionStatusCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_dimensions	<u>ObjectDimensions</u>	<u>FacilityStatusReport</u>	0..1	
MIP_emissionControlCode	<u>EmissionControlCode</u>	<u>FacilityStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
MIP_hasEnemyActivityIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_hasOccupationProgrammeIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_isActiveIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_isInReserveIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_isOpenIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_isStaffedIndicator	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
MIP_limitingFactorsText	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
MIP_operationalStatusCode	<u>OperationalStatusCode</u>	<u>FacilityStatusReport</u>	1..1	
MIP_operationalStatusDegradationReasonCode	<u>FacilityOperationalStatusDegradationReasonCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_operationalStatusQualifierCode	<u>FacilityOperationalStatusQualifierCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_primaryConstructionMaterialCode	<u>FacilityPrimaryConstructionMaterialCode</u>	<u>FacilityStatusReport</u>	0..1	
MIP_securityStatusCode	<u>SecurityStatusCode</u>	<u>FacilityStatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MilitaryFacility	<u>MilitaryFacility</u>	<u>MilitaryFacilityStatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OPFORBMLocation	<u>OPFORBMLocation</u>	<u>OPFORBMLocationStatusReport</u>	1..1	
Operation1		<u>FacilityStatusReport</u>	1..1	
Orientation	<u>AngleDegrees</u>	<u>OPFORBMLocationStatusReport</u>	0..1	The orientation of the ballistic missile (BM) location, where relevant e.g. a launch site. [BM-LDM]
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_AirDefenceDistrict	<u>AirDefenceDistrictType</u>	<u>FacilityStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>FacilityStatusReport</u>	1..1	
SP1_AmmoCapacity	<u>AmmoTypeStorageType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_BENumber	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_BESuffix	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Category	<u>PlaceType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Condition	<u>PlaceConditionType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_DistrictNumber	<u>UnlimitedNatural</u>	<u>FacilityStatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_FacilityAircraftLines	<u>FacilityAircraftLine</u>	<u>FacilityStatusReport</u>	0..*	
SP1_FacilityAttributes	<u>FacilityAttribute</u>	<u>FacilityStatusReport</u>	0..*	
SP1_FacilityEquipmentLines	<u>FacilityEquipmentLine</u>	<u>FacilityStatusReport</u>	0..*	
SP1_FacilityType	<u>SP1_FacilityType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_FuelQuantity	<u>FuelQuantity</u>	<u>FacilityStatusReport</u>	0..1	
SP1_FunctionalCategory	<u>FunctionalCategoryCode</u>	<u>FacilityStatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP1_IntelLocation	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_IsProhibited	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
SP1_IsRestricted	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
SP1_MIDBTargetId	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_MapSheet	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_MilitaryDistrict	<u>MilitaryDistrictType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_MultiNationalForce	<u>MultiNationalForceType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_OperationalStatus	<u>OperationalStatusType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_PercentCapacity	<u>UnlimitedNatural</u>	<u>FacilityStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_PlaceActivity	<u>PlaceActivityType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_PlaceSite	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_PoliticalRegion	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Significance	<u>SignificanceType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_StateProvinceDistrict	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_TargetType	<u>SP1_TargetType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_TargetValue	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Transport	<u>TransportationType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Type	<u>SP1_PlaceSubType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Users	<u>ForceTypeType</u>	<u>FacilityStatusReport</u>	0..1	
SP1_Vulnerable	<u>Boolean</u>	<u>FacilityStatusReport</u>	0..1	
SP1_WaterBody	<u>String</u>	<u>FacilityStatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>FacilityStatusReport</u>	1..1	
SP2_BasicEncyclopediaNumberType	<u>BasicEncyclopediaNumberType</u>	<u>FacilityStatusReport</u>	0..1	
SecurityFeatures	<u>String</u>	<u>OPFORBMLocationStatusReport</u>	0..1	Description of the security features at the ballistic missile (BM) location. [BM-LDM]
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

506	<p>OPFORBMLocation_NO</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMis sile::OPFORBMLocation_NO</p> <p>Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ff5bAEuiEe2Ce62yfIRCfA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocation_NOC - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Facility	<u>Facility</u>	<u>Facility Nation</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
NOC	<u>NationOfConcern</u>	<u>OPFORBMLocation_NOC</u>	0..*	
NOCOPFORBMLocationCategoryCode	<u>NOCOPFORBMLocationCategoryCode</u>	<u>OPFORBMLocation_NOC</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nation	<u>Nation</u>	<u>Facility_Nation</u>	0..*	
OPFORBMLocation	<u>OPFORBMLocation</u>	<u>OPFORBMLocation_NOC</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::BallisticMissile::OPFORBMLocation_NOG - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

<p>507</p>	<p>OPFORBMORBAT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::BallisticMissile::OPFORBMORBAT</p> <p>Type: <Class></p>	<p>An OrganisationStructure that provides the identification, strength, command structure, and disposition of the personnel, units, and equipment of any military force.</p> <p>Remarks: Although sometimes used in other ways, this term most frequently applies to the grouping of forces for a specific campaign. [MIM-5.1]An Order of Battle (ORBAT) is a catalogue listing the entities (force elements, military units and non-military elements) potentially available for operations with the ability to structure these entities into an organisational hierarchy. [TOPFAS CDM]Opposing Force Ballistic Missile Order of Battle: An Opposing Force Ballistic Missile Order of Battle is an intelligence assessment of identity, strength, command structure, and disposition of the personnel, units, and equipment of an adversary's ballistic missile force including assigned supporting force elements. [This is a subset of the entire Enemy / Neutral ORBAT and is sometimes named differently e.g. "Missile ORBAT".] [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_zbxqIPv0EemNtI3vTXwM_w</p>
------------	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::BallisticMissile::OPFORBMORBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor_Actor	<u>Actor_Actor</u>	<u>ORBAT</u>	0..*	
Actor_EquipmentHolding	<u>Actor_Equipment</u>	<u>ORBAT</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMORBAT	<u>BMORBAT</u>	<u>OPFORORBAT</u>	0..*	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CapabilityOfCoordinationWithOtherAttacks	<u>String</u>	<u>OPFORORBAT</u>	0..1	
ChainOfCommand	<u>String</u>	<u>ORBAT</u>	0..1	
CommunicationsNetworkOrganisation	<u>String</u>	<u>OPFORORBAT</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ORBAT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
HistoricalUse	<u>String</u>	<u>OPFORORBAT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentificationAndOrganisationOfBMUnits	<u>String</u>	<u>OPFORBMORBAT</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MissileInventory	<u>String</u>	<u>OPFORBMORBAT</u>	0..1	
NOC	<u>NationOfConcern</u>	<u>ORBAT</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::BallisticMissile::OPFORBMORBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
OPFORBMCONOPS	<u>String</u>	<u>OPFORBMORBAT</u>	0..1	
OPFORBMCONOPSAndTTP	<u>OPFORBMCONOPSAndTTP</u>	<u>OPFORBMORBAT</u>	0..*	
OPFORBMRole	<u>String</u>	<u>OPFORBMORBAT</u>	0..1	
ORBATName	<u>String</u>	<u>ORBAT</u>	0..1	
OperationPlanIdentifier	<u>string</u>	<u>ORBAT</u>	0..1	
OrderOfBattle	<u>OrderOfBattleType</u>	<u>ORBAT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
ValidtyEnd	<u>DateTimeZuluType</u>	<u>ORBAT</u>	0..1	
ValidtyStart	<u>DateTimeZuluType</u>	<u>ORBAT</u>	0..1	
WMDInventory	<u>String</u>	<u>OPFORBMORBAT</u>	0..1	

508	<p>OPFORBMObservedActivity</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMObservedActivity</p> <p>Type: <Class></p>	<p>An Observed Opposing Force (PFOR) Ballistic Missile (BM) Activity represents the collection of information that records the observed elements of a BM COA for each BMOA. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_D6ZcEAY7Eum2v_pqMzN1w</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::BallisticMissile::BMHistoricFiringEvent::OPFORBMObservedActivity - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMOPFORComparisonRecord	<u>BMOPFORComparisonRecord</u>	<u>OPFORBMObservedActivity</u>	1..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OPFORBMHFE	<u>OPFORBMHistoricalFiringEvent</u>	<u>OPFORBMObservedActivity</u>	0..*	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>EventStatusReport</u>	<u>Event</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

509	OPFORBMPerceptionOfVulnerability INTEL-FS Spiral 2::NATO::JISR::Staff::Target::BallisticMissile::OPFORBMPerceptionOfVulnerability Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_DXpBEAerEulheJb-jQDog
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::BallisticMissile::OPFORBMPerceptionOfVulnerability - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Vulnerability	<u>UnlimitedNatural</u>		0..1	
WarheadType	<u>WarheadCategoryCode</u>		0..1	

510	<p><i>OPFORBMUnitStatusReport</i></p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::BallisticMissile::OPFORBMUnitStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_vJFdh5P7EeyQ1-341B09AA</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMUnitStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ACOIDentificationCode	<u>String</u>	<u>UnitStatusReport</u>	0..1	
ActivationEndDate	<u>DateTimeZuluType</u>	<u>UnitStatusReport</u>	0..1	
ActivationStartDate	<u>DateTimeZuluType</u>	<u>UnitStatusReport</u>	0..1	
ActivityRole	<u>UnitRoleType</u>	<u>UnitStatusReport</u>	0..1	
ActivityType	<u>ActivityType</u>	<u>UnitStatusReport</u>	0..1	
Actor	<u>Actor</u>	<u>ActorStatusReport</u>	1..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlertStatus	<u>String</u>	<u>UnitStatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AssignmentStatus	<u>AllianceStatusType</u>	<u>UnitStatusReport</u>	0..1	
Available	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
AviationCode	<u>AviationCodeType</u>	<u>UnitStatusReport</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIEAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMUnitStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
Category	<u>UnitCategory</u>	<u>UnitStatusReport</u>	0..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
CombatEffectiveness	<u>CombatEffectiveness</u>	<u>UnitStatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Course	<u>String</u>	<u>UnitStatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Direction	<u>DirectionType</u>	<u>UnitStatusReport</u>	0..1	
DutyStatus	<u>DutyStatusType</u>	<u>UnitStatusReport</u>	0..1	
EchelonForce	<u>String</u>	<u>UnitStatusReport</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FormationCategory	<u>FormationCategoryType</u>	<u>UnitStatusReport</u>	0..1	
HeadQuarter	<u>HeadquarterType</u>	<u>UnitStatusReport</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identification	<u>String</u>	<u>UnitStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMUnitStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MIP_echelon	<u>Echelon</u>	<u>UnitStatusReport</u>	1..1	
MIP_employmentCaveatText	<u>String</u>	<u>UnitStatusReport</u>	0..1	
MIP_equipmentScalingCode	<u>EquipmentScalingCode</u>	<u>UnitStatusReport</u>	0..1	
MIP_equipmentTearardownDuration	<u>TimeDuration</u>	<u>UnitStatusReport</u>	0..1	
MIP_formalAbbreviatedName	<u>Token</u>	<u>UnitStatusReport</u>	0..1	
MIP_generalMobility	<u>Mobility</u>	<u>UnitStatusReport</u>	0..1	
MIP_higherFormationName	<u>Token</u>	<u>UnitStatusReport</u>	0..1	
MIP_isArmouredIndicator	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
MIP_isNotionalIndicator	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
MIP_isTaskForceIndicator	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
MIP_mainEquipmentSpecification	<u>MainEquipmentSpecification</u>	<u>UnitStatusReport</u>	0..*	
MIP_personnelStrength	<u>PersonnelCount</u>	<u>UnitStatusReport</u>	0..1	
MIP_reinforcementCode	<u>UnitReinforcementCode</u>	<u>UnitStatusReport</u>	0..1	
MIP_supplementarySpecialisationCode	<u>UnitSupplementarySpecialisationCode</u>	<u>UnitStatusReport</u>	0..1	
MIP_supportedMilitaryOrganisation	<u>MilitaryOrganisation</u>	<u>UnitStatusReport</u>	0..1	
MIP_transportationCode	<u>UnitTransportationCode</u>	<u>UnitStatusReport</u>	0..1	
MIP_usesUnmannedVehiclesIndicator	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MissionType	<u>String</u>	<u>UnitStatusReport</u>	0..1	
Mobility	<u>MobilityType</u>	<u>UnitStatusReport</u>	0..1	
MobilityStatus	<u>MobilityStatusType</u>	<u>UnitStatusReport</u>	0..1	
MultiNationalForce		<u>UnitStatusReport</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMUnitStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Number	<u>String</u>	<u>UnitStatusReport</u>	0..1	
OPFORUnit		<u>UnitStatusReport</u>	0..1	
OperationalReadiness	<u>Boolean</u>	<u>UnitStatusReport</u>	0..1	
OperationalStatus	<u>OperationalStatusType</u>	<u>UnitStatusReport</u>	0..1	
OrderOfBattle	<u>OrderOfBattleType</u>	<u>UnitStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
PersonnelCrisis	<u>Integer</u>	<u>UnitStatusReport</u>	0..1	
PersonnelMaterialEffectiveness	<u>PersonelMaterialEffectivenessType</u>	<u>UnitStatusReport</u>	0..1	
PersonnelPeace	<u>Integer</u>	<u>UnitStatusReport</u>	0..1	
PersonnelReported	<u>Integer</u>	<u>UnitStatusReport</u>	0..1	
Protection	<u>UnitProtectionType</u>	<u>UnitStatusReport</u>	0..1	
ReactionTime	<u>TimeDuration</u>	<u>UnitStatusReport</u>	0..1	
ReasonOpStatDegraded	<u>String</u>	<u>UnitStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
Rresponsibility	<u>String</u>	<u>UnitStatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>ActorStatusReport</u>	1..1	
SP1_Echelon	<u>SP1_EchelonType</u>	<u>UnitStatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP1_Nation	<u>SP1_CountryCode</u>	<u>UnitStatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>ActorStatusReport</u>	1..1	
SP2_Echelon	<u>SP2_EchelonSize</u>	<u>UnitStatusReport</u>	0..1	
Size	<u>UnitSizeCode</u>	<u>UnitStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::BallisticMissile::OPFORBMUnitStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed		<u>UnitStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Unit	<u>Unit</u>	<u>UnitStatusReport</u>	1..1	
UnitAttributes	<u>UnitAttribute</u>	<u>UnitStatusReport</u>	0..*	
UnitEquipmentLine	<u>UnitEquipmentLine</u>	<u>UnitStatusReport</u>	0..*	
UnitSpeciality	<u>UnitSpecialityType</u>	<u>UnitStatusReport</u>	0..1	
UnitType	<u>SP1_UnitTypeType</u>	<u>UnitStatusReport</u>	0..1	
UnitTypeEquipment	<u>UnitTypeEquipmentType</u>	<u>UnitStatusReport</u>	0..1	



511	OPFORCOA INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::OPFORCOA Type: <Class>	A course of action that the enemy might take. In the estimate process, a course of action (COA) is an option that will accomplish or contribute to the accomplishment of a mission or task, and from which a detailed plan is developed Adapted from AAP-6. <code>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_pFxHkBtlEeuZ96eilIHY9A</code>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::OPFORCOA - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DesiredEndState	<u>String</u>	<u>CourseOfAction</u>	0..1	The desired end state of an adversary. - BMD Logical Data Model
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
HPT	<u>HighPayoffTarget</u>	<u>CourseOfAction</u>	0..*	
HVT	<u>HighValueTarget</u>	<u>CourseOfAction</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
LinesOfOperation	<u>LineOfOperation</u>	<u>CourseOfAction</u>	0..*	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Phases	<u>Phase</u>	<u>CourseOfAction</u>	0..*	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::OPFORCOA - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

512	OPFORCOACategory INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::OPFORCOACategory Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_WeW4oKr4EeqHW_rW_y6eNBQ
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::OPFORCOACategory - Owned Enumeration Literals		
Name	Short Name	Value
MOSTDANGEROUS		
MOSTLIKELY		
POSSIBLE		
Undefined		
<i>Results truncated to first 20 rows...</i>		

513	<p>OPFORORBAT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::OPFORORBAT</p> <p>Type: <Class></p>	<p>An OrganisationStructure that provides the identification, strength, command structure, and disposition of the personnel, units, and equipment of any military force.</p> <p>Remarks: Although sometimes used in other ways, this term most frequently applies to the grouping of forces for a specific campaign. [MIM-5.1]</p> <p>An Order of Battle (ORBAT) is a catalogue listing the entities (force elements, military units and non-military elements) potentially available for operations with the ability to structure these entities into an organisational hierarchy. [TOPFAS CDM]An Opposing Force Order of Battle is an intelligence assessment of identity, strength, command structure, and disposition of the personnel, units, and equipment of an adversary's force. [AAP-06]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ARtZcAxiEeuZzaYHy643dw</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::OPFORORBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor_Actor	<u>Actor_Actor</u>	<u>ORBAT</u>	0..*	
Actor_EquipmentHolding	<u>Actor_Equipment</u>	<u>ORBAT</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMORBAT	<u>BMORBAT</u>	<u>OPFORORBAT</u>	0..*	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CapabilityOfCoordinationWithOtherAttacks	<u>String</u>	<u>OPFORORBAT</u>	0..1	
ChainOfCommand	<u>String</u>	<u>ORBAT</u>	0..1	
CommunicationsNetworkOrganisation	<u>String</u>	<u>OPFORORBAT</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ORBAT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
HistoricalUse	<u>String</u>	<u>OPFORORBAT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
NOC	<u>NationOfConcern</u>	<u>ORBAT</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBATName	<u>String</u>	<u>ORBAT</u>	0..1	
OperationPlanIdentifier	<u>string</u>	<u>ORBAT</u>	0..1	
OrderOfBattle	<u>OrderOfBattleType</u>	<u>ORBAT</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::OPFORORBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
ValidtyEnd	<u>DateTimeZuluType</u>	<u>ORBAT</u>	0..1	
ValidtyStart	<u>DateTimeZuluType</u>	<u>ORBAT</u>	0..1	

514	<p>ORBAT INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT Type: <Class></p>	<p>An OrganisationStructure that provides the identification, strength, command structure, and disposition of the personnel, units, and equipment of any military force. Remarks: Although sometimes used in other ways, this term most frequently applies to the grouping of forces for a specific campaign. [MIM-5.1]An Order of Battle (ORBAT) is is a catalogue listing the entities (force elements, military units and non-military elements) potentially available for operations with the ability to structure these entities into an organisational hierarchy. [TOPFAS CDM]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_kAg1kAYyEeqpTKOvebhZBA</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor_Actor	<u>Actor_Actor</u>	ORBAT	0..*	
Actor_EquipmentHolding	<u>Actor_Equipment</u>	ORBAT	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
ChainOfCommand	<u>String</u>	ORBAT	0..1	
Country	<u>SP1_CountryCode</u>	ORBAT	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
NOC	<u>NationOfConcern</u>	ORBAT	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBATName	<u>String</u>	ORBAT	0..1	
OperationPlanIdentifier	<u>string</u>	ORBAT	0..1	
OrderOfBattle	<u>OrderOfBattleType</u>	ORBAT	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
ValidtyEnd	<u>DateTimeZuluType</u>	<u>ORBAT</u>	0..1	
ValidtyStart	<u>DateTimeZuluType</u>	<u>ORBAT</u>	0..1	



515	ORBAT_Actor INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_Actor Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Y3mNYJqQEeqD-oyY3_BQ8A
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_Actor - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor	<u>Actor</u>	<u>ORBAT_Actor</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_StaffIIE</u>	0..*	
BattlespaceMetadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE_StaffIIE</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EditHistory	<u>String</u>	<u>ORBAT_Actor</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>ORBAT_Actor</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE	<u>StaffIIE</u>	<u>BattlespaceIIE_StaffIIE</u>	0..*	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_Actor - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>



516	ORBAT_COA INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_COA Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_xHuCgKf7Eeq0mqb5FoCn4g
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_COA - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
COA	<u>CourseOfAction</u>	<u>ORBAT_COA</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>ORBAT_COA</u>	1..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_COA - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

517	ORBAT_ORBAT INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_ORBAT Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_69tA0LIaEeqGEZ5htVJYdw
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_ORBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Orbat1	<u>ORBAT</u>	<u>ORBAT ORBAT</u>	0..*	
Orbat2	<u>ORBAT</u>	<u>ORBAT_ORBAT</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::ORBAT_ORBAT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

518	<p>Object INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Object Type: <Class></p>	<p>An individually identified object that has military or civilian significance and is of intelligence interest.</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_gKwAAPlwEemoqLjBo08w4g</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Object - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

519	<p>Objective INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::Objective Type: <Class></p>	<p>A clearly defined and attainable goal for a military operation, for example seizing a terrain feature, neutralizing an adversary's force or capability or achieving some other desired outcome that is essential to a commander's plan and towards which the operation is directed. [AAP-6]</p> <p><code>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_9d7X0IgmEeyNKu6aaOPH7w</code></p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::Objective - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

522	<p>ObjectiveStatus INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::ObjectiveStatus Type: <DataType></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_3FI_0AInEeuNS4XxnpGgSA</p>
-----	--	---

523	ObservedLocation INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::COAActivityComparison::ObservedLocation Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_DEATcDosEeu_8e-rNS-THA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::JIPOE::Step3ThreatIntegration::BallisticMissile::COAActivityComparison::ObservedLocation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Point			0..1	

524	OperationReference INTEL-FS Spiral 2::NATO::JISR::Metadata::OperationReference Type: <Enumeration>	The operations, activities or missions referenced by the contents of the product. [IPIWG 4.20] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_b597c514f7974f94a5667587a3b33af3
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::OperationReference - Owned Enumeration Literals

Name	Short Name	Value
ALTHEA		ALTHEA
BRAW17		BRILLIANT ARROW 17
BRLR17		BRILLIANT LEDGER 17
BRMR17		BRILLIANT MARINER 17
BRSD17		BRILLIANT SWORD 17
ENDURING FREEDOM		ENDURING FREEDOM
EUFOR Tchad/RCA		EUFOR Tchad/RCA
FCA		NATO Focused Collection Activity
ISAF		ISAF
ITAAM		ITAAM
KFOR		KFOR
MINURSO		MINURSO
MINUSCA		MINUSCA
MINUSMA		MINUSMA
MINUSTAH		MINUSTAH
MNC-I		MNC-I
MNF-I		MNF-I
MONUC		MONUC
MONUSCO		MONUSCO
eFP		enhanced Forward Presence Activity

Results truncated to first 20 rows...

525	OperationType INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::OperationType Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_RkHHQKf6Eeq0mqb5FoCn4g
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::ORBAT::OperationType - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
CurrentORBAT	<u>ORBATReferenceType</u>	<u>OperationType</u>	0..1	
ExerciseIndicator	<u>boolean</u>	<u>OperationType</u>	0..1	
Identifier	<u>OperationReferenceType</u>	<u>OperationType</u>	0..1	
OperationCategory	<u>OperationCategoryType</u>	<u>OperationType</u>	0..1	
OperationName	<u>string</u>	<u>OperationType</u>	0..1	

526	OperationalLevel INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::OperationalLevel Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_FAu7sBq4EeuxxbUChCO1Ag
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::OperationalLevel - Owned Enumeration Literals		
Name	Short Name	Value
Operational		
Political		
Strategic		
Tactical		
Undefined		
<i>Results truncated to first 20 rows...</i>		

527	<p>OperationalStatusType INTEL-FS Spiral 2::NATO::JISR::Domain::common::OperationalStatusType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_295c90921cda4066aee9b6ef74d2c99f</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::OperationalStatusType - Owned Enumeration Literals		
Name	Short Name	Value
ACTIVE		Activated
ADVANCE		Advance
AIRMOVE		Airmove
ATTACK		Attack
ATTEMP		Attempted
AVAIL		Available
BLOCK		Blocked
CAPTURED		Captured
CIV - CIVILI		CIV - CIVILI
CIV - CIVILIAN		CIV - CIVILIAN
CLEAR		Cleared
CLOSED		Closed
CRYPTSEC		Crypto Secure
DAMAG		Damaged
DEACTIVE		Deactivated
DENY		Denied
DESTR		Destroyed
DISBAND		Disband
ENTER		Entering
EULEX		EULEX
<i>Results truncated to first 20 rows...</i>		

528	OperationalTempo INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::BallisticMissile::OperationalTempo Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_9hKsgAGBEeuuz6bCUGFSSQ
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::BallisticMissile::OperationalTempo - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
NumberOfBMsPer24Hours	<u>Integer</u>		0..1	
SalvoDuration	<u>TimeDuration</u>		0..1	
SalvoSize	<u>Integer</u>		0..1	
SalvoTimeout	<u>TimeDuration</u>		0..1	

529	<p>OrderOfBattleAirForces</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OrderOfBattleAirForces::OrderOfBattleAirForces</p> <p>Type: <Class></p>	<p>Message identifier (Name):ORBATAIR (ORDER OF BATTLE - AIR FORCES)</p> <p>Related Documents:BI-SC REPORTING DIRECTIVE STANAG 2434</p> <p>Purpose:The ORBATAIR is used to inform Major NATO Commanders (MNC's)/Strategic Commanders (SC's) and other NATO commanders in peacetime and in periods of crisis and war of changes in the order of battle air forces and thereby to assure that the most current information is available for operational planning.</p> <p>Sponsor:NSA (ARMY) LAND OPERATIONS WORKING GROUP (LOWG) SHAPE</p> <p>Notes:none</p> <p>Status:Published</p> <p>[APP-11-D-1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SYHJgKDHEeqz4qMNCq9PtQ</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OrderOfBattleAirForces::OrderOfBattleAirForces - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OrderOfBattleAirForces::OrderOfBattleAirForces - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleAirForces	<u>OrderOfBattleAirForces</u>	<u>OrderOfBattleAirForces</u>	1..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OrderOfBattleAirForces::OrderOfBattleAirForces - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

530	OrderOfBattleEquipmentType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::OrderOfBattleEquipmentType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_16c31f0b3756402bb9df2667e1ea1ebd
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::OrderOfBattleEquipmentType - Owned Enumeration Literals		
Name	Short Name	Value
A		Air Order Of Battle
ALL		All Order Of Battle
C		Civilian Order Of Battle
E		Electronic Order Of Battle
F		Facility
G		Ground Order Of Battle
M		Missile Order Of Battle
N		Navel Order Of Battle
S		Space Order Of Battle
U		No Data Available
Undefined		
X		Control Markings
Z		Inconclusive Analysis
<i>Results truncated to first 20 rows...</i>		

531	<p>OrderOfBattleLandForces</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OrderOfBattleLandForces::OrderOfBattleLandForces</p> <p>Type: <Class></p>	<p>Message identifier (Name): ORBATLAND (ORDER OF BATTLE - LAND FORCES)</p> <p>Related Documents: BI-SC REPORTING DIRECTIVE STANAG 2434</p> <p>Purpose: The ORBATLAND is used to inform Major NATO Commanders (MNC's)/Strategic Commanders (SC's) and other NATO commanders in peacetime and in periods of crisis and war of changes in the order of battle land forces and thereby to assure that the most current information is available for operational planning.</p> <p>Sponsor: NSA (ARMY) LAND OPERATIONS WORKING GROUP (LOWG) SHAPE</p> <p>Notes: none</p> <p>Status: Published</p> <p>[APP-11-D-1]</p> <p>platform: /resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SYKM0KDHEeqz4qMNCq9PtQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OrderOfBattleLandForces::OrderOfBattleLandForces - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OrderOfBattleLandForces::OrderOfBattleLandForces - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleLandForces	<u>OrderOfBattleLandForces</u>	<u>OrderOfBattleLandForces</u>	1..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OrderOfBattleLandForces::OrderOfBattleLandForces - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

532	<p>OrderOfBattleType</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::OrderOfBattleType</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_J8ved5P3EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::OrderOfBattleType - Owned Enumeration Literals		
Name	Short Name	Value
A		Air Order of Battle (AOB) related.
B		Joint Order of Battle
C		Civilian Order of Battle
COI		COI
E		Electronic Order of Battle
F		For use as a facility.
G		Ground Order of Battle
L		Logistics Order of Battle
M		Missile Order of Battle
N		Naval Order of Battle
O		Other. Explain in Remarks
P		Para Military Order of Battle
S		Strategic Forces
T		Space Order of Battle
U		Undefined
Undefined		
V		Applicable to All OB
VOCI		VOCI
X		Control Markings
Z		Inconclusive Analysis
<i>Results truncated to first 20 rows...</i>		

<p>533</p>	<p>Organisation INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Organisation Type: <Class></p>	<p>Organisation. An organisational entity or grouping which has a common purpose and which may have a recognisable hierarchical structure. An organisation may be an element in the military chain of command, such as a company, bomber wing or flotilla, or an industrial company, non-governmental organisation or social grouping. An organisation may also be a terrorist or criminal grouping. An organisation may be capable of being sub-divided into component organisations. [AINTP-3] An administrative or functional structure. Remarks: An Organisation is constituted to accomplish an aim, purpose, or mission.[MIM-5.1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_I_TcAipMEeysatGy543LrA</p>
------------	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Organisation</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrganisationCategoryCode	<u>OrganisationCategoryCode</u>	<u>Organisation</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>OrganisationStatusReport</u>	<u>Organisation</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Organisation</u>	0..*	

534	OrganisationAttribute INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationAttribute Type: <DataType>	Organisation Attribute is an extension point for Organisation BSO.[IFAS-SP2] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_zjUFUpMvEeyQ1-341B09AA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationAttribute - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AttrbuteValue	<u>String</u>		0..1	
Confidence	<u>Confidence</u>		0..1	
IntelligenceInformationNecessity	<u>IntelligenceInformationNecessity</u>		0..1	
OrganisationAttributeEnumType	<u>OrganisationAttributeEnumType</u>		0..1	
OrganisationAttributeTypeEnumType	<u>OrganisationAttributeTypeEnumType</u>		0..1	

535	OrganisationAttributeEnumType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationAttributeEnumType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_zjUFUJMvEeyQ1-341B09AA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationAttributeEnumType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

536	OrganisationAttributeTypeEnumType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationAttributeTypeEnumType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_zjUFUZMvEeyQ1-341B09AA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationAttributeTypeEnumType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

537	OrganisationCategoryAndType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationCategoryAndType Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_H5JWAJMwEeyQ1-341B09AA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationCategoryAndType - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
OrganisationCategory	<u>OrganisationCategoryType</u>		0..1	
OrganisationType	<u>SP1_OrganisationTypeType</u>		0..1	

538	OrganisationCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_RYEoMJMoEeyQ1-341B09AA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
CivilianPost		
CivilianPost - AidAdministrator		
CivilianPost - Alderman		
CivilianPost - CorporateExecutive		
CivilianPost - DepartmentHead		
CivilianPost - GovernmentMinister		
CivilianPost - Governor		
CivilianPost - HeadOfState		
CivilianPost - Mayor		
CivilianPost - PoliceChief		
CivilianPost - Policeman		
CivilianPost - Publisher		
CivilianPost - RegionalAdministrator		
CivilianPost - ReleaseAuthority		
Undefined		
<i>Results truncated to first 20 rows...</i>		

539	<p>OrganisationCategoryType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationCategoryType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_H5EdgJMwEeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationCategoryType - Owned Enumeration Literals		
Name	Short Name	Value
AGFD		Agriculture and Food Service
BFI		Banking Finance and Insurance Service
CIV		Civilian
CMCL		Commercial Service
CRM		Criminal
DPRE		Displaced Persons, Refugees and Evacuees
ED		Educational Service
ENG		Energy Service
EXTR		Extremist
FAC		Facility
FNFGHT		Foreign Fighters
GANG		Gang
GVT		Government Service
IC		International Community
INS		Insurgent
IS		Intelligence Service
MC		Mine Clearing
MEDIA		Media
MIL		Military
Mine Clearing Company		Mine Clearing Company
<i>Results truncated to first 20 rows...</i>		

540	OrganisationEquipmentRelationshipCategory Code INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationEquipmentRelationshipCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0633f7e1b7e1465bb155d5cd0c7daede
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationEquipmentRelationshipCategoryCode - Owned Enumeration Literals

Name	Short Name	Value
ALLT		Allocated To
AZ		associates, analysis inconclusive
BELT		Belongs To
CONT		Connected To/with
INPR		In Possession Of
OPRF		Operates From
TBD		TBD
USBY		Used By
Undefined		

Results truncated to first 20 rows...

541	<p>OrganisationFunctionalAssociationCategoryCode</p> <p>INTEL-FS Spiral</p> <p>2::NATO::JISR:: Battlespace:: Object:: Actor:: Organisation :: OrganisationFunctionalAssociationCategoryCode</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Mcrq4JfLEeyuibKGmlfgiQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationFunctionalAssociationCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
OrganisationAdministrationCommandAssociation		
OrganisationAdministrationCommandAssociation - AmmunitionSupportServices		
OrganisationAdministrationCommandAssociation - EngineeringSupportServices		
OrganisationAdministrationCommandAssociation - MedicalSupportServices		
OrganisationAdministrationCommandAssociation - MovementSupportServices		
OrganisationAdministrationCommandAssociation - POLSupportServices		
OrganisationAdministrationCommandAssociation - PerAdmRplSupportServices		
OrganisationAdministrationCommandAssociation - PostalSupportServices		
OrganisationAdministrationCommandAssociation - RationsSupportServices		
OrganisationAdministrationCommandAssociation - RepRecEvcSupportServices		
OrganisationAdministrationCommandAssociation - SupplySupportServices		
OrganisationAdministrationCommandAssociation - TransportSupportServices		
OrganisationCommandAndControlAssociation		
OrganisationCommandAndControlAssociation - HasAdministrativeControlOf		
OrganisationCommandAndControlAssociation - HasAttached		
OrganisationCommandAndControlAssociation - HasCoordinationAuthorityOver		
OrganisationCommandAndControlAssociation - HasDetached		

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationFunctionalAssociationCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
OrganisationCommandAndControlAssociation - HasFullCommandOf		
OrganisationCommandAndControlAssociation - HasLogisticalControlOf		
OrganisationCommandAndControlAssociation - HasOperationalCommandOf		
<i>Results truncated to first 20 rows...</i>		

542	<p>OrganisationOrganisationRelationshipCategoryCode INTEL-FS Spiral 2::NATO::JISR:: Battlespace:: Object:: Actor:: Organisation :: OrganisationOrganisationRelationshipCategoryCode Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_fdA64JMuEeyQ1-341B09AA</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationOrganisationRelationshipCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
AD		Admin
COAUT		Co-ordinating authority
COMD		Command or Full Command
CS		Combat Support
JF		Joint Force
NAPA		National Parent
OPCM		Operational Command
OPCN		Operational Control
OR		Organization
SC		Comms Support
SG		General Support
SL		Logistics Support
SM		Maintenance Support
ST		Training Support
TACM		Tactical Command
TACN		Tactical Control
TBD		TBD
Terrorism		Terrorism
UNK		Unknown
Undefined		
<i>Results truncated to first 20 rows...</i>		

543	<p>OrganisationPersonCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationPersonCategoryCode</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_yfgWUJPCeeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationPersonCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
ACCESS		Access to
ALIENT		Alienates
ATCSOC		Attaches Socially
BORROW		Borrower of
CREATO		Creator of
EMPLED		Employed at
EMPLOY		employs (permanent or temporary user of)
EXPSA		Experiences Social Attachment
EXPSUP		Experiences Support
EXPTHR		Experiences Threat
Former Leader		Former Leader
Former Member		Former Member
HEAD OF		Head of
ISASGN		Is assigned (long term) to
ISATCH		is attached (temporary basis) to
ISCNSL		is consultant for
ISLSOF		is liaison officer for
ISMMBR		is a member of
ISOPAG		is an operative agent for
LEASER		Leaser of (long duration)
<i>Results truncated to first 20 rows...</i>		

544	<p>OrganisationStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8djZQJMrEeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Abbreviation	<u>String</u>	<u>OrganisationStatusReport</u>	0..1	
Actor	<u>Actor</u>	<u>ActorStatusReport</u>	1..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
EquipmentLines	<u>EquipmentLine</u>	<u>OrganisationStatusReport</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identification	<u>String</u>	<u>OrganisationStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OperationalStatus	<u>OperationalStatusType</u>	<u>OrganisationStatusReport</u>	0..1	
Organisation	<u>Organisation</u>	<u>OrganisationStatusReport</u>	1..1	
OrganisationAttributes	<u>OrganisationAttribute</u>	<u>OrganisationStatusReport</u>	0..*	
OrganisationCategoryTypes	<u>OrganisationCategoryAndType</u>	<u>OrganisationStatusReport</u>	0..*	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>ActorStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_EthnicGroup	<u>SP1_EthnicGroupType</u>	<u>OrganisationStatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP1_Religion	<u>SP1_Religion</u>	<u>OrganisationStatusReport</u>	0..1	
SP1_Tribe	<u>SP1_TribeType</u>	<u>OrganisationStatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>ActorStatusReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP2_EthnicGroup	SP2_EthnicGroupType	OrganisationStatusReport	0..1	
SP2_Religion	SP2_Religion	OrganisationStatusReport	0..1	
SP2_Tribe	SP2_Tribe	OrganisationStatusReport	0..1	
Source	String	StatusReport	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	StatusReportAssessment	StatusReport	0..1	
StatusReports	StatusReport	BattlespaceIE	1..*	
SubRegion	SubRegionType	StatusReport	0..1	
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

545	OrganisationUnitRelationshipCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::OrganisationUnitRelationshipCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_yfgWopPcEeyQ1-341B09AA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::OrganisationUnitRelationshipCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
C		commands or controls
TBD		TBD
Undefined		
<i>Results truncated to first 20 rows...</i>		

546	<p>Organisation_Equipment</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Organisation_Equipment</p> <p>Type: <AssociationClass></p>	<p>Equipment owned by an Organisation should generally be recorded to reflect the peacetime on-hand holdings by type and number, together with an "evaluation" of the number held. If equipment is located with an organisation for training, repair, evaluation or other purposes, it can also be associated to the organisation record together with the reason for its presence. The Equipment Key, Equipment Code, Common Name and Nomenclature will be recorded in the equipment record, together with important characteristics of the equipment (Tracked or wheeled, gun calibre etc - Equipment Description 1 & 2), the primary function of each equipment (Bomber, Long-Range; Missile Tracking Radar; Helicopter, Medium, Anti-tank etc.). The Association record should contain details of the equipments operational status (Operational, Non-operational, Readiness State etc.), condition (e.g. Ready for operations, damaged, abandoned etc), any relevant activity and the location of the equipment. The location co-ordinates should normally represent the centre of the smallest rectangle that encompasses all of the area occupied by the organisation's equipment. Each equipment to organisation association should, at a minimum, reflect the organisations garrison location and peacetime on-hand equipment holdings. [AINTP-3]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Q1a2kPpEEemoqLjBo08w4g</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR:: Battlespace::Object::Actor::Organisation::Organisation_Equipment - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor	<u>Actor</u>	<u>Actor_Equipment</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_Equipment</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>Organisation_Equipment</u>	0..*	
EquipmentQuantityStatus	<u>EquipmentQuantityStatus</u>	<u>BattlespaceIIE_Equipment</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
HoldingType	<u>EquipmentHoldingType</u>	<u>BattlespaceIIE_Equipment</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>Actor_Equipment</u>	0..*	
Organisation	<u>Organisation</u>	<u>Organisation_Equipment</u>	0..*	
OrganisationEquipmentRelationshipCategoryCode	<u>OrganisationEquipmentRelationshipCategoryCode</u>	<u>Organisation_Equipment</u>	0..1	
Quantity	<u>Integer</u>	<u>BattlespaceIIE_Equipment</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation_Equipment - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

547	<p>Organisation_Organisation</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Organisation_Organisation</p> <p>Type: <AssociationClass></p>	<p>The association between an Organisation and its garrison or deployed location, its equipment, personnel, personalities and other Organisations, should be expressed as a type of relationship and a time period. The relationship between Organisations should identify a hierarchical structure that must be reflected in the nature of the association. Typically associations are expressed by developing statements around key words e.g. Commands/Commanded (by); Defines/Defined; Groups/Grouped; Included; Location (for)/Located (at); Owner (of)/Owned (by); Supported (by)/Supports; Uses/Used. See the Introduction to the BRs for a detailed explanation of the nature of Associations. The period of the association is typically expressed as a beginning and end date. [AINTP-3]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_1XMvsJMtEeyQ1-341B09AA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation_Organisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Actor1	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
Actor2	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>Actor_Actor</u>	0..*	
Organisation1	<u>Organisation</u>	<u>Organisation_Organisation</u>	0..*	
Organisation2	<u>Organisation</u>	<u>Organisation_Organisation</u>	0..*	
OrganisationFunctionalAssociationCategoryCode	<u>OrganisationFunctionalAssociationCategoryCode</u>	<u>Organisation_Organisation</u>	1..1	
OrganisationOrganisationRelationshipCategoryCode	<u>OrganisationOrganisationRelationshipCategoryCode</u>	<u>Organisation_Organisation</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation_Organisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

<p>548</p>	<p>Organisation_Person INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Organisation_Person Type: <AssociationClass></p>	<p>Individuals holding key posts in the Organisation should be recorded and associated with the Organisation. At a minimum, the managing director, senior management and scientific staff, or commanding officer of a combat or major supporting Organisation should be recorded and linked to the post he holds. The Biographic Record should show the Biographic Key assigned to the individual, the First, Middle and Last names, gender and the individuals Allegiance. His professional status should be recorded, including the force: (e.g. Army, Engineering Service, NATO) to which he is currently assigned. His role (Military Combat, Judiciary, Political Etc.); his native rank (Brigada, President, First Deputy Prime Minister, Oberleutnant etc.), the NATO/US equivalent rank and his position (Military Related, Commander / Officer Commanding, Industrial / Scientific, Mid Level Administrative Support, Military Related, Intelligence Officer etc), should also be recorded. In a normal situation, individuals should be linked (associated) with an employing organisation and the organisation to a place. The individual may have associations with more than one organisation, but these should be carefully defined to clearly show the primary (or employing organisation) and should distinguish the supporting, perhaps temporary, roles involving the other organisations. Command associations - Commanding Officer, Executive Officer etc. are clearly important and must be shown. [AINTP-3]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_HLXW8PpEEemoqLjBo08w4g</p>
------------	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation_Person - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Actor1	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
Actor2	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>Actor_Actor</u>	0..*	
Organisation	<u>Organisation</u>	<u>Organisation_Person</u>	0..*	
OrganisationPersonCategoryCode	<u>OrganisationPersonCategoryCode</u>	<u>Organisation_Person</u>	0..1	
Person	<u>Person</u>	<u>Organisation_Person</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation_Person - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

549	<p>Organisation_Unit INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Organisation_Unit Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_M41YcPpEEemoqLjBo08w4g</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation_Unit - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor1	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
Actor2	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>Actor_Actor</u>	0..*	
Organisation	<u>Organisation</u>	<u>Organisation_Unit</u>	0..*	
Organisation1	<u>Organisation</u>	<u>Organisation Organisation</u>	0..*	
Organisation2	<u>Organisation</u>	<u>Organisation Organisation</u>	0..*	
OrganisationFunctionalAssociationCategoryCode	<u>OrganisationFunctionalAssociationCategoryCode</u>	<u>Organisation Organisation</u>	1..1	
OrganisationOrganisationRelationshipCategoryCode	<u>OrganisationOrganisationRelationshipCategoryCode</u>	<u>Organisation Organisation</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Organisation_Unit - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
OrganisationUnitRelationshipCategoryCode	<u>OrganisationUnitRelationshipCategoryCode</u>	<u>Organisation_Unit</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Unit	<u>Unit</u>	<u>Organisation_Unit</u>	0..*	

550	OrganisationalNode INTEL-FS Spiral 2::NATO::JISR::Domain::common::OrganisationalNode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_b58e9d38a8b24f0da538d9a3a08641ca
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::OrganisationalNode - Owned Enumeration Literals

Name	Short Name	Value
ACC		ACC
ACC2		ACC2
ACCI		ACCI
AIRCOM		AIRCOM
ARRC		ARRC
ARRC-NEW		ARRC-NEW
BICES		BICES
CAOC-T		CAOC-T
CAOC-U		CAOC-U
CBRN		CBRN
CBRN-RBE		CBRN-RBE
CBRN2		CBRN2
DACCC		DACCC
DEU-JFAC		DEU-JFAC
ESP-MARFOR		ESP-MARFOR
EUROCORPS		EUROCORPS
FRA-JFAC		FRA-JFAC
FRA-MARFOR		FRA-MARFOR
FRA-RR-Corps		FRA-RR-Corps
GBR-JFAC		GBR-JFAC

Results truncated to first 20 rows...

551	<p>OtherFacility</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::OtherFacility</p> <p>Type: <Class></p>	<p>A Facility for which no further information is given other than its category.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qkhvEIpgEeysatGy543LrA</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::OtherFacility - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Facility</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OtherFacilityCategoryCode	<u>OtherFacilityCategoryCode</u>	<u>OtherFacility</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>FacilityStatusReport</u>	<u>Facility</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::OtherFacility - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Target	<u>Target</u>	<u>Facility</u>	0..*	

552	<p>OtherFacilityCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::OtherFacilityCategoryCode</p> <p>Type: <Enumeration></p>	<p>Category Codes class of Other Facility generated by Spiral 2 from [MIM-5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_skk_8ZJWEeybR8MjY-oHwA</p>
-----	--	--



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::OtherFacilityCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
Berm		
Canal		
ClassificationFacility		
Culvert		
Cut		
DemolitionDebris		
DrainageOrIrrigationDitch		
Embankment		
Fence		
Gate		
Installation		
MemorialMonument		
MeteorologicalFacility		
PersonnelBarrier		
RadarDome		
RadarHead		
RadarPost		
RadarSite		
Ruins		
Smokestack		
<i>Results truncated to first 20 rows...</i>		

553	<p>Overlay INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::Overlay Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CIAQkJdEujD_wc4uHQZg</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::Overlay - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EnclosedOverlay	<u>Overlay</u>	<u>Overlay</u>	0..*	
EnclosingOverlay	<u>Overlay</u>	<u>Overlay</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_nvgVersion	<u>NvgVersion</u>	<u>Overlay</u>	0..1	
SP1_overlayFile	<u>FileLink</u>	<u>Overlay</u>	0..1	
SP1_overlaySourceSystem	<u>OverlaySourceSystem</u>	<u>Overlay</u>	0..1	
SP1_subject	<u>InformationGroup</u>	<u>Overlay</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::Overlay - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

554	OverlaySourceSystem INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::OverlaySourceSystem Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_wVqj0DoREeu_8e-rNS-THA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Overlay::OverlaySourceSystem - Owned Enumeration Literals		
Name	Short Name	Value
INTEL-FS		
NCOP		
OTHER		
Undefined		
<i>Results truncated to first 20 rows...</i>		

555	<p>OwnLandForcesSituationReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OwnLandForces SituationReport::OwnLandForcesSituationReport</p> <p>Type: <Class></p>	<p>Message identifier (Name):OWNSITREP (OWN LAND FORCES SITUATION REPORT)</p> <p>Related Documents:STANAG 2434</p> <p>Purpose:The OWNSITREP is used to report factors affecting the situation, deployment, status and/or order of battle of own and subordinate units.</p> <p>Sponsor:NSA (ARMY) LAND OPERATIONS WORKING GROUP (LOWG)</p> <p>Notes:none</p> <p>Status:Published [APP-11-D-1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_3DMukKkSEeyPjPr1a0o5zw</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OwnLandForcesSituationReport::OwnLandForcesSituationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OwnLandForcesSituationReport::OwnLandForcesSituationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OwnLandForcesSituationReport	<u>OwnLandForcesSituationReport</u>	<u>OwnLandForcesSituationReport</u>	1..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::OwnLandForcesSituationReport::OwnLandForcesSituationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

556	PMEC INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::PMEC Type: <Enumeration>	<p>Four instruments of Power; Political, Military, Economic and Civil (PMEC) are recognized. Conditions in each of the six system domains of the operations environment are influenced by the application of one or a combination of the four instruments of power. Therefore, in order to achieve a lasting solution, modern operations require the coherent and comprehensive application of the various instruments of power. As a military and political Alliance of 28 sovereign nations, NATO exercises control over only the military (primarily) and the political (partially) instruments of power. The other instruments are controlled by international organisations and states or NGOs and, consequently, the Alliance must often coordinate or de-conflict its own actions and plans with the relevant non-NATO actors involved</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_tYK5gBq4EeuxxbUChCO1Ag</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::PMEC - Owned Enumeration Literals		
Name	Short Name	Value
Civil		
Economic		
Military		
Political		
Undefined		
<i>Results truncated to first 20 rows...</i>		

557	PMESII INTEL-FS Spiral 2::NATO::JISR::Domain::common::PMESII Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_31e38b742edb4748bfb487e8fb5467dd
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::PMESII - Owned Enumeration Literals		
Name	Short Name	Value
ECO		Economic
INFO		Information
INFRA		Infrastructure
MIL		Military
POL		Political
SOC		Social
TER		Terrorism
Undefined		
<i>Results truncated to first 20 rows...</i>		

558	PeaceWarModeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::PeaceWarModeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_J8venpP3EeyQ1-341B09AA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::PeaceWarModeType - Owned Enumeration Literals		
Name	Short Name	Value
P		Peace
Undefined		
W		War
<i>Results truncated to first 20 rows...</i>		

<p>559</p>	<p>Person INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person Type: <Class></p>	<p>Biographic. A description of the physical characteristics and of the private and professional attributes of an individual. This covers, among other things, details of the individuals background (education, family, career, etc.) and behaviour patterns.1. The Biographic Record supports the need to maintain intelligence on an individual. The intelligence need to record information on an individual will vary depending on the circumstances. In the general military intelligence (GMI) context it may only be necessary to maintain minimal information on key players, such as commanding officers, senior diplomatic or scientific staffs. Mere knowledge of their existence and position may be sufficient. However, at the other extreme, it would be desirable to hold very detailed information on a suspected terrorist, to include as much detail as possible on appearance, aliases, modus operandi, equipment used or owned and personal contacts.AAP-06 Edition 2019 NATO GLOSSARY OF TERMS AND DEFINITIONS</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_lvErgPoxEemoqLjBo08w4g</p>
------------	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Person</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>PersonStatusReport</u>	<u>Person</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Target	<u>Target</u>	<u>Person</u>	0..*	

560	PersonAddressRelationshipTypeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonAddressRelationshipTypeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7c7cef51c20141c09fe8f2e4e93c0b5a
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonAddressRelationshipTypeType - Owned Enumeration Literals		
Name	Short Name	Value
ALTERAD		Alternate Address
HOMEAD		Home Address
O		Other. Explain In Remarks.
U		Unknown
Undefined		
WORKAD		Work Address
Z		Inconclusive Analysis
<i>Results truncated to first 20 rows...</i>		

561	PersonAttribute INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonAttribute Type: <DataType>	Person Attribute is an extension point for Person BSO.[IFAS-SP2] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_5DGDMJ5vEeqMWMRVs5m1MQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonAttribute - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AttrbuteValue	<u>String</u>		0..1	
Confidence	<u>Confidence</u>		0..1	
IntelligenceInformationNecessity	<u>IntelligenceInformationNecessity</u>		0..1	
PersonAttributeEnumType	<u>PersonAttributeEnumType</u>		0..1	
PersonAttributeTypeEnumType	<u>PersonAttributeTypeEnumType</u>		0..1	

562	PersonAttributeEnumType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonAttributeEnumType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0D2FB38A31434FB6A821488F413CCE0A
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonAttributeEnumType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

563	PersonAttributeTypeEnumType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonAttributeTypeEnumType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_2D2FB38A31434FB6A827488F413CCE0A
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonAttributeTypeEnumType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

564	PersonEquipmentRelationshipCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonEquipmentRelationshipCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_970c40b29c5d4867af83b84fd4e871c5
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonEquipmentRelationshipCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
ACCESS		Access to
BORROW		Borrower of
CREATO		Creator of
LEASER		Leaser of (long duration)
LENDER		Lender of
OWNER		Owner of
RENTER		Renter of (short time)
TBD		TBD
Undefined		
<i>Results truncated to first 20 rows...</i>		

565	PersonLanguage INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonLanguage Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7342UJ6AEeq6G8NI2DeQoQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonLanguage - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
CompetenceLevel	<u>LanguageCompetenceLevelType</u>		0..1	
Language	<u>Language</u>		0..1	

566	<p>PersonPersonRelationshipCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonPersonRelationshipCategoryCode</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_72580daa6f824cb58847cbd58b100371</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonPersonRelationshipCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
ALIENT		Alienates
ATCSOC		Attaches Socially
Associate		Associate
DRIVER		Driver
EXPLOT		Exploits
EXPSA		Experiences Social Attachment
EXPSUP		Experiences Support
EXPTHR		Experiences Threat
Employment		Employment
FRIEND		Friend of
Family		Family
HSCNL		Has as a consultant
ISAUNT		is aunt of
ISBRTH		is brother of
ISCOUS		is cousin of
ISDAUG		is daughter of
ISDTCS		is distant cousin of
ISFATH		is father of
ISFTLW		is father in law of
ISGDDD		is granddaughter of
<i>Results truncated to first 20 rows...</i>		

567	PersonPlaceRelationshipCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonPlaceRelationshipCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_a84b68e48b904465bc432e92d5f21182
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonPlaceRelationshipCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
ACCESS		Access to
BORROW		Borrower of
CREATO		Creator of
LEASER		Leaser of (long duration)
LENDER		Lender of
OWNER		Owner of
RENTER		Renter of (short time)
SIGHTD		Sighted at
STAYIN		Staying at
TBD		TBD
Undefined		
<i>Results truncated to first 20 rows...</i>		

568	PersonProfessionalActivity INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonProfessionalActivity Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_736rgJ6AEq6G8NI2DeQoQ
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonProfessionalActivity - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Employer	<u>String</u>		0..1	
EmploymentEndDate	<u>DateTimeZuluType</u>		0..1	
EmploymentStartDate	<u>DateTimeZuluType</u>		0..1	
Executive	<u>Boolean</u>		0..1	
LocationName	<u>String</u>		0..1	
PrimaryJob	<u>Boolean</u>		0..1	
SP1_Position	<u>SP1_PositionType</u>		0..1	
SP1_Profession	<u>SP1_ProfessionType</u>		0..1	
SP2_EmploymentType	<u>SP2_EmploymentType_AlnTP_3</u>		0..1	
SP2_Profession	<u>SP2_ProfessionType</u>		0..1	
UnitId	<u>String</u>		0..1	

569	PersonQualification INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonQualification Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_736EcJ6AEeq6G8NI2DeQoQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonQualification - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
EducationalInstitution	<u>String</u>		0..1	
Qualification	<u>String</u>		0..1	
QualificationDate	<u>DateTimeZuluType</u>		0..1	

570	PersonStateType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonStateType Type: <Enumeration>	<pre>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_57299e363bdf45afab2c93c772ab05a2</pre>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonStateType - Owned Enumeration Literals		
Name	Short Name	Value
3		Free
4		Arrest Warrant (KP)
5		Arrest Warrant (International)
6		Free
Arrested		Arrested
CAP		Captured
DEA		Dead
DIS		Diseased
Detained		Detained
ESC		Escaped
INJ		Injured
ITR		Interned
MIS		Missing
O		Other. Explain in Remarks
Released		Released
U		No data available
Undefined		
Under investigation		Under investigation
WND		Wounded
Z		Inconclusive analysis
<i>Results truncated to first 20 rows...</i>		

571	<p>PersonStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_1vFSkPoxEemoqLjBo08w4g</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor	<u>Actor</u>	<u>ActorStatusReport</u>	1..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AINP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
BloodType	<u>BloodTypeType</u>	<u>PersonStatusReport</u>	0..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
CountryOfBirth	<u>SP1_CountryCode</u>	<u>PersonStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
CountryOfDeath	<u>SP1_CountryCode</u>	<u>PersonStatusReport</u>	0..1	
CurrentStatus	<u>InvestigationStatusType</u>	<u>PersonStatusReport</u>	0..1	
DateOfBirth	<u>DateTimeZuluType</u>	<u>PersonStatusReport</u>	0..1	
DateOfDeath	<u>DateTimeZuluType</u>	<u>PersonStatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DistinguishingFeatures	<u>String</u>	<u>PersonStatusReport</u>	0..*	
EndServiceDate	<u>DateTimeZuluType</u>	<u>PersonStatusReport</u>	0..1	
EquipmentLines	<u>EquipmentLine</u>	<u>PersonStatusReport</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Eyecolour	<u>EyeColour</u>	<u>PersonStatusReport</u>	0..1	
Family	<u>String</u>	<u>PersonStatusReport</u>	0..1	
FingerprintsId	<u>String</u>	<u>PersonStatusReport</u>	0..1	
FirstName	<u>String</u>	<u>PersonStatusReport</u>	0..1	
Gender	<u>Sex</u>	<u>PersonStatusReport</u>	0..1	
HairColour	<u>HairColour</u>	<u>PersonStatusReport</u>	0..1	
Height	<u>Distance</u>	<u>PersonStatusReport</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentificationDocument	<u>IdentificationDocumentType</u>	<u>PersonStatusReport</u>	0..1	
IdentificationDocumentStatus	<u>IdentificationDocumentStatusType</u>	<u>PersonStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
InformationsourceId	<u>Integer</u>	<u>PersonStatusReport</u>	0..1	
Interests	<u>String</u>	<u>PersonStatusReport</u>	0..*	
Key	<u>String</u>	<u>Entity</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
LEPType	<u>InvestigationStatusType</u>	<u>PersonStatusReport</u>	0..1	
Languages	<u>PersonLanguage</u>	<u>PersonStatusReport</u>	0..*	
LastExported	<u>DateTimeZuluType</u>	<u>PersonStatusReport</u>	0..1	
LastName	<u>String</u>	<u>PersonStatusReport</u>	0..1	
LocationDate	<u>DateTimeZuluType</u>	<u>PersonStatusReport</u>	0..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Maritalstatus	<u>MaritalStatus</u>	<u>PersonStatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MiddleName	<u>String</u>	<u>PersonStatusReport</u>	0..1	
MilitaryPerson	<u>Boolean</u>	<u>PersonStatusReport</u>	1..1	
MilitaryServiceType	<u>MilitaryServiceType</u>	<u>PersonStatusReport</u>	0..1	
NATOGrade	<u>NATOGradeType</u>	<u>PersonStatusReport</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
NativeRank	<u>RankType</u>	<u>PersonStatusReport</u>	0..1	
Nickname	<u>String</u>	<u>PersonStatusReport</u>	0..1	
NonMilitaryServiceType	<u>NonMilitaryServiceType</u>	<u>PersonStatusReport</u>	0..1	
NumberOfChildren	<u>Integer</u>	<u>PersonStatusReport</u>	0..1	
Oother	<u>String</u>	<u>PersonStatusReport</u>	0..1	
OwnerCommand	<u>CommandHierarchy</u>	<u>PersonStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Person	<u>Person</u>	<u>PersonStatusReport</u>	1..1	
PersonAttributes	<u>PersonAttribute</u>	<u>PersonStatusReport</u>	0..*	
PersonState	<u>PersonStateType</u>	<u>PersonStatusReport</u>	0..1	
PersonStateDate	<u>DateTimeZuluType</u>	<u>PersonStatusReport</u>	0..1	
PersonTargetType	<u>SP1_TargetType</u>	<u>PersonStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
PersonTitle	<u>String</u>	<u>PersonStatusReport</u>	0..1	
PersonalIdentificationNumber	<u>String</u>	<u>PersonStatusReport</u>	0..1	
Personnel	<u>String</u>	<u>PersonStatusReport</u>	0..1	
PersonsSignificantActivitiesID	<u>String</u>	<u>PersonStatusReport</u>	0..1	
PlaceOfBirth	<u>String</u>	<u>PersonStatusReport</u>	0..1	
PlaceOfDeath	<u>String</u>	<u>PersonStatusReport</u>	0..1	
PreviousSurnames	<u>String</u>	<u>PersonStatusReport</u>	0..*	
ProducingCommand	<u>CommandHierarchy</u>	<u>PersonStatusReport</u>	0..1	
ProfessionalActivities	<u>PersonProfessionalActivity</u>	<u>PersonStatusReport</u>	0..*	
PromotionDate	<u>DateTimeZuluType</u>	<u>PersonStatusReport</u>	0..1	
Purpose	<u>String</u>	<u>PersonStatusReport</u>	0..1	
Qualifications	<u>PersonQualification</u>	<u>PersonStatusReport</u>	0..*	
RecommandedChange	<u>String</u>	<u>PersonStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>PersonStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_EthnicGroup	<u>SP1_EthnicGroupType</u>	<u>PersonStatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP1_Nationality	<u>SP1_CountryCode</u>	<u>PersonStatusReport</u>	0..1	
SP1_Religion	<u>SP1_Religion</u>	<u>PersonStatusReport</u>	0..1	
SP1_TribalGroup	<u>SP1_TribeType</u>	<u>PersonStatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>PersonStatusReport</u>	1..1	
SP2_EthnicGroup	<u>SP2_EthnicGroupType</u>	<u>PersonStatusReport</u>	0..1	
SP2_Nationality	<u>SP2_CountryCodeNationality</u>	<u>PersonStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP2_Religion	<u>SP2_Religion</u>	<u>PersonStatusReport</u>	0..1	
SP2_TribalGroup	<u>SP2_Tribe</u>	<u>PersonStatusReport</u>	0..1	
Situation	<u>String</u>	<u>PersonStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Specialisation	<u>SpecialisationType</u>	<u>PersonStatusReport</u>	0..1	
StartServiceDate	<u>DateTimeZuluType</u>	<u>PersonStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Targetvalue	<u>String</u>	<u>PersonStatusReport</u>	0..1	
TelephoneNumbers	<u>PersonTelephoneNumber</u>	<u>PersonStatusReport</u>	0..*	
Weight	<u>Weight</u>	<u>PersonStatusReport</u>	0..1	

572	PersonTelephoneNumber INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonTelephoneNumber Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_737SkJ6AEeq6G8NI2DeQoQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonTelephoneNumber - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
TelephoneNumber	<u>String</u>		0..1	
TelephoneType	<u>PersonTelephoneType</u>		0..1	

573	<p>PersonTelephoneType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonTelephoneType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_1679adea190a4093af8747f5a6061f31</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonTelephoneType - Owned Enumeration Literals		
Name	Short Name	Value
BBS		Bulletin Board System
BOX		Phone Box
CAR		Car phone
CELL		Mobile
Fax		Fax
Fax (business)		Fax (business)
Fax (home)		Fax (home)
HOME		Home Phone Number
ISDN		ISDN
Internet Tel. (business)		Internet Tel. (business)
Internet Tel. (home)		Internet Tel. (home)
Internet Telephone		Internet Telephone
Land		Land
MODEM		Modem
MSG		Message
Mobile		Mobile
Mobile (business)		Mobile (business)
Mobile (home)		Mobile (home)
NCN		NATO Core Network
Pager		Pager
<i>Results truncated to first 20 rows...</i>		

574	<p>PersonUnitRelationshipCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonUnitRelationshipCategoryCode Type: <Enumeration></p>	<p>Type of person to unit relationship. The Unit to Person relationship type indicates the nature of the association between the a Unit and a Person. [P0091] [AIDM Version 3/ BICC/ INTEL-FS Spiral 1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_e4a431f5b8214e75ac6743e94a51016b</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::PersonUnitRelationshipCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
AS		Assigned
C2		C2
CO		Commander
CS		Chief-of-staff
DC		D-Commander
DEFAULT		DEFAULT
DRIVER		Person is driving the vehicle
EM		Work For
FS		First Sergeant
Former Leader / Commander		Former Leader / Commander
Former Member		Former Member
OWNER		Person is owning the vehicle
OWNER / DRIVER		OWNER / DRIVER
QM		Quarter Master
TBD		TBD
Undefined		Default Value!
XO		Executive Officer
<i>Results truncated to first 20 rows...</i>		

<p>575</p>	<p>Person_Equipment INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person_Equipment Type: <AssociationClass></p>	<p>Equipment used, held or owned by an individual may be associated to the Biographic Record, when it is of intelligence interest. If it is necessary to do so, it is possible to record the number of equipments normally associated with the individual, the reason for their association, their status, condition and any related activity of importance. It is probably of particular importance to remember at this juncture the availability of the remarks capability provided for every record in the AIntP-03 structures. Remarks may be used, particularly in the Biographic/Equipment Association, to amplify the use of or involvement of equipment with or by an individual. [AINTP-3]</p> <p>Person to equipment relationship. This link provides for the association of an individual with one or more pieces of Equipment. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]Equipment used, held or owned by an individual may be associated to the Biographic Record, when it is of intelligence interest. If it is necessary to do so, it is possible to record the number of equipments normally associated with the individual, the reason for their association, their status, condition and any related activity of importance. It is probably of particular importance to remember at this juncture the availability of the remarks capability provided for every record in the AIntP-03 structures. Remarks may be used, particularly in the Biographic/Equipment Association, to amplify the use of or involvement of equipment with or by an individual. [AINTP-3]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_d011MPpEEemoqLjBo08w4g</p>
------------	---	--

INTEL-FS Spiral 2::NATO::JISR:: Battlespace::Object::Actor::Person::Person_Equipment - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Actor	<u>Actor</u>	<u>Actor_Equipment</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_Equipment</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>Person_Equipment</u>	0..*	
EquipmentQuantityStatus	<u>EquipmentQuantityStatus</u>	<u>BattlespaceIIE_Equipment</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
HoldingType	<u>EquipmentHoldingType</u>	<u>BattlespaceIIE_Equipment</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE_BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>Actor_Equipment</u>	0..*	
Person	<u>Person</u>	<u>Person_Equipment</u>	0..*	
PersonEquipmentRelationshipCategory Code	<u>PersonEquipmentRelationshipCategory Code</u>	<u>Person_Equipment</u>	0..1	
Quantity	<u>Integer</u>	<u>BattlespaceIIE_Equipment</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person_Equipment - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

576	<p>Person_Person INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person_Person Type: <AssociationClass></p>	<p>Person to person relationship. This link identifies the association between at least two key individuals. [AIDM Version 3/BICC/ INTEL-FS Spiral 1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_sIsgAPoxEemoqLjBo08w4g</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person_Person - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Actor1	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
Actor2	<u>Actor</u>	<u>Actor_Actor</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>Actor_Actor</u>	0..*	
Person1	<u>Person</u>	<u>Person_Person</u>	0..*	
Person2	<u>Person</u>	<u>Person_Person</u>	0..*	
PersonPersonRelationshipCategoryCode	<u>PersonPersonRelationshipCategoryCode</u>	<u>Person_Person</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person_Person - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

<p>577</p>	<p>Person_Unit INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person_Unit Type: <AssociationClass></p>	<p>Individuals holding key posts in the Organisation should be recorded and associated with the Organisation. At a minimum, the managing director, senior management and scientific staff, or commanding officer of a combat or major supporting Organisation should be recorded and linked to the post he holds. The Biographic Record should show the Biographic Key assigned to the individual, the First, Middle and Last names, gender and the individuals Allegiance. His professional status should be recorded, including the force: (e.g. Army, Engineering Service, NATO) to which he is currently assigned. His role (Military Combat, Judiciary, Political Etc.); his native rank (Brigada, President, First Deputy Prime Minister, Oberleutnant etc.), the NATO/US equivalent rank and his position (Military Related, Commander / Officer Commanding, Industrial / Scientific, Mid Level Administrative Support, Military Related, Intelligence Officer etc), should also be recorded. In a normal situation, individuals should be linked (associated) with an employing organisation and the organisation to a place. The individual may have associations with more than one organisation, but these should be carefully defined to clearly show the primary (or employing organisation) and should distinguish the supporting, perhaps temporary, roles involving the other organisations. Command associations - Commanding Officer, Executive Officer etc. are clearly important and must be shown. [AINTP-3]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_shDbAPpEEemoqLjBo08w4g</p>
------------	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person_Unit - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Actor1	<u>Actor</u>	<u>Actor Actor</u>	0..*	
Actor2	<u>Actor</u>	<u>Actor Actor</u>	0..*	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ORBAT	<u>ORBAT</u>	<u>Actor Actor</u>	0..*	
Person	<u>Person</u>	<u>Person Unit</u>	0..*	
PersonUnitRelationshipCategoryCode	<u>PersonUnitRelationshipCategoryCode</u>	<u>Person Unit</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Person_Unit - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Unit	<u>Unit</u>	<u>Person_Unit</u>	0..*	

578	<p>PersonelMaterialEffectivenessType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::PersonelMaterialEffectivenessType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_J8veo5P3EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::PersonelMaterialEffectivenessType - Owned Enumeration Literals		
Name	Short Name	Value
NKN		Not Known
NOS		Not otherwise specified
P1-M1		P1-M1
P1-M2		P1-M2
P1-M3		P1-M3
P1-M4		P1-M4
P2-M1		P2-M1
P2-M2		P2-M2
P2-M3		P2-M3
P2-M4		P2-M4
P3-M1		P3-M1
P3-M2		P3-M2
P3-M3		P3-M3
P3-M4		P3-M4
P4-M1		P4-M1
P4-M2		P4-M2
P4-M3		P4-M3
P4-M4		P4-M4
UKN		Unknown
Undefined		
<i>Results truncated to first 20 rows...</i>		

579	<p>Phase INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::Phase Type: <Class></p>	<p>A clearly defined stage of an operation or campaign during which the main forces and capabilities employed set conditions for a common purpose. [COPD] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_VS2ocKrwEqHWrw_y6eNBQ</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::Phase - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ActualEndDateTime	<u>DateTimeZuluType</u>	<u>Phase</u>	0..1	
ActualStartDateTime	<u>DateTimeZuluType</u>	<u>Phase</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Campaign	<u>Campaign</u>	<u>Phase</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
LinesOfOperation	<u>LineOfOperation</u>	<u>Phase</u>	0..*	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
PlannedEndDateTime	<u>DateTimeZuluType</u>	<u>Phase</u>	0..1	
PlannedStartDateTime	<u>DateTimeZuluType</u>	<u>Phase</u>	0..1	
PlanningPeriod	<u>PlanningPeriod</u>	<u>Phase</u>	0..*	
Priorities	<u>String</u>	<u>Phase</u>	1..1	
RulesOfEngagement	<u>String</u>	<u>Phase</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::Phase - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

581	PhysicalStatus INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::PhysicalStatus Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ66hUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::PhysicalStatus - Owned Enumeration Literals		
Name	Short Name	Value
DESTR		Destroyed
LIGHT		Light Damage
MODER		Moderate Damage
NOD		No Damage
SEVER		Severe Damage
UNK		Unknown
Undefined		
<i>Results truncated to first 20 rows...</i>		

582	<p>PlaceActivityType</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::PlaceActivityType</p> <p>Type: <Enumeration></p>	<p>Place activity. Activity or lack of activity associated with the facility. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nTSMEJS5EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::PlaceActivityType - Owned Enumeration Literals		
Name	Short Name	Value
AAS		Air Academy
AFS		Air Force School
DOB		Deployment Operating Base
DUM		Dummy
EMG		Emergency Landing Ground
EXE		Exercise
HEL		Helicopter Operating Base
MOB		Main Operating Base
NCB		Non-Combat Base
NOP		Non-Operational
OPS		Operational
PAP		Pending Approval
PCL		Pending Closure
RAD		Research and Development
RED		Redesignated
RES		Reserve
SCL		Site Closed
STG		Storage
TNG		Training
TRF		Transfer
<i>Results truncated to first 20 rows...</i>		

583	<p>PlaceConditionType</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::PlaceConditionType</p> <p>Type: <Enumeration></p>	<p>Installation condition. Physical condition of the facility [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nTSMQZS5EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::PlaceConditionType - Owned Enumeration Literals		
Name	Short Name	Value
ABN		Abandoned. Not in Condition to be of Immediate Use.
AUC		Airfield Under Construction
CAP		Captured
CCD		Camouflage. Concealment and Deception. Condition Concealed by some form of Camouflage, Concealment or Deception Activity.
COM		Complete. Appears to be Externally Complete.
CON		Operations, Continuous. Twenty-four Hours a Day Operations are Possible.
CVC		Conversion. Undergoing Basic Change from one Activity to Another (e.g. a Missile Site Converting from an Old to a New System.
DA		Target Damaged; CPD is 10% or Greater and Less Than 50%
DAY		Operations, Daylight.
DE		Target Destroyed; CPD is 50% or Greater
DEA		Deactivated or Dismantled. No Longer Active, or Has Been Dismantled.
DMG		Damaged. Has Been Damaged to Some Extent, but it may be Restored to a Usable State.
DMY		Dummy. Created solely for deception to appear operational.
DST		Destroyed. So damaged that it cannot function as intended, nor be restored to a usable condition. In the case of buildings, all vertical supports and spanning members are damaged to an extent that nothing is salvageable. In the case of bridges, all spans
F		Fair. The Condition is Adequate for Limited Operations.
LDG		Light Functional Damage: The target has sustained damage, causing less than a 15 percent decrease in normal operational capability. This damage level includes estimation of the time required to recuperate or replace the target function.
MDG		Moderate Functional Damage: The target has sustained damage, causing a 15 to 45 percent decrease in normal operational capability. This damage level includes estimation of the time required to recuperate or replace the target function.
MOD		Under Modification
MTB		Mothballed or Dormant
ND		Target was Outside the Blast Area.
<i>Results truncated to first 20 rows...</i>		

584	<p>PlaceReportStatusType</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::PlaceReportStatusType</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nTSMvJS5EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::PlaceReportStatusType - Owned Enumeration Literals		
Name	Short Name	Value
AAS		AIR ACADEMY
AFS		AIRFORCE SCHOOL
AUC		AIRFIELD UNDER CONSTRUCTION
CEL		Capability of Emergency Launch
DOB		DEPLOYMENT OPERATING BASE
EMG		EMERGENCY LANDING GROUND
HEL		HELICOPTER OPERATING BASE
LIMOP		LIMITED OPERATIONS
MOB		MAIN OPERATING BASE
NCB		NON COMBAT BASE
NONOP		NON-OPERATIONAL
NOP		Operations, Non-operational
O		Other. Explain in Remarks.
OP		OPERATIONAL
P		Operations, Peacetime
PEND.APPROV		PENDING APPROVAL
PEND.CLOSURE		PENDING CLOSURE
PW		Operations, Peacetime and Wartime
RDO		Ready, 0 - NFI. Ready, But the Degree of Readiness Cannot be Determined.
RD1		Ready, 1 - Fully. Fully Capable of Carrying Out All Mission Requirements and / or Has 75 - 100% of Wartime Authorized Equipment on Hand.
<i>Results truncated to first 20 rows...</i>		

585	PlaceType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::PlaceType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nT1HAJS5EeyQ1-341B09AA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::PlaceType - Owned Enumeration Literals

Name	Short Name	Value
ADEF		Air Defence (C1)
ADM		Administrative (A1)
AF		Airfield (C3)
AFW		Airfield Weapons
AGFD		Agriculture and Food Infrastructure
ANCH		Anchorage (A1)
AREA		Area
BFI		Banking Finance and Insurance Infrastructure
CBRN		CBRN
CD		Coastal Defence
CMCL		Commercial Infrastructure
COMMEW		Communication & Electronic Warfare
EDFAC		Educational Facilities Infrastructure
ENGFAC		Energy Facilities Infrastructure
EQTMNF		Equipment Manufacture
FC		Functional Code
GVTSTE		Government Site Infrastructure
LAWENF		Law Enforcement Installations
MEDF		Medical Facility
MIL		Military Infrastructure

Results truncated to first 20 rows...

586	<p>Plan</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::Plan</p> <p>Type: <Class></p>	<p>A plan corresponds to an Operation Plan as defined in the COPD An Operation Plan is a plan for a single or series of connected operations to be carried out simultaneously or in succession. It is usually based upon stated assumptions and is the form of directive employed by higher authority to permit subordinate commanders to prepare supporting plans and orders. [COPD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_LTGSIA1FEeu-T9yprPx_6Q</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::Plan - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExerciseIndicator	<u>boolean</u>	<u>Plan</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GeographicAreasOfInterest		<u>Plan</u>	0..*	List of all Geographic Areas that constitute a part of the plan/list. The InformationRequirement and the Task elements refers into this list. Mandatory for all content types.
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>string</u>	<u>Plan</u>	0..1	Name of the plan or list. Mandatory for all content types.
OpenEndedTimeInterval	<u>OpenEndedTimeInterval</u>	<u>Plan</u>	0..1	Mandatory for all content types. Defines the plan validity in time. It may be continuous.
OperationName	<u>OperationNameChoiceType</u>	<u>Plan</u>	0..1	
PublishedStatus	<u>PublishedStatusType</u>	<u>Plan</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumber	<u>SerialNumberType</u>	<u>Plan</u>	0..1	The plan's or list's unique human-readable serial number. Must be consistent through updates. Mandatory for all content types.

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::Plan - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>



587	PlanIIE INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::PlanIIE Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_af_LEOJdEeyfxo3RXCvDw
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::PlanIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

588	<p>PlanningPeriod INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::PlanningPeriod Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_YOy1IKrwEeqHW_rW_y6eNBQ</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Plan::PlanningPeriod - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Phase	<u>Phase</u>	<u>PlanningPeriod</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

589	<p>Platform</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::Platform</p> <p>Type: <Class></p>	<p>Equipment classes may refer by NSN to emitters (so called emitter fit) and by name to weapons and systems defined in this EOB. Equipment classes themselves may also contain instances of specific platforms with details of emitter fits per platform. Every equipment class MUST be uniquely identified by its class name and every platform (within the class) by its registration number An equipment class could be seen as a particular class of ship (e.g. Arleigh Burke) and a platform a particular ship within that class (e.g. USS John S. McCain). . Only platforms have geographic locations, these cannot be assigned at the EquipmentClass level. [AEWP-01]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_B4rPQCUkEeuVgZbrw16AKQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::Platform - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Equipment</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
PlatformType	<u>PlatformTECHINT</u>	<u>Platform</u>	1..1	
ReportableItemIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumberIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
StatusReports	<u>PlatformStatusReport</u>	<u>Platform</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::Platform - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINT	<u>TECHINT</u>	<u>Equipment</u>	1..1	Type of all (non-expendable) items needed to outfit/equip an individual or unit. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]
Target	<u>Target</u>	<u>Equipment</u>	0..*	

590	<p>PlatformStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformStatusReport</p> <p>Type: <Class></p>	<p>Equipment classes may refer by NSN to emitters (so called emitter fit) and by name to weapons and systems defined in this EOB. Equipment classes themselves may also contain instances of specific platforms with details of emitter fits per platform. Every equipment class MUST be uniquely identified by its class name and every platform (within the class) by its registration number An equipment class could be seen as a particular class of ship (e.g. Arleigh Burke) and a platform a particular ship within that class (e.g. USS John S. McCain). . Only platforms have geographic locations, these cannot be assigned at the EquipmentClass level. [AEWP-01]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_OY5OkCUkEeuVgZbrw16AKQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
AccountingUnit	<u>Integer</u>	<u>EquipmentStatusReport</u>	0..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AINP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Colour	<u>EquipmentColourType</u>	<u>EquipmentStatusReport</u>	0..1	
Condition	<u>ConditionType</u>	<u>EquipmentStatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>EquipmentStatusReport</u>	1..1	
EquipmentAttributes	<u>EquipmentAttribute</u>	<u>EquipmentStatusReport</u>	0..*	
Evaluation	<u>EquipmentEvaluationType</u>	<u>EquipmentStatusReport</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identifier	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nomenclature	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Platform	<u>Platform</u>	<u>PlatformStatusReport</u>	1..1	
PlatformType	<u>PlatformType</u>	<u>PlatformStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>EquipmentStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>EquipmentStatusReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Year	<u>Year4DigitType</u>	<u>EquipmentStatusReport</u>	0..1	

591	<p>PlatformTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformTECHINT</p> <p>Type: <Class></p>	<p>Equipment classes may refer by NSN to emitters (so called emitter fit) and by name to weapons and systems defined in this EOB. Equipment classes themselves may also contain instances of specific platforms with details of emitter fits per platform. Every equipment class MUST be uniquely identified by its class name and every platform (within the class) by its registration number An equipment class could be seen as a particular class of ship (e.g. Arleigh Burke) and a platform a particular ship within that class (e.g. USS John S. McCain). . Only platforms have geographic locations, these cannot be assigned at the EquipmentClass level. [AEWP-01]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_cuI10CUkEeuVgZbrw16AKQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Platform	<u>Platform</u>	<u>PlatformTECHINT</u>	1..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>PlatformTECHINTStatusReport</u>	<u>PlatformTECHINT</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	

592	<p>PlatformTECHINTStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformTECHINTStatusReport</p> <p>Type: <Class></p>	<p>Equipment classes may refer by NSN to emitters (so called emitter fit) and by name to weapons and systems defined in this EOB. Equipment classes themselves may also contain instances of specific platforms with details of emitter fits per platform. Every equipment class MUST be uniquely identified by its class name and every platform (within the class) by its registration number An equipment class could be seen as a particular class of ship (e.g. Arleigh Burke) and a platform a particular ship within that class (e.g. USS John S. McCain). . Only platforms have geographic locations, these cannot be assigned at the EquipmentClass level. [AEWP-01]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_cuJc4CUkEeuVgZbrw16AKQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeldentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EquipmentClass	<u>EquipmentClassType</u>	<u>PlatformTECHINTStatusReport</u>	0..1	
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Platformtype	<u>PlatformTECHINT</u>	<u>PlatformTECHINTStatusReport</u>	1..1	
Range	<u>Distance</u>	<u>TECHINTStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Size	<u>DimensionsLengthWidthHeightType</u>	<u>TECHINTStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed	<u>Speed</u>	<u>TECHINTStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINTStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::PlatformTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	

593	PointOfContact INTEL-FS Spiral 2::NATO::JISR::Metadata::PointOfContact Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_cd5c4i8QeYeuOwZ2Qq03A
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Metadata::PointOfContact - Owned Attributes

Attribute Name	Type Name	Defining Class	Mltplct Y	Description
CallSign	<u>CallSignType</u>	<u>PointOfContactDataType</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>ExtensibleType</u>	1..1	
FirstName	<u>string</u>	<u>PointOfContactDataType</u>	0..1	
IM	<u>String</u>	<u>PointOfContact</u>	1..1	
LastName	<u>string</u>	<u>PointOfContactDataType</u>	0..1	
Mail	<u>string</u>	<u>PointOfContactDataType</u>	0..1	
Organisation	<u>String</u>	<u>PointOfContact</u>	1..1	
PhoneNumbers	<u>string</u>	<u>PointOfContactDataType</u>	0..*	
Rank	<u>string</u>	<u>PointOfContactDataType</u>	0..1	
Role	<u>string</u>	<u>PointOfContactDataType</u>	0..1	
Unit	<u>MilitaryUnitIdentificationType</u>	<u>PointOfContactDataType</u>	0..1	
XMPPAccount	<u>XMPPAccountType</u>	<u>PointOfContactDataType</u>	0..1	

594	PossibleTrajectoryType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::PossibleTrajectoryType Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Cp29QAGFEeuz6bCUGFSSQ
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::PossibleTrajectoryType - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
TrajectoryType	<u>TrajectoryType</u>		0..1	

595	PossibleWarheadType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::PossibleWarheadType Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_wD5uwAGEEeuuz6bCUGFSSQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::PossibleWarheadType - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
WarheadType	<u>WarheadCategoryCode</u>		0..1	

596	<p>PowerSourceTECHINT INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::PowerSourceTECHINT Type: <Class></p>	<p>A power supply, often provided by car batteries or alkaline flashlight batteries. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_s4oL5F13Eeq_ycE4Xm7uyA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::PowerSourceTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
DaisyChainType	<u>DaisyChainType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DeviceType	<u>DeviceType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
PowerSourceDescription	<u>String</u>	<u>PowerSourceTECHINT</u>	0..1	
PowerSourceType	<u>PowerSourceTypeType</u>	<u>PowerSourceTECHINT</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::PowerSourceTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>TECHINTStatusReport</u>	<u>TECHINT</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Switches	<u>SwitchTECHINT</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..*	
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
TechnicalComments	<u>String</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	

597	PowerSourceTypeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::PowerSourceTypeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_817543e27a724115a6b870edb9dae16c
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::PowerSourceTypeType - Owned Enumeration Literals		
Name	Short Name	Value
EEAC		Electrical Energy - Alternating Current Power Converter - Uninterrupted Power Supply
EEDP		Electrical Energy - Direct Current - In Parallel
EEDS		Electrical Energy - Direct Current - In Series
MECS		Mechanical Energy - Coil Spring
MELS		Mechanical Energy - Leaf Spring
Undefined		
ac110v		Alternating Current - 110V
ac220v		Alternating Current - 220V
dc1.5v		Direct Current - 1.5V
dc12v		Direct Current - 12V
dc6v		Direct Current - 6V
dc9v		Direct Current - 9V
dco		Direct Current - Other
<i>Results truncated to first 20 rows...</i>		

598	PrioritizationCategory INTEL-FS Spiral 2::NATO::JISR::Domain::common::PrioritizationCategory y Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#993a9c3ec663424a8d50d73db518879b
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::PrioritizationCategory - Owned Enumeration Literals		
Name	Short Name	Value
ISR PRIORITY		ISR PRIORITY
ISR Priority		ISR Priority
ISR_Requestors_Priorities		ISR_Requestors_Priorities
NAI Priority		NAI Priority
<i>Results truncated to first 20 rows...</i>		



599	PrioritizationGroup INTEL-FS Spiral 2::NATO::JISR::Domain::common::PrioritizationGroup Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#51b9bbb5055a43f58ef8a68704bf635
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::PrioritizationGroup - Owned Enumeration Literals		
Name	Short Name	Value
1 JFCBS - CRITICAL EVENTS		1 JFCBS - CRITICAL EVENTS
1 JFCBS - GEO-POLITICAL / STRATEGIC REQUIREMENTS		1 JFCBS - GEO-POLITICAL / STRATEGIC REQUIREMENTS
1 JFCBS - INDICATORS AND WARNINGS		1 JFCBS - INDICATORS AND WARNINGS
1 JFCBS - STANDING REQUIREMENTS		1 JFCBS - STANDING REQUIREMENTS
<i>Results truncated to first 20 rows...</i>		

600	PrioritizationKey INTEL-FS Spiral 2::NATO::JISR::Domain::common::PrioritizationKey Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#737970536b054b2b9939c0cfc7ff891d
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::PrioritizationKey - Owned Enumeration Literals

Name	Short Name	Value
1. Is the Russian Federation threatening the Baltic states and Poland with the use of military force		1. Is the Russian Federation threatening the Baltic states and Poland with the use of military forces?
2. What indications exist of a significant change in Belarus (BLR) support of the Russian Federation		2. What indications exist of a significant change in Belarus (BLR) support of the Russian Federation?
2. What indications exist of a significant change in Belarus BLR support of the Russian Federation?		2. What indications exist of a significant change in Belarus BLR support of the Russian Federation?
2. What indications exist of a significant change in Belarus support of the Russian Federation?		2. What indications exist of a significant change in Belarus support of the Russian Federation?
2. What indications exist of a significant change in Belarus support of the Russian Federation?		2. What indications exist of a significant change in Belarus support of the Russian Federation?
3. How is the Russian Federation deceiving NATO?		3. How is the Russian Federation deceiving NATO?

Results truncated to first 20 rows...

601	PrioritizationScheme INTEL-FS Spiral 2::NATO::JISR::Domain::common::PrioritizationScheme Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#7beaa1a645d749fa85d3f0cd61a117ec
-----	--	---



INTEL-FS Spiral 2::NATO::JISR::Domain::common::PrioritizationScheme - Owned Enumeration Literals		
Name	Short Name	Value
AM2 - IA South		AM2 - IA South
AM2 - North		AM2 - North
AM2 - South		AM2 - South
AM2 IA N FCA		AM2 IA N FCA
AM2 IA N FCA2		AM2 IA N FCA2
AM2 IA-N OCT17		AM2 IA-N OCT17
AM2 IA-N_Horton		AM2 IA-N_Horton
AM2 IAN FCA2		AM2 IAN FCA2
AM2 IAS		AM2 IAS
AM2 IAS FC3		AM2 IAS FC3
AM2-IA-North		AM2-IA-North
Assurance Measure 2 - Implementation Area North		Assurance Measure 2 - Implementation Area North
Assurance Measure 2 - Implementation Area North		Assurance Measure 2 - Implementation Area North
Assurance Measure 2 - Implementation Area South		Assurance Measure 2 - Implementation Area South
FCA Intek		FCA Intek
IA-North FCA 2		IA-North FCA 2
ICMT 1		ICMT 1
ICMT 2		ICMT 2
MURICA		MURICA
icmt1		icmt1
<i>Results truncated to first 20 rows...</i>		

602	<p>PriorityIntelligenceRequirement</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::PriorityIntelligenceRequirement</p> <p>Type: <Class></p>	<p>PIRs and other intelligence requirements are managed locally, but also shared up, down and laterally. When assistance is required in satisfying a PIR or intelligence requirement, it is sent as a request for information (RFI). [AJP-2.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_uPY34J9SEeqGY6i_CL9eLQ</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::PriorityIntelligenceRequirement - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AnticipatedTimeIntervalForActivity	<u>CalendarClockIntervalZuluType</u>	<u>Requirement</u>	0..1	Define start collection, stop collection
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CollectionInterval	<u>CalendarClockIntervalZuluType</u>	<u>Requirement</u>	0..1	
Comment	<u>String</u>	<u>Requirement</u>	0..1	This section provides any additional comments offered by the originator
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GeographicAreasOfInterest	<u>ControlFeature</u>	<u>Requirement</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Indicators	<u>Indicator</u>	<u>Requirement</u>	0..*	
IntelCollectionDiscipline	<u>IntelligenceDisciplineType</u>	<u>Requirement</u>	0..*	
Key	<u>String</u>	<u>Entity</u>	1..1	
LatestDateZuluOfInformationValue	<u>OpenEndDateTimeZuluType</u>	<u>Requirement</u>	0..1	
LatestReportDateZulu	<u>LatestReportDateZulu</u>	<u>Requirement</u>	0..1	
LocationAccuracyRequired	<u>LocationAccuracyEnum</u>	<u>Requirement</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Requirement</u>	0..1	
Originator	<u>OriginatorType</u>	<u>Requirement</u>	0..1	
Priority	<u>NumericPriorityType</u>	<u>Requirement</u>	0..1	ThefinalpriorityofRequirement.IfthepriorityisaCollectionRequirement(CR)thispriorityistheCRRank.TheIR'sprioritywithinthisplan

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::PriorityIntelligenceRequirement - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RequiredInformation	<u>String</u>	<u>Requirement</u>	0..1	
RequiredProduct	<u>RequiredProductType</u>	<u>Requirement</u>	0..*	
SP1_Background	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_EndCollection	<u>DateTimeZuluType</u>	<u>InformationRequirement</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_Justification	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_Narrative	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_StartCollection	<u>DateTimeZuluType</u>	<u>InformationRequirement</u>	0..1	
SerialNumber	<u>SerialNumberType</u>	<u>Requirement</u>	0..1	
Status	<u>InformationRequirementStatusType</u>	<u>Requirement</u>	0..1	The IR's status within current plan
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
SupportedOperations	<u>SupportedOperations</u>	<u>Requirement</u>	0..1	
Type	<u>RequirementTypeEnumeration</u>	<u>Requirement</u>	0..1	

603	<p>PrisonerOfWarInterrogationReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::PrisonerOfWarInterrogationReport::PrisonerOfWarInterrogationReport</p> <p>Type: <Class></p>	<p>Message identifier (Name):PWINTERREP (PRISONER OF WAR INTERROGATION REPORT) Related Documents:STANAG 2044 STANAG 2195 (AJP-2.5) Purpose:THE PWINTERREP IS USED TO REPORT THE INTERROGATION OF A PRISONER OF WAR . Sponsor:NSA (JSB) JOINT INTELLIGENCE WORKING GROUP (JINTWG) Notes:none Status:Published [APP-11-D-1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SYNQIKDHEeqz4qMNCq9PtQ</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::PrisonerOfWarInterrogationReport::PrisonerOfWarInterrogationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::PrisonerOfWarInterrogationReport::PrisonerOfWarInterrogationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
PrisonerOfWarInterrogationReport	<u>PrisonerOfWarInterrogationReport</u>	<u>PrisonerOfWarInterrogationReport</u>	1..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::PrisonerOfWarInterrogationReport::PrisonerOfWarInterrogationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

604	<p>PrivateSectorOrganisation</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::PrivateSectorOrganisation</p> <p>Type: <Class></p>	<p>[MIP-IM 5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_I_V4RYpMEysatGy543LrA</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::PrivateSectorOrganisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Organisation</u>	0..*	
CentreOfGravity	<u>CentreOfGravity</u>	<u>Actor</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIP_categoryCode	<u>PrivateSectorOrganisationCategoryCode</u>	<u>PrivateSectorOrganisation</u>	0..1	
MIP_mainActivityCode	<u>MainActivityCode</u>	<u>PrivateSectorOrganisation</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrganisationCategoryCode	<u>OrganisationCategoryCode</u>	<u>Organisation</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
StatusReports	<u>OrganisationStatusReport</u>	<u>Organisation</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::PrivateSectorOrganisation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Target	<u>Target</u>	<u>Organisation</u>	0..*	

605	PrivateSectorOrganisationCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::PrivateSectorOrganisationCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_d71J0AkNEe2IjY0HPP8IWA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::PrivateSectorOrganisationCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
AgriculturalPrivateSectorOrganisation		
DefenceIndustry		
FishingIndustry		
ManufacturingPrivateSectorOrganisation		
MultiNationalPrivateSectorOrganisation		
NewsMediaPrivateSectorOrganisation		
PhilanthropicPrivateSectorOrganisation		
RetailPrivateSectorOrganisation		
TradePrivateSectorOrganisation		
Undefined		
<i>Results truncated to first 20 rows...</i>		

606	<p>ProductIIE INTEL-FS Spiral 2::NATO::JISR::Staff::Product::ProductIIE Type: <Class></p>	<p>Products of Joint Intelligence, Surveillance and Reconnaissance regardless of format, for example: messages, reports, map overlays and imagery. [BMD-ADD]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_F46uMPshEem6M75ghptrYg</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

607	<p>ProductIIE_ProductIIE INTEL-FS Spiral 2::NATO::JISR::Staff::Product::ProductIIE_ProductIIE Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_TQxHqARwEeq43pnst77jFA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::ProductIIE_ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Product1	<u>ProductIIE</u>	<u>ProductIIE ProductIIE</u>	0..*	
Product2	<u>ProductIIE</u>	<u>ProductIIE ProductIIE</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::ProductIIE_ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

608	<p>ProgramIndicatorBeNumberType</p> <p>INTEL-FS Spiral 2::NATO::Datatypes::ProgramIndicatorBeNumberType</p> <p>Type: <Class></p>	<p>PROGRAM INDICATOR, BE NUMBER115511.011FixedStringInstructive</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ZvXW0J77EeyXbaZqcCJdkQ</p>
-----	---	---

609	PublishedStatusType INTEL-FS Spiral 2::NATO::JISR::Metadata::PublishedStatusType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_79VqkKpTEeq0kau1c3Oz1Q
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Metadata::PublishedStatusType - Owned Enumeration Literals		
Name	Short Name	Value
Approved		
Current		
Draft		
Obsolete		
PostedForApproval		
Published		
Rejected		
Undefined		
<i>Results truncated to first 20 rows...</i>		

610	RFISatisfaction INTEL-FS Spiral 2::NATO::JISR::Domain::common::RFISatisfaction Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#fd0ad855d82149a6a63e5b668652c7fe
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::RFISatisfaction - Owned Enumeration Literals

Name	Short Name	Value
1		Not assessed
2		Very Satisfied
3		Satisfied
4		Neutral
5		Dissatisfied
6		Very Dissatisfied
Undefined		

Results truncated to first 20 rows...



611	RFI_IR INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::RFI::RFI_IR Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_iyIq4KZ4Eeq6MoiB2X-ZOQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::RFI::RFI_IR - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IR	<u>InformationRequirement</u>	<u>RFI_IR</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RFI	<u>RequestForInformation</u>	<u>RFI_IR</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::RFI::RFI_IR - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

612	RadarCrossSection INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::RadarCrossSection Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_txzAoAIxEuNS4XxnpGgSA
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::RadarCrossSection - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
RCSValue	<u>UnlimitedNatural</u>		0..1	
SensorBand	<u>UnlimitedNatural</u>		0..1	

613	<p>RadarEmitter</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitter</p> <p>Type: <Class></p>	<p>Radar specific characteristics are added to the Emitter Base Class for ELNOT, Crystal Count and TransmitterType., Sets containing RF, PRI, PD, and Scan information about the radar are then defined for the radar which can be combined to define Radar Modes. These Radar Modes can then be referenced from Modelines one to one for simple cases or, when more complex behaviour needs to be expressed, multiple modes can be combined sequentially or in parallel. [AEWP-01]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_dTDasCTXEeuBN9AJjV_-mA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitter - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Equipment</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RadarEmitterType	<u>RadarEmitterTECHINT</u>	<u>RadarEmitter</u>	1..1	
ReportableItemIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumberIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
StatusReports	<u>RadarEmitterStatusReport</u>	<u>RadarEmitter</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitter - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINT	<u>TECHINT</u>	<u>Equipment</u>	1..1	Type of all (non-expendable) items needed to outfit/equip an individual or unit. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]
Target	<u>Target</u>	<u>Equipment</u>	0..*	

614	<p>RadarEmitterStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterStatusReport</p> <p>Type: <Class></p>	<p>Radar specific characteristics are added to the Emitter Base Class for ELNOT, Crystal Count and TransmitterType., Sets containing RF, PRI, PD, and Scan information about the radar are then defined for the radar which can be combined to define Radar Modes. These Radar Modes can then be referenced from Modelines one to one for simple cases or, when more complex behaviour needs to be expressed, multiple modes can be combined sequentially or in parallel. [AEWP-01]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_arIb4CTaEeuBN9AJjV_-mA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
AccountingUnit	<u>Integer</u>	<u>EquipmentStatusReport</u>	0..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AINP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Colour	<u>EquipmentColourType</u>	<u>EquipmentStatusReport</u>	0..1	
Condition	<u>ConditionType</u>	<u>EquipmentStatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>EquipmentStatusReport</u>	1..1	
EquipmentAttributes	<u>EquipmentAttribute</u>	<u>EquipmentStatusReport</u>	0..*	
Evaluation	<u>EquipmentEvaluationType</u>	<u>EquipmentStatusReport</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identifier	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nomenclature	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
RadarEmitter	<u>RadarEmitter</u>	<u>RadarEmitterStatusReport</u>	1..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>EquipmentStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>EquipmentStatusReport</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Year	<u>Year4DigitType</u>	<u>EquipmentStatusReport</u>	0..1	

615	<p>RadarEmitterTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterTECHINT</p> <p>Type: <Class></p>	<p>Radar specific characteristics are added to the Emitter Base Class for ELNOT, Crystal Count and TransmitterType., Sets containing RF, PRI, PD, and Scan information about the radar are then defined for the radar which can be combined to define Radar Modes. These Radar Modes can then be referenced from Modelines one to one for simple cases or, when more complex behaviour needs to be expressed, multiple modes can be combined sequentially or in parallel. [AEWP-01]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_4B13MCToEeu7ZKvHyIs6JQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RadarEmitter	<u>RadarEmitter</u>	<u>RadarEmitterTECHINT</u>	1..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>RadarEmitterTECHINTStatusReport</u>	<u>RadarEmitterTECHINT</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	

616	<p>RadarEmitterTECHINTStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterTECHINTStatusReport</p> <p>Type: <Class></p>	<p>Radar specific characteristics are added to the Emitter Base Class for ELNOT, Crystal Count and TransmitterType., Sets containing RF, PRI, PD, and Scan information about the radar are then defined for the radar which can be combined to define Radar Modes. These Radar Modes can then be referenced from Modelines one to one for simple cases or, when more complex behaviour needs to be expressed, multiple modes can be combined sequentially or in parallel. [AEWP-01]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_eR6H8iUfEeuVgZbrw16AKQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
Behaviour	<u>BehaviourType</u>	<u>EOBEmitterTECHINTStatusReport</u>	0..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EmitterType	<u>EmitterType</u>	<u>EOBEmitterTECHINTStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Radar	<u>RadarType</u>	<u>RadarEmitterTECHINTStatusReport</u>	0..1	
RadarEmitterType	<u>RadarEmitterTECHINT</u>	<u>RadarEmitterTECHINTStatusReport</u>	1..1	
Range	<u>Distance</u>	<u>TECHINTStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Size	<u>DimensionsLengthWidthHeightType</u>	<u>TECHINTStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed	<u>Speed</u>	<u>TECHINTStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::RadarEmitterTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINTStatusReport</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	

617	Rank INTEL-FS Spiral 2::NATO::JISR::Domain::common::Rank Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_fc9824804b0341d9aab48426d1005479
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::Rank - Owned Enumeration Literals

Name	Short Name	Value
A1		A1
A2		A2
A3		A3
A4		A4
A5		A5
A6		A6
A7		A7
B1		B1
B2		B2
B3		B3
B4		B4
B5		B5
B6		B6
B7		B7
CIV		CIV
EPTE		Enlisted private
NCO		NCO, not otherwise specified
NKN		Not known
OF1		OF1
OF10		OF10

Results truncated to first 20 rows...

618	<p>RankType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::RankType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_b483e38cd7aa4ae4b10a33e784eb18b6</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::RankType - Owned Enumeration Literals		
Name	Short Name	Value
2LT		2LT
ADMIRAL		Admiral
AMBASSADOR		AMBASSADOR
ARMY GEN		ARMY GEN
ARMYGEN		Army Gen
BGEN		BGEN
BISHOP		Bishop
BRIG		Brig
BRIG GEN		BRIG GEN
CAPT		Capt
CARDINAL		Cardinal
CHIEF		Chief
COL		Col
COL GEN		COL GEN
COLGEN		Col Gen
COMD		Comd
CONCUL		Concul
CONST		Const
CONSUL		CONSUL
_1LT		1LT
<i>Results truncated to first 20 rows...</i>		

619	RecentPublication INTEL-FS Spiral 2::NATO::JISR::Domain::common::RecentPublication Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_360735d372f646cfa3fa21701f7d2532
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::RecentPublication - Owned Enumeration Literals		
Name	Short Name	Value
168hours		Within last week
24hours		Within last day
720hours		Within last month
72hours		Within last 3 days
8hours		Within last 8 hours
Undefined		
<i>Results truncated to first 20 rows...</i>		



620	ReconnaissanceExploitationReport INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::Reconnaissance ExploitationReport::ReconnaissanceExploitationReport Type: <Class>	Message identifier (Name): RECEXREP (RECONNAISSANCE EXPLOITATION REPORT) Related Documents: STANAG 3377 STANAG 3596 Purpose: The RECEXREP is used to report the results of an air reconnaissance mission by the interpretation of sensor data. Sponsor: NSA (AIR) AIR RECONNAISSANCE WORKING GROUP (ARWG) Notes: none Status: Published [APP-11-D-1] platform: /resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SYPSYKDHEeqz4qMNCq9PtQ
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::ReconnaissanceExploitationReport::ReconnaissanceExploitationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::ReconnaissanceExploitationReport::ReconnaissanceExploitationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ReconnaissanceExploitationReport	<u>ReconnaissanceExploitationReport</u>	<u>ReconnaissanceExploitationReport</u>	1..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::ReconnaissanceExploitationReport::ReconnaissanceExploitationReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

621	<p>ReentryVehicle</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicle</p> <p>Type: <Class></p>	<p>The Stage, Decoy, Countermeasure and Re-entry Vehicle data elements represent the parameters for subcomponents of ballistic missiles since these are sometimes common to different missiles, variants or configurations. The Re-entry Vehicle data element includes warhead information. A Re-entry Vehicle represents a Threat's vehicle to re-enter the Earth's atmosphere. A Re-entry Vehicle is part of the Threat Characteristics which define the behaviour of a particular ballistic missile type represented by a Threat. -- Database Design Description, SWDBDD0 TMD1-201-201-Rev D, 24 March 2016</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SiupYPjnEemscYqpTO3mmA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicle - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMReentryVehicleTECHINT	<u>ReentryVehicleTECHINT</u>	<u>ReentryVehicle</u>	1..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BallisticMissile	<u>BallisticMissile</u>	<u>ReentryVehicle</u>	1..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Equipment</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ReportableItemIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumberIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
StatusReports	<u>EquipmentStatusReport</u>	<u>Equipment</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicle - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINT	<u>TECHINT</u>	<u>Equipment</u>	1..1	Type of all (non-expendable) items needed to outfit/equip an individual or unit. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]
Target	<u>Target</u>	<u>Equipment</u>	0..*	

622	ReentryVehicleCategoryCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleCategoryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_mSxwcPi7EemkcIoqyiQteg
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

623	<p>ReentryVehicleTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleTECHINT</p> <p>Type: <Class></p>	<p>The Stage, Decoy, Countermeasure and Re-entry Vehicle data elements represent the parameters for subcomponents of ballistic missiles since these are sometimes common to different missiles, variants or configurations. The Re-entry Vehicle data element includes warhead information. A Re-entry Vehicle represents a Threat's vehicle to re-enter the Earth's atmosphere. A Re-entry Vehicle is part of the Threat Characteristics which define the behaviour of a particular ballistic missile type represented by a Threat. -- Database Design Description, SWDBDD0 TMD1-201-201-Rev D, 24 March 2016</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_9Ov-8PilEemkcIoqyiQteg</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMReentryVehicleEquipment	<u>ReentryVehicle</u>	<u>ReentryVehicleTECHINT</u>	0..*	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>ReentryVehicleTECHINTStatusReport</u>	<u>ReentryVehicleTECHINT</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	

624	<p>ReentryVehicleTECHINTStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleTECHINTStatusReport</p> <p>Type: <Class></p>	<p>The Stage, Decoy, Countermeasure and Re-entry Vehicle data elements represent the parameters for subcomponents of ballistic missiles since these are sometimes common to different missiles, variants or configurations. The Re-entry Vehicle data element includes warhead information. A Re-entry Vehicle represents a Threat's vehicle to re-enter the Earth's atmosphere. A Re-entry Vehicle is part of the Threat Characteristics which define the behaviour of a particular ballistic missile type represented by a Threat. -- Database Design Description, SWDBDD0 TMD1-201-201-Rev D, 24 March 2016</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_tTMwUPjpEemscYqpTO3mmA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AbilityToManoeuvre	<u>Boolean</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Can the re-entry vehicle manoeuvre?
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AvailabilityOfTerminalGuidance	<u>Boolean</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Can the re-entry vehicle have terminal guidance?
AvailablePayloadVolume	<u>Volume</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	The usable payload volume of the type of re-entry vehicle
BMRentryVehicleTECHINT	<u>ReentryVehicleTECHINT</u>	<u>ReentryVehicleTECHINTStatusReport</u>	1..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIEAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
CoefficientOfDrag	<u>CoefficientVersusMachNumber</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..*	The coefficient of drag of the re-entry vehicle type
CoefficientOfLift	<u>CoefficientVersusMachNumber</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..*	The coefficient of lift of the re-entry vehicle type
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Diameter	<u>Distance</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Diameter of the type of re-entry vehicle
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
KeepOutAltitude	<u>AltitudeType</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Maximum altitude at which the warhead would be effective
Key	<u>String</u>	<u>Entity</u>	1..1	
Length	<u>Distance</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Length of the type of re-entry vehicle
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Mass	<u>Mass</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	The mass of the type of re-entry vehicle including the payload
MassEmpty	<u>Mass</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	The empty mass of the type of re-entry vehicle
MaximumCrossRangeManoeuvre	<u>Distance</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	The maximum distance that the re-entry vehicle can manoeuvre to a target in the cross range direction when compared to a purely ballistic trajectory
MaximumDownRangeManoeuvre	<u>Distance</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	The maximum distance that the re-entry vehicle can manoeuvre to a target in the down range direction when compared to a purely ballistic trajectory
MaximumReleaseAltitude	<u>AltitudeType</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Maximum release altitude of the warhead
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MinimumReleaseAltitude	<u>AltitudeType</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Minimum release altitude of the warhead
Name	<u>String</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
PayloadMass	<u>Mass</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	
PreferredTargetType	<u>String</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	A description of the preferred target type for the warhead
RadarCrossSection	<u>RadarCrossSection</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..*	
Range	<u>Distance</u>	<u>TECHINTStatusReport</u>	0..1	
ReentryVehicleMass	<u>Mass</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	
ReentryVehicleType	<u>ReentryVehicleCategoryCode</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Identification of the type of re-entry vehicle
ReferenceArea	<u>UnlimitedNatural</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	The projected frontal area of the re-entry vehicle type
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Size	<u>DimensionsLengthWidthHeightType</u>	<u>TECHINTStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed	<u>Speed</u>	<u>TECHINTStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINTStatusReport</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
SubmunitionCount	<u>Integer</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	The number of sub-munitions that the re-entry vehicle carries

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::ReentryVehicleTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SubmunitionDispersalRadius	<u>Distance</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Radius of the area over which the sub-munitions are normally dispersed (if the re-entry vehicle is not intercepted) i.e. what the warhead is optimised for
SubmunitionType	<u>String</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	Description of the type of sub-munitions that the re-entry vehicle carries e.g. runway penetrators, flechette, ARM
SubstanceType	<u>SubstanceNameType</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..1	The chemical, biological or radiological substance carried by the warhead
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	
WarheadType	<u>WarheadType</u>	<u>ReentryVehicleTECHINTStatusReport</u>	0..*	
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	

625	RegionType INTEL-FS Spiral 2::NATO::JISR::Domain::common::RegionType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0da852be83424e298348b845952a74b8
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::RegionType - Owned Enumeration Literals

Name	Short Name	Value
AF01		Badakhshan
AF02		Badghis
AF03		Baghlan
AF05		Bamyan
AF06		Farah
AF07		Faryab
AF08		Ghazni
AF09		Ghor
AF10		Herat
AF11		Hilmand
AF13		Kabul
AF14		Kapisa
AF17		Logar
AF18		Nangarhar
AF19		Nimroz
AF23		Kandahar
AF24		Kunduz
AF26		Takhar
AF27		Wardak
AF28		Zabul

Results truncated to first 20 rows...

626	RelationDirectionType INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::RelationDirectionType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#__IIxEP8JEemnbr38OATpNQ
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::IntelligenceInformationEntity::RelationDirectionType - Owned Enumeration Literals		
Name	Short Name	Value
DirectRel		
InverseRel		
SuborSource		
SuborTarget		
Undefined		
<i>Results truncated to first 20 rows...</i>		

627	Releasability INTEL-FS Spiral 2::NATO::JISR::Domain::common::Releasability Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_65e17d4bfb3f48fcb6751d9e34656bec
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::Releasability - Owned Enumeration Literals

Name	Short Name	Value
ABW		ARUBA
AFG		AFGHANISTAN
AGO		ANGOLA
AIA		ANGUILLA
ALA		ALAND ISLANDS
ALB		ALBANIA
AND		ANDORRA
ANT		NETHERLANDS ANTILLES
ARE		UNITED ARAB EMIRATES
ARG		ARGENTINA
ARM		ARMENIA
ASM		AMERICAN SAMOA
ATA		ANTARCTICA
ATF		FRENCH SOUTHERN TERRITORIES
ATG		ANTIGUA AND BARBUDA
AUS		AUSTRALIA
AUT		AUSTRIA
AZE		AZERBAIJAN
BDI		BURUNDI
BEL		BELGIUM

Results truncated to first 20 rows...

628	ReleaseClassification INTEL-FS Spiral 2::NATO::JISR::Domain::common::ReleaseClassification Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_9675b1a5fbb444119c96a4979aa315f1
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::ReleaseClassification - Owned Enumeration Literals		
Name	Short Name	Value
CTSB		Cosmic Top Secret Bohemia
Confidential		Confidential
Noclassification		No classification
Restricted		Restricted
Secret		Secret
Unclassified		Unclassified
Undefined		
<i>Results truncated to first 20 rows...</i>		

629	Reliability INTEL-FS Spiral 2::NATO::JISR::Metadata::Reliability Type: <Enumeration>	Evaluation allocates an alphanumeric rating to each piece of information or intelligence indicating the degree of assurance, which may be placed upon it. The evaluation rating is based partly on the subjective judgment of the evaluator, and, in the case of information produced by a sensor, on knowledge of the accuracy of the particular sensor system.69 Reliability and credibility should be considered independently of each other to ensure that the rating allocated to the reliability of the collection capability does not influence the rating given to the credibility of the information, or vice versa. [AJP-2.1]
-----	---	---

platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_5921a71222ca4616b9dbe1d43caa7785

INTEL-FS Spiral 2::NATO::JISR::Metadata::Reliability - Owned Enumeration Literals		
Name	Short Name	Value
A		Completely Reliable
B		Usually Reliable
C		Fairly Reliable
D		Not Usually Reliable
E		Unreliable
F		Reliability Cannot Be Judged
Undefined		
<i>Results truncated to first 20 rows...</i>		



630	Report INTEL-FS Spiral 2::NATO::JISR::Staff::Target::Report Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_jB5BcEE0Eeu4wqzcLTBJvQ
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::Report - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Report	<u>REPORT</u>	<u>Report</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

631	ReportEntityType INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportEntityType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_acd0005b721e4731813fece63c771825
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportEntityType - Owned Enumeration Literals		
Name	Short Name	Value
BIOGRAPHICS		BIOGRAPHICS
EQUIPMENT		EQUIPMENT
EVENT		Event
ORGANISATION		ORGANISATION
PLACE		Place
Undefined		
<i>Results truncated to first 20 rows...</i>		

632	ReportPriority INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportPriority Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7c57c81bc0f54d2cab4af746ef10f6ee
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportPriority - Owned Enumeration Literals		
Name	Short Name	Value
FLASH		FLASH
IMMEDIATE		IMMEDIATE
PRIORITY		PRIORITY
ROUTINE		ROUTINE
Undefined		
<i>Results truncated to first 20 rows...</i>		

633	ReportProduct INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportProduct Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_v9T3nvvDEemmBcVzc-_U7g
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportProduct - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AreaAssessment	<u>String</u>	<u>ReportProduct</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIE</u>	0..1	
Categorycode	<u>CategoryCode</u>	<u>ReportProduct</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIE</u>	0..1	
City	<u>String</u>	<u>ProductIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIE</u>	0..1	
Ddocumentformat	<u>DocumentFormat</u>	<u>ReportProduct</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Documenttype	<u>DocumentType</u>	<u>ReportProduct</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportProduct - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Functionalcategorycode	<u>FunctionalCategoryCode</u>	<u>ReportProduct</u>	0..1	
GeneralAssessment	<u>String</u>	<u>ReportProduct</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
InformationRating	<u>String</u>	<u>ReportProduct</u>	0..1	
IntrepSituationType	<u>ReportSituationType</u>	<u>ReportProduct</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Priority	<u>ReportPriority</u>	<u>ReportProduct</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
ReportType	<u>ReportType</u>	<u>ReportProduct</u>	0..1	
RreportProductEntities	<u>ReportProductEntity</u>	<u>ReportProduct</u>	0..*	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SituationType	<u>String</u>	<u>ReportProduct</u>	0..1	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportProduct - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

634	ReportProductEntity INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportProductEntity Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_fynR0J89EeqI0aNN_NU_6Q
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::Imagery::ReportProductEntity - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
EntityAlias	<u>String</u>		0..1	
EntityName	<u>String</u>		0..1	
EntityType	<u>ReportEntityType</u>		0..1	

635	ReportSituationType INTEL-FS Spiral 2::NATO::JISR::Domain::common::ReportSituationType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#22696012eb6e45698ee3d7c1a970afff
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::ReportSituationType - Owned Enumeration Literals

Name	Short Name	Value
Air		Air
CI/Security		CI/Security
General		General
Land		Land
Maritime		Maritime
Military		Military
Other		Other
Space		Space
Undefined		

Results truncated to first 20 rows...

637	ReportType INTEL-FS Spiral 2::NATO::JISR::Domain::common::ReportType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_bcd1637841584924b119be43a16c5d81
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::ReportType - Owned Enumeration Literals

Name	Short Name	Value
HUMINTREP		HUMINTREP
INTREP		INTREP
INTSUM		INTSUM
IQREP		IQREP
ISRSPOTREP		ISRSPOTREP
MIEXREP		MIEXREP
MTIEXREP		MTIEXREP
PENTAGRAM		PENTAGRAM
RECCEXREP		RECCEXREP
Undefined		
WLEXREP		WLEXREP

Results truncated to first 20 rows...

638	Request INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_aYw9IKVwEeq0iP2zpFZIVa
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMC::Request::Request - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Background	<u>String</u>	<u>Request</u>	0..1	This section gives the background to the request, detailing, for example, sources already consulted and the information already obtained on the subject
CTM	<u>ChoreographyTaskMessage</u>	<u>BusinessProcess</u>	1..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EffectivenessRating	<u>DegreeOfEffectiveness</u>	<u>Request</u>	0..1	
EffectivenessRatingReason	<u>String</u>	<u>Request</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IIEs	<u>IntelligenceInformationEntity</u>	<u>BusinessProcess</u>	0..*	
ISRStaffPOC	<u>OnBehalfOf</u>	<u>Request</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Justification	<u>String</u>	<u>Request</u>	0..1	This section must detail the justification for the request, explaining why the information is being requested
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Priority	<u>NumericPriorityType</u>	<u>Request</u>	0..1	
ReportingInstructions	<u>string</u>	<u>Request</u>	0..1	
RequestAssessment	<u>string</u>	<u>Request</u>	0..1	
RequestCTM	<u>RequestCTM</u>	<u>Request</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMC::Request::Request - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RequestStatus	<u>ForOwnerStatusEnum</u>	<u>Request</u>	0..1	
RequirementsForJustification	<u>RequirementDescription</u>	<u>Request</u>	0..*	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Subject	<u>String</u>	<u>Request</u>	0..1	Brief statement sufficient to identify the subject area on which information is required
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
UnitPriority	<u>UnitPriorityType</u>	<u>Request</u>	0..*	
ValidatedBy	<u>String</u>	<u>Request</u>	0..1	Indicates the person or organization validating the request and responsible for monitoring the collection and reporting



639	RequestCTM INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::RequestCTM Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ygFaEKV-EeqKdfGblUxq6w
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRCM::Request::RequestCTM - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BusinessProcess	<u>BusinessProcess</u>	<u>ChoreographyTaskMessage</u>	1..1	
CTM1	<u>ChoreographyTaskMessage</u>	<u>ChoreographyTaskMessage</u>	1..1	
CTM2	<u>ChoreographyTaskMessage</u>	<u>ChoreographyTaskMessage</u>	1..1	
DTG	<u>DateTimeZuluType</u>	<u>ChoreographyTaskMessage</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Request	<u>Request</u>	<u>RequestCTM</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::RequestCTM - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

<p>640</p>	<p>RequestForInformation INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::RFI::RequestForInformation Type: <Class></p>	<p>The RFI is the format in which an IR is passed to CCIRM authorities at higher, lower or adjacent levels. RFIs are received from other formations and added to the Collection Plan. Requests for Information (RFIs) provide a mechanism to request intelligence information from other HQs, nations or organisations. RFIs are used to provide timely and relevant information to commanders and war fighters when that information requirement cannot be readily fulfilled by local assets. The RFI allows the intelligence staff (usually the CCIRM Manager) to "ask" for information when they do not have the authority to issue orders to "task" assets to perform the collection. The intelligence staff responding to an RFI will attempt to use organic assets and databases to satisfy collection requirements. If organic assets and databases are insufficient, the staff will forward RFI to other organisations capable of addressing the requirement. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_k27fEKZ2Eeq6MoiB2X-ZOQ</p>
------------	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::RFI::RequestForInformation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Background	<u>String</u>	<u>Request</u>	0..1	This section gives the background to the request, detailing, for example, sources already consulted and the information already obtained on the subject
CTM	<u>ChoreographyTaskMessage</u>	<u>BusinessProcess</u>	1..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EffectivenessRating	<u>DegreeOfEffectiveness</u>	<u>Request</u>	0..1	
EffectivenessRatingReason	<u>String</u>	<u>Request</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IIEs	<u>IntelligenceInformationEntity</u>	<u>BusinessProcess</u>	0..*	
ISRStaffPOC	<u>OnBehalfOf</u>	<u>Request</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Justification	<u>String</u>	<u>Request</u>	0..1	This section must detail the justification for the request, explaining why the information is being requested
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Priority	<u>NumericPriorityType</u>	<u>Request</u>	0..1	
ReportingInstructions	<u>string</u>	<u>Request</u>	0..1	
RequestAssessment	<u>string</u>	<u>Request</u>	0..1	
RequestCTM	<u>RequestCTM</u>	<u>Request</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::RFI::RequestForInformation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RequestStatus	<u>ForOwnerStatusEnum</u>	<u>Request</u>	0..1	
RequirementsForJustification	<u>RequirementDescription</u>	<u>Request</u>	0..*	
SP1_ApprovalStatus	<u>ApprovalStatus</u>	<u>RequestForInformation</u>	0..1	
SP1_CommonType	<u>CommonType</u>	<u>RequestForInformation</u>	0..1	
SP1_CommunicationsMeans	<u>String</u>	<u>RequestForInformation</u>	0..1	
SP1_GeneralCategory	<u>CategoryCode</u>	<u>RequestForInformation</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_HighestLevelOfClassification	<u>ConfidentialityLabelType</u>	<u>RequestForInformation</u>	0..1	
SP1_Languages	<u>Language</u>	<u>RequestForInformation</u>	0..1	
SP1_Level	<u>Integer</u>	<u>RequestForInformation</u>	0..1	
SP1_MetadataClassification	<u>ConfidentialityLabelType</u>	<u>RequestForInformation</u>	0..1	
SP1_ProductQuantity	<u>String</u>	<u>RequestForInformation</u>	0..1	
SP1_ReplyReleasability	<u>ConfidentialityLabelType</u>	<u>RequestForInformation</u>	0..1	
SP1_SerialNumber	<u>String</u>	<u>RequestForInformation</u>	0..1	
SP1_SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>RequestForInformation</u>	0..1	
SP1_SubjectCategoryTargets	<u>String</u>	<u>RequestForInformation</u>	0..1	
SP1_SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>RequestForInformation</u>	0..1	
SP1_TemporalEnd	<u>DateTimeZuluType</u>	<u>RequestForInformation</u>	0..1	
SP1_TemporalStart	<u>DateTimeZuluType</u>	<u>RequestForInformation</u>	0..1	
SP1_TimeRecorded	<u>DateTimeZuluType</u>	<u>RequestForInformation</u>	0..1	
SP1_TypeOfProduct	<u>String</u>	<u>RequestForInformation</u>	0..1	
SP1_ValidationNo	<u>String</u>	<u>RequestForInformation</u>	0..1	
Subject	<u>String</u>	<u>Request</u>	0..1	Brief statement sufficient to identify the subject area on which information is required

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::RFI::RequestForInformation - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
UnitPriority	<u>UnitPriorityType</u>	<u>Request</u>	0..*	
ValidatedBy	<u>String</u>	<u>Request</u>	0..1	Indicates the person or organization validating the request and responsible for monitoring the collection and reporting

641	<p>Request_BattlespaceII</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_BattlespaceII</p> <p>Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_1YCKkDGrEeuZWPoXC6gYMw</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMC::Request::Request_BattlespaceIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>Request_BattlespaceIIE</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
Request	<u>Request</u>	<u>Request_BattlespaceIIE</u>	0..*	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE	<u>StaffIIE</u>	<u>StaffIIE_BattlespaceIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_BattlespaceIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_BattlespaceIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

642	<p>Request_Feature INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_Feature Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7_QZoDGsEeuZWPoXC6gYMw</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRCM::Request::Request_Feature - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>Request_BattlespaceIIE</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Feature	<u>Feature</u>	<u>Request_Feature</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
Request	<u>Request</u>	<u>Request_Feature</u>	0..*	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE	<u>StaffIIE</u>	<u>StaffIIE_BattlespaceIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_BattlespaceIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_Feature - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

643	Request_ProductIIE INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_ProductIIE Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_fSXz4DGrEeuZWPoXC6gYMw
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMC::Request::Request_ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ProductIIE	<u>ProductIIE</u>	<u>Request_ProductIIE</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
Request	<u>Request</u>	<u>Request_ProductIIE</u>	0..*	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

644	<p>Request_Request</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_Request</p> <p>Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_vAL6ABEREeuDIqbXRAd1QQ</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_Request - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
Request1	<u>Request</u>	<u>Request_Request</u>	0..*	
Request2	<u>Request</u>	<u>Request_Request</u>	0..*	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Request::Request_Request - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

645	<p>Requirement</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::Requirement</p> <p>Type: <Class></p>	<p>aboutpattern:urn:nato:majic:ccirm:ccirmcommontypes:(InformationRequirementType CollectionRequirementType)/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_AWsaEKcrEq3hrtrHnJN5Q</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMC::Requirement::Requirement - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AnticipatedTimeIntervalForActivity	<u>CalendarClockIntervalZuluType</u>	<u>Requirement</u>	0..1	Define start collection, stop collection
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CollectionInterval	<u>CalendarClockIntervalZuluType</u>	<u>Requirement</u>	0..1	
Comment	<u>String</u>	<u>Requirement</u>	0..1	This section provides any additional comments offered by the originator
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GeographicAreasOfInterest	<u>ControlFeature</u>	<u>Requirement</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Indicators	<u>Indicator</u>	<u>Requirement</u>	0..*	
IntelCollectionDiscipline	<u>IntelligenceDisciplineType</u>	<u>Requirement</u>	0..*	
Key	<u>String</u>	<u>Entity</u>	1..1	
LatestDateZuluOfInformationValue	<u>OpenEndDateTimeZuluType</u>	<u>Requirement</u>	0..1	
LatestReportDateZulu	<u>LatestReportDateZulu</u>	<u>Requirement</u>	0..1	
LocationAccuracyRequired	<u>LocationAccuracyEnum</u>	<u>Requirement</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Requirement</u>	0..1	
Originator	<u>OriginatorType</u>	<u>Requirement</u>	0..1	
Priority	<u>NumericPriorityType</u>	<u>Requirement</u>	0..1	ThefinalpriorityofRequirement.IfthepriorityisaCollectionRequirement(CR)thispriorityistheCRRank.TheIR'sprioritywithinthisplan

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::Requirement - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RequiredInformation	<u>String</u>	<u>Requirement</u>	0..1	
RequiredProduct	<u>RequiredProductType</u>	<u>Requirement</u>	0..*	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumber	<u>SerialNumberType</u>	<u>Requirement</u>	0..1	
Status	<u>InformationRequirementStatusType</u>	<u>Requirement</u>	0..1	The IR's status within current plan
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
SupportedOperations	<u>SupportedOperations</u>	<u>Requirement</u>	0..1	
Type	<u>RequirementTypeEnumeration</u>	<u>Requirement</u>	0..1	

646	RequirementDescription INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::RequirementDescription Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_3ZS6YA7qEeuFGaXSA9xcfg
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::RequirementDescription - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RequiredInformation	<u>string</u>	<u>RequirementDescription</u>	0..1	
Requirement	<u>Requirement</u>	<u>RequirementDescription</u>	0..1	

647	RequirementType INTEL-FS Spiral 2::NATO::JISR::Domain::common::RequirementType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#167064a34b974bc08ce898610cbbbb35
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::RequirementType - Owned Enumeration Literals		
Name	Short Name	Value
CR		CR
EI		EI
IR		IR
PIR		PIR
SIR		SIR
Undefined		
<i>Results truncated to first 20 rows...</i>		

648	Requirement_Feature INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::Requirement_Feature Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_5Q9nYDGsEeuZWPoXC6gYMw
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::Requirement_Feature - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StaffIIE_BattlespaceIIE</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Feature	<u>Feature</u>	<u>Requirement_Feature</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
Requirement	<u>Requirement</u>	<u>Requirement_Feature</u>	0..*	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
StaffIIE	<u>StaffIIE</u>	<u>StaffIIE_BattlespaceIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_BattlespaceIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::Requirement_Feature - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

649	<p>Requirement_ReportedProducts</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::Requirement_ReportedProducts</p> <p>Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_-BJw4KfsEeq0mqb5FoCn4g</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRCM::Requirement::Requirement_ReportedProducts - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
ReportedProducts	<u>ProductIIE</u>	<u>Requirement_ReportedProducts</u>	0..*	
Requirement	<u>Requirement</u>	<u>Requirement_ReportedProducts</u>	0..*	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Requirement::Requirement_ReportedProducts - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

650	RequisiteType INTEL-FS Spiral 2::NATO::JISR::Domain::common::RequisiteType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#4925052bac7c40f7bd2c6d617ff94fc9
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::RequisiteType - Owned Enumeration Literals		
Name	Short Name	Value
Request		Request
Task		Task
Undefined		
<i>Results truncated to first 20 rows...</i>		

651	RootOrganization INTEL-FS Spiral 2::NATO::JISR::Domain::common::RootOrganization Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_4662825ceb7b462b850cfd8054df82a3
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::RootOrganization - Owned Enumeration Literals

Name	Short Name	Value
ALB		ALBANIA
BEL		BELGIUM
BGR		BULGARIA
CAN		CANADA
CZE		CZECH REPUBLIC
DEU		GERMANY
DNK		DENMARK
ESP		SPAIN
EST		ESTONIA
FRA		FRANCE
GBR		UNITED KINGDOM
GRC		GREECE
HRV		CROATIA
HUN		HUNGARY
ISL		ICELAND
ITA		ITALY
LTU		LITHUANIA
LUX		LUXEMBOURG
LVA		LATVIA
MNE		MONTENEGRO

Results truncated to first 20 rows...

652	RotaryWingAircraftAirframeDesignCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::RotaryWingAircraftAirframeDesignCode Type: <Enumeration>	The class of RotaryWingAircraft.[MIM-5.1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_zv_10KnSEeyDqfv-LSxQeQ
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::RotaryWingAircraftAirframeDesignCode - Owned Enumeration Literals		
Name	Short Name	Value
Autogyro		
Helicopter		
Transport		
Undefined		
<i>Results truncated to first 20 rows...</i>		

653	<p>RotaryWingAircraftTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::RotaryWingAircraftTECHINT</p> <p>Type: <Class></p>	<p>A machine or device capable of atmospheric flight and dependent on rotating blades for lift.[MIM-5.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8Vw26qBrEeyy5OfhuBqQAaw</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::RotaryWingAircraftTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Aircraft	<u>Aircraft</u>	<u>AircraftTECHINT</u>	1..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>AircraftTECHINTStatusReport</u>	<u>AircraftTECHINT</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Aircraft::RotaryWingAircraftTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
airframeDesignCode	<u>RotaryWingAircraftAirframeDesignCode</u>	<u>RotaryWingAircraftTECHINT</u>	1..1	

654	SDSOperationalStatusType INTEL-FS Spiral 2::NATO::JISR::Domain::common::SDSOperationalStatusType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_90bd03cb66e345c3b47da3f5edac1782
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SDSOperationalStatusType - Owned Enumeration Literals		
Name	Short Name	Value
NOT OPERATIONAL		NOT OPERATIONAL
OPERATIONAL		OPERATIONAL
Undefined		
<i>Results truncated to first 20 rows...</i>		

655	<p>SIGINTProduct INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGINTProduct Type: <Class></p>	<p>SIGINTProduct is the generalization of SIGINT reports such as the TACREP etc. This package does not include the ECMTasking message because that is defined within the APP-11 message catalogue and will be handled as a "vanilla" product-metadata type.</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_JLYSAKC4EeqLTN-8qqnNQw</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGINTProduct - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGINTProduct - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

656	<p>SIGINTReleaseRequest</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGINTReleaseRequest</p> <p>Type: <Class></p>	<p>TBC. This SIGINT report type will not have specific structured metadata and will be handled as "vanilla" product metadata. This class is an unclassified placeholder.</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_g41C8KC_Eeqz4qMNCq9PtQ</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGINTReleaseRequest - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGINTReleaseRequest - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

657	<p>SIGREP INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGREP Type: <Class></p>	<p>This SIGINT report type will have specific structured metadata extracted from the body of the report product. This class is an unclassified placeholder because the detailed content is classified. This report, the SIGREP, looks a lot like an older and more crude version of the KL. It has not yet been encountered in the wild.</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#__SCxMKC-Eeqz4qMNCq9PtQ</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGREP - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::SIGREP - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

658	<p>SP1_AllegianceType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::SP1_AllegianceType e Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_c92c167352964d99905cebc9da85bba9</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::SP1_AllegianceType - Owned Enumeration Literals		
Name	Short Name	Value
ABKHAZ		Ethnic - Abkhaz
ABORGN		Ethnic - Aboriginal
ABW		ARUBA
ACI		ASHMORE AND CARTIER ISLANDS
ADMISL		Ethnic - Admiralty Islander
AFAR		Ethnic - Afar
AFG		AFGHANISTAN
AFGHAN		Ethnic - Afghani
AFRADJ		Ethnic - African (Adja)
AFRAMR		Ethnic - African American
AFRBAL		Ethnic - African (Balanta)
AFRBAR		Ethnic - African (Bariba)
AFRBAS		Ethnic - African (Bassa)
AFRBEL		Ethnic - African (Bella)
AFRBUR		Ethnic - African (Burkinabe)
AFRFON		Ethnic - African (Fon)
AFRFUL		Ethnic - African (Fula)
AFRGBA		Ethnic - African (Gbandi)
AFRGIO		Ethnic - African (Gio)
AFRGOL		Ethnic - African (Gola)
<i>Results truncated to first 20 rows...</i>		

659	SP1_CountryCode INTEL-FS Spiral 2::NATO::JISR::Domain::common::SP1_CountryCode Type: <Enumeration>	All Countries listed in ISO 3166 plus water bodies defined via STANAG 1059 plus Kosovo, Darfur, Maritime, Not applicable, World-wide, Souther Ocean, Maghreb, South Ossetia region, Nagarno Karabakh. [IPIWG 4.20] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_2251ab14c7ae4db78f0f8fe5a9b923b8
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SP1_CountryCode - Owned Enumeration Literals

Name	Short Name	Value
1A		North Atlantic Ocean
1G		Gulf of Guinea
1M		Gulf of Mexico
1N		North Sea
1X		Caribbean Sea
2A		South Atlantic Ocean
2W		Weddell Sea
3A		North Pacific Ocean
3E		East China Sea
3J		Sea of Japan
3Q		Sea of Okhotsk
3U		South China Sea
3Y		Yellow Sea
4A		South Pacific Ocean
4C		Coral Sea
4O		Pacific Ocean
4T		Tasman Sea
4U		Arafura Sea
5A		Arctic Ocean
5B		Barents Sea

Results truncated to first 20 rows...

660	SP1_EchelonType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::SP1_EchelonType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qUOdgOcLEey11t_uukDv8A
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::SP1_EchelonType - Owned Enumeration Literals		
Name	Short Name	Value
--		Unknown
-A		TEAM/CREW
-B		SQUAD
A-		HEADQUARTERS (HQ)
AA		HQ TEAM/CREW
AB		HQ SQUAD
AC		HQ SECTION
AD		HQ PLATOON
AE		HQ COMPANY
AF		HQ BATTALION
AG		HQ REGIMENT/GROUP
AH		HQ BRIGADE
AI		HQ DIVISION
AJ		HQ CORP/MEF
AK		HQ ARMY
AL		HQ ARMY GROUP/FRONT
AM		HQ REGION
B-		TASK FORCE (TF) HQ
BA		TF HQ TEAM/CREW
BB		TF HQ SQUAD
<i>Results truncated to first 20 rows...</i>		

661	<p>SP1_EquipmentTypeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::SP1_EquipmentTypeType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_7491b1d09025474db1f52c33498989a5</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::SP1_EquipmentTypeType - Owned Enumeration Literals		
Name	Short Name	Value
1.X.1		UNKNOWN
1.X.1.1		UNKNOWN
1.X.1.2		UNKNOWN
1.X.1.3		UNKNOWN
1.X.2		UNKNOWN
1.X.2.1		UNKNOWN
1.X.2.1.1		UNKNOWN
1.X.2.1.1.1		BOMBER
1.X.2.1.1.10		RECONNAISSANCE
1.X.2.1.1.10.1		AIRBORNE EARLY WARNING (AEW)
1.X.2.1.1.10.2		ELECTRONIC SURVEILLANCE MEASURES
1.X.2.1.1.10.3		PHOTOGRAPHIC
1.X.2.1.1.11		PATROL
1.X.2.1.1.11.1		ANTI SURFACE WARFARE/ASUW
1.X.2.1.1.11.2		MINE COUNTER MEASURES
1.X.2.1.1.12		UTILITY
1.X.2.1.1.12.1		UTILITY (LIGHT)
1.X.2.1.1.12.2		UTILITY (MEDIUM)
1.X.2.1.1.12.3		UTILITY (HEAVY)
1.X.2.1.1.13		COMMUNICATIONS (C3I)
<i>Results truncated to first 20 rows...</i>		

662	<p>SP1_EthnicGroupType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP1_EthnicGroupType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ee0d50cacf424c8293824a80fb98b974</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP1_EthnicGroupType - Owned Enumeration Literals		
Name	Short Name	Value
ABKHAZ		Abkhaz
ABORIGINAL		Aboriginal
ADMISL		Admiralty Islander
AFAR		Afar
AFGHAN		Afghani
AFRAMR		African American
AFRICAN		African
AFRICANADJA		African (Adja)
AFRICANBALANTA		African (Balanta)
AFRICANBARIBA		African (Bariba)
AFRICANBASSA		African (Bassa)
AFRICANBELLA		African (Bella)
AFRICANBURKINABE		African (Burkinabe)
AFRICANFON		African (Fon)
AFRICANFULA		African (Fula)
AFRICANGBANDI		African (Gbandi)
AFRICANGIO		African (Gio)
AFRICANGOLA		African (Gola)
AFRICANGREBO		African (Grebo)
AFRICANJOLA		African (Jola)
<i>Results truncated to first 20 rows...</i>		

663	SP1_EventSubType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::SP1_EventSubType Type: <Enumeration>	The Type of incident that the Event is based upon. [P0069] [AIDM Version 3/ BICC/ INTEL-FS Spiral 1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0a3c484958b64ba59ab76a8c99d9e7c3
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::SP1_EventSubType - Owned Enumeration Literals		
Name	Short Name	Value
ABDICA		Abdication
ABLACT		ABL Activities
ACCAIR		Accident, aircraft
ACCDNT		Accident
ACCMAR		Accident, marine
<i>Results truncated to first 20 rows...</i>		

664	<p>SP1_EventType</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::SP1_EventType</p> <p>Type: <Enumeration></p>	<p>The Type of Event being described in the record. [P0068] [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_e6c8e79975d34b4bba9f3dc87000c24a</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::SP1_EventType - Owned Enumeration Literals		
Name	Short Name	Value
ACC		Accident
ATK		Attack
ATMO		Atmospherics
CIVIL		Civilian
COS		Collection on SFOR
CP		Counter Piracy Domain
CRMACT		Criminal Activity
DEMO		Demonstration
ECONMC		Economic
ETHNIC		Ethnic
FIGHT		Fight
FOM		Freedom Of Movement
GATH		Gathering
INT		Intelligence
INTETH		Interethnic
IO		IO's & NGO's
LJ		Law & Justice
MILTRY		Military
ND		Natural Domain
NOS		Not otherwise specified
<i>Results truncated to first 20 rows...</i>		

665	<p>SP1_FacilityType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::SP1_FacilityType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nS_RIJS5EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::SP1_FacilityType - Owned Enumeration Literals		
Name	Short Name	Value
AA		Mun, Air To Air Missiles
AL		Mun, Air Launched Missiles (Undetermined)
AM		Asphalt/macadam
AS		Mun, Air To Surface Missiles
AV		Mun, Available
CA		Concrete/asphalt
CB		Concrete Blocks
CH		Mun, Chemical
CO		Mun, Conventional
CR		Concrete
DN		Mun, Deactivated Nuclear Storage Site
ER		Earth (RW)
FSAR		Fac - Area Search Radar
FSAT		Fac - Air Traffic Control Radar
FSGA		Fac - Gca Radar
FSGI		Fac - Gci Radar
FSHR		Fac - Height Finder Radar
FSIL		Fac - IIs
FSLT		Fac - Limited To Tower - Lighting/Telecom
FSNO		Fac - None Present
<i>Results truncated to first 20 rows...</i>		

666	<p>SP1_OrganisationTypeType</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::SP1_OrganisationTypeType</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_H5EdyZMwEeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::SP1_OrganisationTypeType - Owned Enumeration Literals		
Name	Short Name	Value
ARMED		Armed
ASSOC		Association
BANK		Bank
BAR		Bar
CAFE		Caf
CIV		Civilian
CRM		Criminal
EXTR		Extremist
EXTREMISTEXTREMIST		EXTREMIST
FAC		Facility
FUND		Fund
GIS		Intelligence Service
HNTCLB		Hunting Club
HOTEL		Hotel
IC		IC
ILG		ILLEGAL
IS		Intelligence Service
MEDIA		Media
MEDIA - DO NOT USEMEDIA		MEDIA
MINEC		Mine Clearing
<i>Results truncated to first 20 rows...</i>		

667	SP1_PlaceSubType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::SP1_PlaceSubType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nTSNE5S5EeyQ1-341B09AA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::SP1_PlaceSubType - Owned Enumeration Literals		
Name	Short Name	Value
AB		Battery
AC		Air Command
AD		Air Defence
ADLTDC		Adult Day Care
AFL		Animal Feedlot
AGLAB		Agriculture Laboratory
AIR DEFENSE (C1)AD		Air Defense
AIR DEFENSE (C1)Air Defence General Site		Air Defence General Site
AIRFIELD (C3)AFLD		AFLD
AIRPRT		Airport
AMEP		Ammunition and Explosives Production
AMM		Ammunitioning
AMMOC		Ammo Copmpound
AMTP		Armament Production
ANC		Anchorage
ANCRG		Ship Anchorage
<i>Results truncated to first 20 rows...</i>		

668	<p>SP1_PositionType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SP1 _PositionType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_9f8c660fa33b4e528fe4f20373adc502</p>
-----	---	---



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SP1_PositionType - Owned Enumeration Literals		
Name	Short Name	Value
Deputy PM		Deputy PM
Industry		Industry
Member of Al-Qaeda		Member of Al-Qaeda
.		.
1st assist Mayor		1st assist Mayor
2nd Deputy		2nd Deputy
Abstract Clerk		Abstract Clerk
Abstract Writer		Abstract Writer
Abstractor		Abstractor
Account Analyst		Account Analyst
Account Executive Advertising		Account Executive Advertising
Account Information Clerk		Account Information Clerk
Account Manager Sales		Account Manager Sales
Account Specialist		Account Specialist
Account Supervisor		Account Supervisor
Accountant		Accountant
Accountant Assistant		Accountant Assistant
Accountant Budget		Accountant Budget
Accountant Cost		Accountant Cost
Accountant Financial Analyst		Accountant Financial Analyst
<i>Results truncated to first 20 rows...</i>		

669	<p>SP1_ProfessionType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SP1 _ProfessionType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_de3b197d43b54e7fab56093d043f1228</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SP1_ProfessionType - Owned Enumeration Literals		
Name	Short Name	Value
ABLE SEAMAN		ABLE SEAMAN
ACCORDION MAKER		ACCORDION MAKER
ACOUSTICAL CARPENTER		ACOUSTICAL CARPENTER
ACTIVIST		ACTIVIST
AEROSPACE PROPULSION JET ENG MEC		AEROSPACE PROPULSION JET ENG MEC
AGRICULTURAL SERVICE WORKER		AGRICULTURAL SERVICE WORKER
AIR & HYDRONIC BALANCING TECH		AIR & HYDRONIC BALANCING TECH
AIR CONDITIONING MECH (Auto Serv)		AIR CONDITIONING MECH (Auto Serv)
AIR TRAFFIC CONTROLLER(Military Only)		AIR TRAFFIC CONTROLLER(Military Only)
AIR TRANSPORT PILOT		AIR TRANSPORT PILOT
AIRCOND INSTALLER WINDOW		AIRCOND INSTALLER WINDOW
AIRCRAFT ARMAMENT MECHANIC		AIRCRAFT ARMAMENT MECHANIC
AIRCRAFT MECH, PLUMB & HYDRA		AIRCRAFT MECH, PLUMB & HYDRA
AIRCRAFT MECHANIC, ARMAMENT		AIRCRAFT MECHANIC, ARMAMENT
AIRCRAFT MECHANIC, ELECTRICAL		AIRCRAFT MECHANIC, ELECTRICAL
AIRCRAFT METALS TECH/Mach/CNC		AIRCRAFT METALS TECH/Mach/CNC
Active		Active
Actor		Actor
Administrator		Administrator
Advisor		Advisor
<i>Results truncated to first 20 rows...</i>		

670	<p>SP1_ReleaseAuthority INTEL-FS Spiral 2::NATO::JISR::Domain::common::SP1_ReleaseAuthority Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_e51090e5c6cf4a66b3b4c7a2ae108f47</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SP1_ReleaseAuthority - Owned Enumeration Literals		
Name	Short Name	Value
ABW		ABW
AFG		AFG
AGO		AGO
AIA		AIA
ALA		ALA
ALB		ALB
AND		AND
ANT		ANT
ARE		ARE
ARG		ARG
ARM		ARM
ASM		ASM
ATA		ATA
ATF		ATF
ATG		ATG
AUS		AUS
AUT		AUT
AZE		AZE
BDI		BDI
BEL		BEL
<i>Results truncated to first 20 rows...</i>		

671	SP1_Religion INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP1_Religion Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_31217fff9eac4b2eb87728b4e4a5e46d
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP1_Religion - Owned Enumeration Literals

Name	Short Name	Value
AFRMTH		African Methodist Episcopal (Zion)
AGNOSTIC		AGNOSTIC
ANGLCN		Anglican
ANIMSM		Animism
APSTLC		Apostolic
ARMNAN		Armenian
ARMORT		Armenian Orthodox
ASMGOD		Assembly of God
ATHEST		Atheist
Atheism		Atheism
BABYLN		Babylonian
BAHAI		Baha'i
BAPTST		Baptist
BEHAI		Beha'i
BLGORT		Bulgarian Orthodox
BUDHSM		Buddhism
CALVNS		Calvinist
CATHLC		Catholic
arian		arian
atheist		ATHEIST

Results truncated to first 20 rows...

672	SP1_TargetListType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::SP1_TargetListType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ7ARUvEeuBSdmjVejhEA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::SP1_TargetListType - Owned Enumeration Literals		
Name	Short Name	Value
ISR-CTL		ISR Collection Task List
JPTL		Joint Prioritised Target List
JTL		Joint Target List
JTNL		Joint Target Nomination List
MTL		Mobile Target List
PROH-TL		No Strike List
PTL		Prioritised Target List
RESTR-TL		Restricted Target List
TNL		Target Nomination List
TSTL		Time Sensitive Target List
Undefined		
<i>Results truncated to first 20 rows...</i>		

673	SP1_TargetType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::SP1_TargetType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ7ThUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::SP1_TargetType - Owned Enumeration Literals		
Name	Short Name	Value
1		CTL
Undefined		
_0		Not a target
_1		JEL
_2		JPEL
_3		TID
_4		Unknown
<i>Results truncated to first 20 rows...</i>		

674	<p>SP1_TribeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP1_TribeType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_4dc2cfcecd242e5968a02cbaa97c275</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP1_TribeType - Owned Enumeration Literals		
Name	Short Name	Value
AF		Afridi
AH		Ahmadzai Dawar
BA		Bangash
BH		Bhittani
DA		Darwesh Khel Wazirs
GU		Gurbaz
HA		Hazara
HI		Hizb-i-Wahadat
KH		Kharasin
KY		Kyrgyz
MA		Masozai
MH		Mahsuds
ML		Mulagori
MO		Mohmand
MU		Muslim
NU		Nuristanis
PA		Pashtun
PN		Panjshiris
SA		Safi
SD		Saidgai
<i>Results truncated to first 20 rows...</i>		

675	<p>SP1_UnitTypeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::SP1_UnitTypeType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_J9JHsZP3EeyQ1-341B09AA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::SP1_UnitType - Owned Enumeration Literals		
Name	Short Name	Value
1.X.2		AIR UNIT
1.X.2.1		AIR UNIT - MILITARY
1.X.3		GROUND UNIT
1.X.3.1		GROUND UNIT - MILITARY
1.X.3.1.1		CMB (COMBAT)
1.X.3.1.1.1		CMB - AIR DEFENCE
1.X.3.1.1.10		CMB - INTERNAL SECURITY FORCES
1.X.3.1.1.2		CMB - ARMOUR
1.X.3.1.1.3		CMB - ANTI ARMOUR
1.X.3.1.1.4		CMB - AVIATION
1.X.3.1.1.5		CMB - INFANTRY
1.X.3.1.1.6		CMB - ENGINEER
1.X.3.1.1.7		CMB - FIELD ARTILLERY
1.X.3.1.1.8		CMB - RECONNAISSANCE
1.X.3.1.1.9		CMB - MISSILE (SURFACE-SURFACE)
1.X.3.1.2		CS (COMBAT SUPPORT)
1.X.3.1.2.1		CS - CBRN
1.X.3.1.2.10		CS - DRILLING
1.X.3.1.2.2		CS - MILITARY INTELLIGENCE
1.X.3.1.2.3		CS - LAW ENFORCEMENT UNIT
<i>Results truncated to first 20 rows...</i>		

676	SP2_CountryCode INTEL-FS Spiral 2::NATO::JISR::Domain::common::SP2_CountryCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_cg-8IOXDEeytb7nas2TRxw
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SP2_CountryCode - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

677	<p>SP2_CountryCodeAllegiance</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::SP2_CountryCodeAllegiance</p> <p>Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#2f0ffa3436584d72a106a2df8f6fe00a</p>
-----	---	--



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::SP2_CountryCodeAllegiance - Owned Enumeration Literals		
Name	Short Name	Value
ABW		
AFG		
AGO		
AIA		
ALA		
ALB		
AND		
ARE		
ARG		
ARM		
ASM		
ATA		
ATF		
ATG		
AUS		
AUT		
AZE		
BDI		
BEL		
BEN		
<i>Results truncated to first 20 rows...</i>		

678	<p>SP2_CountryCodeNationality INTEL-FS Spiral 2::NATO::JISR::Battlespace::SP2_CountryCodeNationality Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#dc5fbcaf6a414b489fd2f40c73306f42</p>
-----	---	--



INTEL-FS Spiral 2::NATO::JISR::Battlespace::SP2_CountryCodeNationality - Owned Enumeration Literals		
Name	Short Name	Value
ABW		
AFG		
AGO		
AIA		
ALA		
ALB		
AND		
ARG		
ARM		
ASM		
ATA		
ATG		
AUS		
AUT		
AZE		
BGD		
BHR		
BHS		
BRB		
DZA		
<i>Results truncated to first 20 rows...</i>		

679	<p>SP2_EchelonSize INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::SP2_EchelonSize Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#a93c6433d22047c380d8b001148dfd57</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::SP2_EchelonSize - Owned Enumeration Literals		
Name	Short Name	Value
AFAA		
AGF		
AGRP		
ASQD		
BGD		
BTN		
CMBC		
CPS		
CRW		
CSB		
DIV		
FA		
FLGT		
PTN		
RG		
RT		
SCT		
SQD		
TEAM		
WNG		
<i>Results truncated to first 20 rows...</i>		

680	SP2_EmploymentType_AIntP_3 INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SP2 _EmploymentType_AIntP_3 Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#3aa8ce06ffeb41eaa35b7df8127df73f
-----	--	---



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SP2_EmploymentType_AIntP_3 - Owned Enumeration Literals		
Name	Short Name	Value
AD		
AM		
AT		
CN		
CO		
CS		
DC		
DI		
DM		
DP		
FM		
IA		
IM		
IO		
IS		
JA		
JD		
JM		
JS		
JU		
<i>Results truncated to first 20 rows...</i>		

681	<p>SP2_EquipmentType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::SP2_EquipmentType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#1052a85a96de4499a339d33fa6ba9f81</p>
-----	--	--



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::SP2_EquipmentType - Owned Enumeration Literals		
Name	Short Name	Value
Air - Civilian		
Air - Civilian - Airship		
Air - Civilian - Fixed Wing		
Air - Civilian - Lighter Than Air		
Air - Civilian - Rotary Wing		
Air - Civilian - Rotary Wing - Attack Helicopter		
Air - Civilian - Rotary Wing - Drone		
Air - Civilian - Rotary Wing - Helicopter, General		
Air - Civilian - Rotary Wing - Reconnaissance Helicopter		
Air - Civilian - Rotary Wing - Transport Helicopter		
Air - Civilian - Rotary Wing - Utility Helicopter		
Air - Civilian - Tethered Lighter than Air		
Air - Civilian - Unmanned Aircraft (UA) / Unmanned Aerial Vehicle (UAV) / Unmanned Aircraft System (UAS) / Remote Piloted Vehicle (RPV)		
Air - Manual Track		
Air - Military		
Air - Military - Airship		
Air - Military - Fixed-Wing		
Air - Military - Fixed-Wing - Airborne Command Post (ACP)		
Air - Military - Fixed-Wing - Airborne Early Warning (AEW)		
Air - Military - Fixed-Wing - Antisubmarine Warfare		
<i>Results truncated to first 20 rows...</i>		

682	<p>SP2_EthnicGroupType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP2_EthnicGroupType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#b943a66963b84dc29fbaae8220e4ccc1</p>
-----	--	--



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP2_EthnicGroupType - Owned Enumeration Literals		
Name	Short Name	Value
Q109402		
Q171795		
Q179248		
Q211720		
Q237534		
Q282427		
Q35323		
Q377085		
Q405435		
Q464237		
Q482942		
Q79797		
XAN		
XBA		
XCR		
XNO		
XRO		
XVA		
XVR		
XZE		
<i>Results truncated to first 20 rows...</i>		

683	SP2_EventType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::SP2_EventType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#210d5fec5a1642578ca5afc0f621fa5e
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Action::Event::SP2_EventType - Owned Enumeration Literals		
Name	Short Name	Value
I		
I-ACC		
I-CAI		
I-CAI-ARR		
I-CAI-ARS		
I-CAI-ATCA		
I-CAI-ATCA-H		
I-CAI-ATCA-K		
I-CAI-ATCA-M		
I-CAI-ATCA-R		
I-CAI-BM		
I-CAI-BT		
I-CAI-CO		
I-CAI-CR		
I-CAI-DB		
I-CAI-DBS		
I-CAI-DR		
I-CAI-EX		
I-PIR		
<i>Results truncated to first 20 rows...</i>		

684	<p>SP2_PlaceType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::SP2_PlaceType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#cd8a669491264ab1b1badc42551dc38d</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Facility::SP2_PlaceType - Owned Enumeration Literals		
Name	Short Name	Value
I		
I-AC		
I-AEP		
I-AP		
I-APA		
I-BLL		
I-CBRN		
I-EEP		
I-EEP-B		
I-EM		
I-GLL		
I-GOVL		
I-MAT		
I-MGS		
I-MINE		
I-MSSP		
I-NNCBRN		
I-PM		
I-SH		
I-WLL		
<i>Results truncated to first 20 rows...</i>		

685	<p>SP2_ProfessionType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SP2 _ProfessionType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#684cb34f42c2418393e852bf540a4533</p>
-----	---	--



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SP2_ProfessionType - Owned Enumeration Literals		
Name	Short Name	Value
Q10384029		
Q10729326		
Q11075015		
Q121998		
Q14886050		
Q17176618		
Q193391		
Q20706626		
Q2159907		
Q22923679		
Q247797		
Q30461		
Q311396		
Q384593		
Q392651		
Q6503343		
Q82955		
Q83307		
Q842782		
Q9352089		
<i>Results truncated to first 20 rows...</i>		

686	SP2_ReleaseAuthority INTEL-FS Spiral 2::NATO::JISR::Domain::common::SP2_ReleaseAuthorit y Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#671d388b6472499c8fb6248fd7d70b1c
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SP2_ReleaseAuthority - Owned Enumeration Literals		
Name	Short Name	Value
ABW		
AFG		
AGO		
AIA		
ALA		
ALB		
AND		
ARE		
ARG		
ARM		
ASM		
ATA		
ATF		
ATG		
AUS		
AUT		
AZE		
BDI		
BEL		
BEN		
<i>Results truncated to first 20 rows...</i>		

687	SP2_Religion INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP2_Religion Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#9b05658a4196415a81adb1eb86520adc
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP2_Religion - Owned Enumeration Literals

Name	Short Name	Value
CHR		
CHR-CA		
CHR-CA-COP		
CHR-CA-MAR		
CHR-COE		
CHR-EOC		
CHR-OOC		
CHR-OOC-EO		
CHR-PR		
DR		
IS		
IS-SHI		
IS-SHI-ALA		
IS-SHI-ISM		
IS-SHI-TWE		
IS-SHI-ZAI		
IS-SUN		
IS-SUN-SAL		
IS-SUN-SAL-WAH		
JU		

Results truncated to first 20 rows...

688	SP2_Tribe INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP2_Tribe Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#f1f5424ce89d4a879da0e81716c740a0
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::SP2_Tribe - Owned Enumeration Literals

Name	Short Name	Value
AF		
AH		
BA		
BH		
DA		
GU		
HI		
KH		
KY		
MA		
MH		
ML		
MO		
NU		
PN		
SD		
SI		
SN		
SR		
TI		

Results truncated to first 20 rows...

689	<p>SP2_UnitCategoryCode_CW INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation ::Unit::SP2_UnitCategoryCode_CW Type: <Enumeration></p>	<p><p>PLace holder for the set of Org types in SP2. SP1 domain values should map to the individual tables</p> platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#62df2e08db914e09a1a8fc94220040d1</p>
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::SP2_UnitCategoryCode_CW - Owned Enumeration Literals		
Name	Short Name	Value
GovernmentOrganisation		
GovernmentOrganisation - InternalSecurityForcesOrganisation		
GovernmentOrganisation - InternalSecurityForcesOrganisation - AviationSecurityForcesUnit		
GovernmentOrganisation - InternalSecurityForcesOrganisation - DismountedSecurityForcesUnit		
GovernmentOrganisation - InternalSecurityForcesOrganisation - RailwaySecurityForcesUnit		
GovernmentOrganisation - InternalSecurityForcesOrganisation - RiverineSecurityForcesUnit		
GovernmentOrganisation - InternationalCivilGovernmentalOrganisation		
GovernmentOrganisation - InternationalCivilOrMilitaryGovernmentalOrganisation		
GovernmentOrganisation - MilitaryOrganisation		
GovernmentOrganisation - MilitaryOrganisation - ExecutiveMilitaryOrganisation		
GovernmentOrganisation - MilitaryOrganisation - ExecutiveMilitaryOrganisation - Headquarters		
GovernmentOrganisation - MilitaryOrganisation - ExecutiveMilitaryOrganisation - LogisticsExecutiveMilitaryOrganisation		
GovernmentOrganisation - MilitaryOrganisation - ExecutiveMilitaryOrganisation - MilitaryServiceExecutiveMilitaryOrganisation		
GovernmentOrganisation - MilitaryOrganisation - ExecutiveMilitaryOrganisation - PersonnelExecutiveMilitaryOrganisation		

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Organisation::Unit::SP2_UnitCategoryCode_CW - Owned Enumeration Literals		
Name	Short Name	Value
GovernmentOrganisation - MilitaryOrganisation - ExecutiveMilitaryOrganisation - SupplyExecutiveMilitaryOrganisation		
GovernmentOrganisation - MilitaryOrganisation - ExecutiveMilitaryOrganisation - TransportationExecutiveMilitaryOrganisation		
GovernmentOrganisation - MilitaryOrganisation - MilitaryConvoy		
GovernmentOrganisation - MilitaryOrganisation - Unit		
GovernmentOrganisation - MilitaryOrganisation - Unit - CombatServiceSupportUnit		
GovernmentOrganisation - MilitaryOrganisation - Unit - CombatServiceSupportUnit - AdministrativeUnit		
<i>Results truncated to first 20 rows...</i>		

690	Section INTEL-FS Spiral 2::NATO::JISR::Domain::common::Section Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0a68249048954fe1890b48214e0f60a9
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::Section - Owned Enumeration Literals

Name	Short Name	Value
NATO HQ SARAJEVO		NATO HQ SARAJEVO
A2		A2
A2 ASSESSMENTS ASSESS & DISSEMINATION		A2 ASSESSMENTS ASSESS & DISSEMINATION
A2 ASSESSMENTS CURRENT INTEL		A2 ASSESSMENTS CURRENT INTEL
A2 CCIRM		A2 CCIRM
A2 CI &SY		A2 CI &SY
A2 TARGETS		A2 TARGETS
A2 TARGETS APPLICATIONS		A2 TARGETS APPLICATIONS
A2 TARGETS SUPPORT		A2 TARGETS SUPPORT
AC CI		AC CI
AFG/PAK		AFG/PAK
AFPAK		AFPAK
AOTD		AOTD
AOTD/MOD		AOTD/MOD
Afghanistan		Afghanistan
Africa		Africa
Army		Army
Assessment		Assessment
BEMOD		BEMOD
CA CDI CCIRM		CA CDI CCIRM

Results truncated to first 20 rows...

691	SecurityLevel INTEL-FS Spiral 2::NATO::JISR::Domain::common::SecurityLevel Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_fce613406bf7430cb50d325c79fbee16
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SecurityLevel - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
besc		Access to Base (escorted)
bunesc		Access to Base (unescorted)
c1esc		Class I (escorted)
c1unesc		Class I (unescorted)
c2esc		Class II (escorted)
c2unesc		Class II (unescorted)
<i>Results truncated to first 20 rows...</i>		

692	SecurityQuestion INTEL-FS Spiral 2::NATO::JISR::Domain::common::SecurityQuestion Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_b4923dfe2c194a33944b8ec45cf90c04
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SecurityQuestion - Owned Enumeration Literals

Name	Short Name	Value
Question1		In what city or town did you meet your spouse/partner?
Question2		What is/was the maiden name/surname of your Mother?
Question3		What was the make and model of your first car?
Question4		What was the name of your elementary / primary school?
Question5		What was the name of your high school mascot?
Question6		In what city or town does your nearest sibling live?
Question7		In what city or town where you born?
Question8		What was your favorite place to visit as a child?
Question9		What was the name of your first/favorite pet?
Undefined		

Results truncated to first 20 rows...

693	SensorType INTEL-FS Spiral 2::NATO::JISR::Domain::common::SensorType Type: <Enumeration>	The platform from which the image was taken. [IPIWG 4.20] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8c92e88148be4f5f99bcb23f11313922
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SensorType - Owned Enumeration Literals

Name	Short Name	Value
Undefined		
gc		Gun Camera
ha		High Altitude Aircraft
hh		Hand-held
ot		Other
sa		Satellite
sr		SR71
tr		TAC RECCE
u2		U2
ua		UAV

Results truncated to first 20 rows...

694	ServiceType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::ServiceType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_b02db3867f634c88bb0966d7591d4aba
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::ServiceType - Owned Enumeration Literals

Name	Short Name	Value
A		Army
C		Civilian
F		Air Force
G		General Staff
I		Irregular Forces
M		Marines
N		Navy
P		Coast Guard
S		Strategic Rocket Forces
Undefined		
X		Paramilitary Forces
Y		Air Defense Forces

Results truncated to first 20 rows...

695	Sex INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Sex Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_a2d993e5f6904fbc9de27a2c737099e2
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::Sex - Owned Enumeration Literals		
Name	Short Name	Value
F		Female
M		Male
U		Unknown
Undefined		
<i>Results truncated to first 20 rows...</i>		

696	Shape INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::Shape Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpIxWRUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::Shape - Owned Enumeration Literals

Name	Short Name	Value
-		-
Area		Area
Circle		Circle
Line		Line
Point		Point
Undefined		

Results truncated to first 20 rows...

697	SignificanceType INTEL-FS Spiral 2::NATO::JISR::Domain::common::SignificanceType Type: <Enumeration>	Event significance. This data element reflects the significance of the recorded event. Compatible to AdatP-3 FFIRN 1293 [AIDM Version 3/ BICC/ INTEL-FS Spiral 1] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_3a530db4fd56482bb4ff9ce03d6d6e92
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SignificanceType - Owned Enumeration Literals

Name	Short Name	Value
ATTACK		ATTACK
GL		Global
HS		High Significance
IED		IED
IR		Irrelevant
LIVE FIRING EXERCISE		LIVE FIRING EXERCISE
LS		Low Significance
MS		Medium Significance
ND		Undetermined
NON FIRING EXERCISE		NON FIRING EXERCISE
NT		National
Periodic Event		Periodic Event
RE		Regional
SUSPICIOUS BEHAVIOUR		SUSPICIOUS BEHAVIOUR
Theatre		Theatre
UNUSUAL ACTIVITY		UNUSUAL ACTIVITY
Undefined		
VIOLENT		VIOLENT

Results truncated to first 20 rows...

698	SourceSystemType INTEL-FS Spiral 2::NATO::JISR::Domain::common::SourceSystemType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_a46c38dfd8ec43b48baeb649c02bc242
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SourceSystemType - Owned Enumeration Literals		
Name	Short Name	Value
AOSS		AOSS
BICES		BICES
CSD		CSD
JTS		JTS
MIDB		MIDB
NITB		NITB
Undefined		
<i>Results truncated to first 20 rows...</i>		

699	SpecialisationType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SpecialisationType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_210a3b33e8144443921f17ab54534214
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Actor::Person::SpecialisationType - Owned Enumeration Literals		
Name	Short Name	Value
A		Aviation (Air Crew)
D		Administrative
E		Engineer
EL		Electronics
G		Engineer Technical
IN		Intelligence
J		Justice (Law)
L		Medical
M		Armoured
N		Aviation Engineer
NW		Naval (Watch)
P		Intendance
R		Artillery
S		Signal
SC		Security
UB		Submariner
Undefined		
<i>Results truncated to first 20 rows...</i>		

700	<p>SpecificIntelligenceRequirement</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::SpecificIntelligenceRequirement</p> <p>Type: <Class></p>	<p>Specific intelligence requirements (SIRs) is defined as: specific intelligence requirements support and complement each PIR and provide a more detailed description of the requirement. SIRs are used by the intelligence staff to determine what intelligence asset, collection capability or discipline can best satisfy the requirement, and to identify the coordination required. [AJP-2.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_uPZe8J9SEeqGY6i_CL9eLQ</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Staff::IRCM::IRM::ICP::SpecificIntelligenceRequirement - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AnticipatedTimeIntervalForActivity	<u>CalendarClockIntervalZuluType</u>	<u>Requirement</u>	0..1	Define start collection, stop collection
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CollectionInterval	<u>CalendarClockIntervalZuluType</u>	<u>Requirement</u>	0..1	
Comment	<u>String</u>	<u>Requirement</u>	0..1	This section provides any additional comments offered by the originator
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
GeographicAreasOfInterest	<u>ControlFeature</u>	<u>Requirement</u>	0..*	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Indicators	<u>Indicator</u>	<u>Requirement</u>	0..*	
IntelCollectionDiscipline	<u>IntelligenceDisciplineType</u>	<u>Requirement</u>	0..*	
Key	<u>String</u>	<u>Entity</u>	1..1	
LatestDateZuluOfInformationValue	<u>OpenEndDateTimeZuluType</u>	<u>Requirement</u>	0..1	
LatestReportDateZulu	<u>LatestReportDateZulu</u>	<u>Requirement</u>	0..1	
LocationAccuracyRequired	<u>LocationAccuracyEnum</u>	<u>Requirement</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Requirement</u>	0..1	
Originator	<u>OriginatorType</u>	<u>Requirement</u>	0..1	
Priority	<u>NumericPriorityType</u>	<u>Requirement</u>	0..1	ThefinalpriorityofRequirement.IfthepriorityisaCollectionRequirement(CR)thispriorityistheCRRank.TheIR'sprioritywithinthisplan

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::IRM::ICP::SpecificIntelligenceRequirement - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
RequiredInformation	<u>String</u>	<u>Requirement</u>	0..1	
RequiredProduct	<u>RequiredProductType</u>	<u>Requirement</u>	0..*	
SP1_Background	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_EndCollection	<u>DateTimeZuluType</u>	<u>InformationRequirement</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_Justification	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_Narrative	<u>String</u>	<u>InformationRequirement</u>	0..1	
SP1_StartCollection	<u>DateTimeZuluType</u>	<u>InformationRequirement</u>	0..1	
SerialNumber	<u>SerialNumberType</u>	<u>Requirement</u>	0..1	
Status	<u>InformationRequirementStatusType</u>	<u>Requirement</u>	0..1	The IR's status within current plan
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
SupportedOperations	<u>SupportedOperations</u>	<u>Requirement</u>	0..1	
Type	<u>RequirementTypeEnumeration</u>	<u>Requirement</u>	0..1	

701	Speed INTEL-FS Spiral 2::NATO::Datatypes::Speed Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_trP10KkUEeyPjPr1a0o5zw
-----	--	--

INTEL-FS Spiral 2::NATO::Datatypes::Speed - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
accuracyMeasure	<u>Decimal</u>	<u>Speed</u>	0..1	
measuredSpeed	<u>Decimal</u>	<u>Speed</u>	1..1	
precisionCode	<u>SpeedPrecisionCode</u>	<u>Speed</u>	0..1	

702	SpeedPrecisionCode INTEL-FS Spiral 2::NATO::Datatypes::SpeedPrecisionCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_trP12qkUEeyPjPr1a0o5zw
-----	---	--

INTEL-FS Spiral 2::NATO::Datatypes::SpeedPrecisionCode - Owned Enumeration Literals		
Name	Short Name	Value
KilometresPerHour		
Knots		
MetresPerSecond		
Undefined		
<i>Results truncated to first 20 rows...</i>		



703	StaffIIE INTEL-FS Spiral 2::NATO::JISR::Staff::StaffIIE Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_arJiYP5sEeq_kdH4-w_tZQ
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::StaffIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

704	StaffIIE_BattlespaceIIE INTEL-FS Spiral 2::NATO::JISR::Staff::StaffIIE_BattlespaceIIE Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_dntIYIBREeykGLzrnqPgJw
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::StaffIIE_BattlespaceIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StaffIIE_BattlespaceIIE</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE	<u>StaffIIE</u>	<u>StaffIIE_BattlespaceIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_BattlespaceIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::StaffIE_BattlespaceIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>



705	StaffIIE_StaffIIE INTEL-FS Spiral 2::NATO::JISR::Staff::StaffIIE_StaffIIE Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_PON2QH3TEeyRFegWpPEY6g
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::StaffIIE_StaffIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::StaffIIE_StaffIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>



706	StaffMetadata INTEL-FS Spiral 2::NATO::JISR::Staff::StaffMetadata Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qNxA0UFiEeyOEaeeQ3ZSjA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::StaffMetadata - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
APP6BSymbolIDCodingReference	<u>String</u>		0..1	
ASAT	<u>DateTimeZuluType</u>		1..1	ASAT = Date and Time of the information. The ASAT time attribute will identify the date/time of the original information, which may be different than the time the product was uploaded (automatically captured in Creation Date). [IFAS1-SOP]
AlternativeConfidentialityLabel	<u>ConfidentialityLabelType</u>		0..1	
AlternativeSymbol	<u>String</u>		0..1	
AlternativeSymbolFileLink	<u>String</u>		0..1	
ConfidenceAssessment	<u>Confidence</u>		0..1	
ConfidentialityLabel	<u>ConfidentialityLabelType</u>		1..1	
ContentType	<u>LibraryCardContentType</u>		0..1	
DatasetLabel	<u>String</u>		0..1	
Description	<u>String</u>		0..1	
DocumentVersion	<u>String</u>		0..1	
ExpirationDate	<u>DateTimeZuluType</u>		0..1	
ExternalId	<u>String</u>		0..1	Spiral 1 Identifier from external system for IIEs originating externally to INTEL-FS.
FileLink	<u>FileLink</u>		0..*	
FromImport	<u>Boolean</u>		0..1	Spiral 1 Implementation. Indicates that the IIE is a result of an import.
InfoManager	<u>String</u>		0..1	TBC - not documented and not clear what this is in the UI of Sprial 1
InformationCredibility	<u>Credibility</u>		0..1	
InformationSource	<u>InfoSource</u>		0..1	
IntelligenceDatasetType	<u>IntelligenceDatasetType</u>		0..1	
IntelligenceInformationNecessity	<u>IntelligenceInformationNecessity</u>		0..1	
IntelligenceInformationStatus	<u>IntelligenceInformationStatus</u>		0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::StaffMetadata - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
IsDeleted	<u>Boolean</u>		0..1	
IsTemplate	<u>Boolean</u>		0..1	
Keywords	<u>LibraryCardKeyword</u>		0..1	
MissionNumber	<u>String</u>		0..1	
OperationReference	<u>OperationReference</u>		0..1	The name used to describe an exercise or live set of military missions and activities. [AINTP-3]
OrganisationalNode	<u>String</u>		0..1	Organisational Node = It can be an headquarters or other organisation.It provides a logical structuring of Users, functionality and information, and may be independent of the physical node structure.It may be accessed locally or across the wide-area network.It have the flexibility to fully operate in a disconnected environment, without connectivity with other Nodes and to synchronise data when the connectivity between Nodes becomes available -- Spiral 1 Training Material
OriginatorConfidentialityLabel	<u>ConfidentialityLabelType</u>		0..1	
Periodicity	<u>LibraryCardProductPeriod</u>		0..1	
PointOfContact	<u>PointOfContact</u>		1..1	Replaces LibraryProduct POC, email, POC phone number, etc. with AEDP-19 POC definition. This is currently the richest POC definition from amongst the available standards. The name of the point of contact at the organisation that produced the product. [IPIWG-4.20] Product Point Of Contact. POC information should identify the individual or office with subject matter knowledge of the product, which may be different than the individual or office uploading the product. [IFAS1-SOP]

INTEL-FS Spiral 2::NATO::JISR::Staff::StaffMetadata - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Producer	<u>LibraryCardCommand</u>		1..1	<p>The entity primarily responsible for making the content of the resource. [IPIWG-4.20]</p> <p>The Producer of the product. The Producer attribute is to indicate the organisation/section that is responsible for the creation of the content of the product/report, which may be different than the organisation uploading the product. Users are not authorised to upload products with a Producer value different from their own organisation unless they are authorised by the actual producer to upload products on its behalf (e.g. SHAPE IRM uploads on behalf of Nations). [IFAS1-SOP]</p>
ProductType	<u>ContentType</u>		0..1	
PublicationSource	<u>LibraryCardDomain</u>		0..1	Spiral 1 Non documented
PublishedStatus	<u>PublishedStatusType</u>		0..1	
RelatedEntities	<u>String</u>		0..*	
RelatedFiles	<u>FileLink</u>		0..*	
Remarks	<u>String</u>		0..1	
Site	<u>String</u>		0..1	Spiral 1 Non documented
SourceDatasource	<u>String</u>		0..1	Spiral 1 Implementation specific. Used for IIEs sourced outside of INTEL-FS.
SourceReliability	<u>Reliability</u>		0..1	
SourceServer	<u>String</u>		0..1	Spiral 1 Implementation specific. Used for IIEs sourced outside of INTEL-FS.
SourceSystem	<u>String</u>		0..1	
SourceSystemIdentifier	<u>String</u>		0..1	
Title	<u>String</u>		0..1	A name given to the resource. Title should be provided in English even if the document is in another language. -- IPIWG 4.14 Common Layer
VersionNumber	<u>String</u>		0..1	

707	<p>Stage</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::Stage</p> <p>Type: <Class></p>	<p>The Stage, Decoy, Countermeasure and Re-entry Vehicle data elements represent the parameters for subcomponents of ballistic missiles since these are sometimes common to different missiles, variants or configurations. The Re-entry Vehicle data element includes warhead information. A stage represents a specific phase of engines and propellants of a ballistic missile. A Stage is part of the Threat Characteristics which define the behaviour of a particular ballistic missile (BM) type represented by a Threat. -- Database Design Description, SWDBDD0 TMD1-201-201-Rev D, 24 March 2016</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nSf8sPjqEemscYqpTO3mmA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::Stage - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	String	IntelligenceInformationEntity	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMStageTECHINT	StageTECHINT	Stage	1..1	
BPs	BusinessProcess	IntelligenceInformationEntity	0..*	
BallisticMissile	BallisticMissile	Stage	1..*	
CandidateTarget	CandidateTarget	Equipment	0..*	
Description	String	IntelligenceInformationEntity	0..1	
ExtensibleType	ExtensibleTypeGroup	Entity	0..1	
ID	Integer	Entity	0..1	
IIEAttributes	IIEAttribute	IntelligenceInformationEntity	0..*	
IdentifierUUID	String	Entity	0..1	
Key	String	Entity	1..1	
Metadata	BattlespaceMetadata	BattlespaceIIE	1..1	
Name	String	Entity	0..1	
ReportableItemIdentifier	String	Materiel	0..1	
SP1_GeoEntities	Geometry	IntelligenceInformationEntity	0..*	
SerialNumberIdentifier	String	Materiel	0..1	
StatusReports	EquipmentStatusReport	Equipment	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::Stage - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINT	<u>TECHINT</u>	<u>Equipment</u>	1..1	Type of all (non-expendable) items needed to outfit/equip an individual or unit. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]
Target	<u>Target</u>	<u>Equipment</u>	0..*	

708	<p>StageTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTECHINT</p> <p>Type: <Class></p>	<p>The Stage, Decoy, Countermeasure and Re-entry Vehicle data elements represent the parameters for subcomponents of ballistic missiles since these are sometimes common to different missiles, variants or configurations. The Re-entry Vehicle data element includes warhead information. A stage represents a specific phase of engines and propellants of a ballistic missile. A Stage is part of the Threat Characteristics which define the behaviour of a particular ballistic missile (BM) type represented by a Threat. -- Database Design Description, SWDBDD0 TMD1-201-201-Rev D, 24 March 2016</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_dSxnAPikEemkcIoqyiQteg</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMStageEquipment	<u>Stage</u>	<u>StageTECHINT</u>	0..*	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>StageTECHINTStatusReport</u>	<u>StageTECHINT</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	

709	<p>StageTECHINTStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTECHINTStatusReport</p> <p>Type: <Class></p>	<p>The Stage, Decoy, Countermeasure and Re-entry Vehicle data elements represent the parameters for subcomponents of ballistic missiles since these are sometimes common to different missiles, variants or configurations. The Re-entry Vehicle data element includes warhead information. A stage represents a specific phase of engines and propellants of a ballistic missile. A Stage is part of the Threat Characteristics which define the behaviour of a particular ballistic missile (BM) type represented by a Threat. -- Database Design Description, SWDBDD0 TMD1-201-201-Rev D, 24 March 2016</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_fyrVIPjqEemscYqpTO3mmA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativeIdentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BMStageTECHINT	<u>StageTECHINT</u>	<u>StageTECHINTStatusReport</u>	1..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
BoostTime	<u>TimeDuration</u>	<u>StageTECHINTStatusReport</u>	0..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
CoefficientOfDrag	<u>CoefficientVersusMachNumber</u>	<u>StageTECHINTStatusReport</u>	0..*	The coefficient of drag of the stage type
CoefficientOfLift	<u>CoefficientVersusMachNumber</u>	<u>StageTECHINTStatusReport</u>	0..*	The coefficient of lift of the stage type

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Diameter	<u>Distance</u>	<u>StageTECHINTStatusReport</u>	0..1	Diameter of the type of stage
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	
ExpectedBoostTime	<u>TimeDuration</u>	<u>StageTECHINTStatusReport</u>	0..1	The expected duration of boost provided by this stage
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FuelFlowRate	<u>MassPerUnitDuration</u>	<u>StageTECHINTStatusReport</u>	0..1	The rate at which the fuel flows to the stage engines
FuelMass	<u>Mass</u>	<u>StageTECHINTStatusReport</u>	0..1	The mass of fuel used by the type of stage
FuelType	<u>FuelTypeCode</u>	<u>StageTECHINTStatusReport</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Length	<u>Distance</u>	<u>StageTECHINTStatusReport</u>	0..1	Length of the type of stage
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
MassEmpty	<u>Mass</u>	<u>StageTECHINTStatusReport</u>	0..1	The mass of the type of stage when empty
MaximumFuelledTime	<u>TimeDuration</u>	<u>StageTECHINTStatusReport</u>	0..1	The maximum time that this type of stage can remain fuelled before it becomes unusable
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
MinimumBurnTime	<u>TimeDuration</u>	<u>StageTECHINTStatusReport</u>	0..1	The minimum period for which this stage's engine can burn
MinimumTimeToFuel	<u>TimeDuration</u>	<u>StageTECHINTStatusReport</u>	0..1	The minimum time that it takes to fill an empty stage of this type with fuel
Name	<u>String</u>	<u>Entity</u>	0..1	
NozzleExitArea	<u>UnlimitedNatural</u>	<u>StageTECHINTStatusReport</u>	0..1	The total nozzle exit area for all stage engines
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
PMESII	PMESII	StatusReport	0..1	
Propellant	FuelTypeCode	StageTECHINTStatusReport	0..1	The category of fuel used by this stage e.g. Solid
RadarCrossSection	RadarCrossSection	StageTECHINTStatusReport	0..1	
RadarCrossSectionAfterStageSeparation	RadarCrossSection	StageTECHINTStatusReport	0..*	
RadarCrossSectionPriorToStageSeparation	RadarCrossSection	StageTECHINTStatusReport	0..*	
Range	Distance	TECHINTStatusReport	0..1	
ReferenceArea	UnlimitedNatural	StageTECHINTStatusReport	0..1	The projected frontal area of the stage type
Region	RegionType	StatusReport	0..1	
SP1_ElevationUnit	DistanceUnitsType	StatusReport	0..1	
SP1_GeoEntities	Geometry	IntelligenceInformationEntity	0..*	
SP1_GgeographicElevation	AltitudeType	StatusReport	0..1	
Size	DimensionsLengthWidthHeightType	TECHINTStatusReport	0..1	
Source	String	StatusReport	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
SpecificImpulseInVacuum	Speed	StageTECHINTStatusReport	0..1	A measure of how effectively a rocket uses propellant. Where fuel is measured as a mass then specific impulse is in units of velocity
Speed	Speed	TECHINTStatusReport	0..1	
StageNumber	Integer	StageTECHINTStatusReport	0..1	Is this the missile's first stage, second etc.?
StageType	StageTypeCode	StageTECHINTStatusReport	0..1	Identifier for the type of BM stage
StatusReportAssessment	StatusReportAssessment	StatusReport	0..1	
StatusReports	StatusReport	BattlespaceIIE	1..*	
SubCategory	EquipmentSubCategoryType	TECHINTStatusReport	0..1	
SubRegion	SubRegionType	StatusReport	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	
_thrust	<u>UnlimitedNatural</u>	<u>StageTECHINTStatusReport</u>	0..1	

710	StageTypeCode INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTypeCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_nGB94PixEemkcIoqyiQteg
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::StageTypeCode - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

711	Statuslr INTEL-FS Spiral 2::NATO::JISR::Domain::common::Statuslr Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8e742a29421147f2914c0ef1a9a9376b
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::Statuslr - Owned Enumeration Literals		
Name	Short Name	Value
Amber		Amber
Green		Green
Red		Red
Undefined		
<i>Results truncated to first 20 rows...</i>		

712	StatusReport INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReport Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_gKzDUPlwEemoqLjBo08w4g
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

713	StatusReportAssessment INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReportAssessment Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_dKwY8AO9EeuBo-B1K15fhQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReportAssessment - Owned Enumeration Literals		
Name	Short Name	Value
Assessed		
Contributing		
Undefined		
<i>Results truncated to first 20 rows...</i>		

714	StatusReport_Product INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReport_Product Type: <AssociationClass>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0Vz1wKDBEqz4qMNCq9PtQ
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReport_Product - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>BattlespaceIIE_StaffIIE</u>	0..*	
BattlespaceMetadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE_StaffIIE</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ProductIIE	<u>ProductIIE</u>	<u>StatusReport_Product</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE	<u>StaffIIE</u>	<u>BattlespaceIIE_StaffIIE</u>	0..*	
StatusReport	<u>StatusReport</u>	<u>StatusReport_Product</u>	0..*	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::StatusReport_Product - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	String	IntelligenceInformationEntity	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

715	StrengthType INTEL-FS Spiral 2::NATO::JISR::Domain::common::StrengthType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_5a60987d38e743a78f9dd59f75441991
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::StrengthType - Owned Enumeration Literals		
Name	Short Name	Value
Confirmed		Confirmed
Tentative		Tentative
Undefined		
<i>Results truncated to first 20 rows...</i>		

716	SubRegionType INTEL-FS Spiral 2::NATO::JISR::Domain::common::SubRegionType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_ac03848cf18546a191c6cabede83af56
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Domain::common::SubRegionType - Owned Enumeration Literals

Name	Short Name	Value
AF03i Jadid		AF03i Jadid
Ab Band		Ab Band
Abcamar		Abcamar
Achin		Achin
Adraskan		Adraskan
Aginskiy Buryatskiy Avtonomnyy Okrug		Aginskiy Buryatskiy Avtonomnyy Okrug
Ahmad Abad		Ahmad Abad
Ajristan		Ajristan
Akciabrski District		Akciabrski District
Alasay		Alasay
Alchevs'ka Mis'krada		Alchevs'ka Mis'krada
Ali Abad		Ali Abad
Alingar		Alingar
Alishing		Alishing
Almar		Almar
Altayskiy Kray		Altayskiy Kray
Alushtyns'ka Mis'krada		Alushtyns'ka Mis'krada
Amur-Nyzhn'odniprovs'ky Rayon		Amur-Nyzhn'odniprovs'ky Rayon
Amurskaya Oblast		Amurskaya Oblast
aersk District		aersk District

Results truncated to first 20 rows...

717	SubjectiveQualityCode INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SubjectiveQualityCode Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_c020e077b4934e43bd13fc4553a92c4e
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SubjectiveQualityCode - Owned Enumeration Literals		
Name	Short Name	Value
EXCELLENT		Excellent
FAIR		Fair
GOOD		Good
POOR		Poor
Undefined		
<i>Results truncated to first 20 rows...</i>		

718	<p>SubstanceNameType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::SubstanceNameType Type: <Enumeration></p>	<p><p THE NAME OF CBRN SUBSTANCES. [ATP-45-F-2]</p platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_6NPHoK2yEeynIZTqcIRC0A</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::SubstanceNameType - Owned Enumeration Literals		
Name	Short Name	Value
AC		
AFLT		
AM241		
AM241BE		
ANTB		
BOTT		
BRUB		
BUMB		
BUPB		
BZ		
CBUB		
CCHV		
CF252		
CG		
CHIV		
CK		
CLPT		
CM244		
CO60		
CS137		
<i>Results truncated to first 20 rows...</i>		

719	<p>SubsurfaceVesselCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SubsurfaceVesselCategoryCode</p> <p>Type: <Enumeration></p>	<p>The class of SubsurfaceVessel.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SnMu3pJZEeybR8MjY-oHwA</p>
-----	--	---



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SubsurfaceVesselCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
AuxiliarySubmarine		
BallisticMissileSubmarine		
CoastalSubmarine		
CommercialGeneralSubmersible		
CommercialRescueSubmersible		
CommercialResearchSubmersible		
DeepSubmergenceVehicle		
GeneralSubmarine		
GuidedMissileAttackSubmarine		
MilitaryCapabilityUnknownSubmarine		
MilitaryDeepSubmergenceVehicle		
MilitaryDeepSubmersibleRescueVehicle		
MilitaryRescueSubmersible		
MilitaryResearchSubmersible		
NuclearAttackSubmarine		
NuclearBallisticMissileSubmarine		
NuclearGuidedMissileAttackSubmarine		
NuclearPoweredAuxiliarySubmarine		
NuclearPoweredMilitaryCapabilityUnknownSubmarine		
PatrolSubmarine		
<i>Results truncated to first 20 rows...</i>		

720	<p>SubsurfaceVesselTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SubsurfaceVesselTECHINT</p> <p>Type: <Class></p>	<p>A Vessel principally designed to operate under the water surface.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SnMu0JJZEeybR8MjY-oHwA</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SubsurfaceVesselTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>VesselTECHINTStatusReport</u>	<u>VesselTECHINT</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SubsurfaceVesselTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
categoryCode	<u>SubsurfaceVesselCategoryCode</u>	<u>SubsurfaceVesselTECHINT</u>	0..1	
cavitationSpeed	<u>Decimal</u>	<u>SubsurfaceVesselTECHINT</u>	0..1	
divedDisplacementMeasure	<u>Decimal</u>	<u>SubsurfaceVesselTECHINT</u>	0..1	
hasTorpedoLoadingGearIndicator	<u>Boolean</u>	<u>SubsurfaceVesselTECHINT</u>	0..1	

721	<p>SupplementaryIntelligenceReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::SupplementaryIntelligenceReport::SupplementaryIntelligenceReport</p> <p>Type: <Class></p>	<p>Message identifier (Name): SUPINTREP (SUPPLEMENTARY INTELLIGENCE REPORT)</p> <p>Related Documents: STANAG 2511</p> <p>Purpose: THE SUPINTREP IS USED FOR PROVIDING ALL ADDRESSEES WITH COMPREHENSIVE REVIEWS OF NON-TIME-SENSITIVE INTELLIGENCE COLLECTED OVER AN EXTENDED PERIOD OF TIME, OR DETAILED INTELLIGENCE STUDIES ON SPECIFIC SUBJECTS.</p> <p>Sponsor: NSA (JSB) JOINT INTELLIGENCE WORKING GROUP (JINTWG)</p> <p>Notes: none</p> <p>Status: Published</p> <p>[APP-11-D-1]</p> <p>platform: /resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SYTWwKDHEeqz4qMNCq9PtQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::SupplementaryIntelligenceReport::SupplementaryIntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::SupplementaryIntelligenceReport::SupplementaryIntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
SupplementaryIntelligenceReport	<u>SupplementaryIntelligenceReport</u>	<u>SupplementaryIntelligenceReport</u>	1..1	
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	



INTEL-FS Spiral 2::NATO::JISR::Staff::Product::APP-11::SupplementaryIntelligenceReport::SupplementaryIntelligenceReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
UpperLeft	<u>Point</u>	<u>ProductIE</u>	0..1	

722	<p>SurfaceVesselCategoryCode</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SurfaceVesselCategoryCode</p> <p>Type: <Enumeration></p>	<p>The class of SurfaceVessel.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SnMvAJJZEeybR8MjY-oHwA</p>
-----	--	--



INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SurfaceVesselCategoryCode - Owned Enumeration Literals		
Name	Short Name	Value
AirCushionCoastalMinesweeper		
AirCushionFleetMinesweeper		
AirCushionGuidedMissileAttackBoat		
AirCushionGuidedMissilePatrolCombatant		
AirCushionInshoreMinesweeper		
AirCushionLandingCraft		
AirCushionMediumLandingCraft		
AirCushionTorpedoBoat		
AirCushionUtilityLandingCraft		
AircraftFerryOrCargoShip		
AircraftRepairShip		
AircraftRescueVessel		
AircraftTransportLighter		
AmbulanceBoat		
AmmunitionLighter		
AmmunitionShip		
AmmunitionTransportShip		
AmphibiousAssaultVehicle		
AmphibiousCargoShip		
AmphibiousFireSupportShip		
<i>Results truncated to first 20 rows...</i>		

723	<p>SurfaceVesselTECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SurfaceVesselTECHINT</p> <p>Type: <Class></p>	<p>A Vessel principally designed to operate on the water surface.[MIM-5.1].</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_SnMu9ZJZEeybR8MjY-oHwA</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SurfaceVesselTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>VesselTECHINTStatusReport</u>	<u>VesselTECHINT</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::Vessel::SurfaceVesselTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
categoryCode	<u>SurfaceVesselCategoryCode</u>	<u>SurfaceVesselTECHINT</u>	0..1	
displacementMeasure	<u>Decimal</u>	<u>SurfaceVesselTECHINT</u>	0..1	
maximumDeckLoadMeasure	<u>Decimal</u>	<u>SurfaceVesselTECHINT</u>	0..1	

724	SwitchCategory INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::SwitchCategory Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_975f6d15cbdd4ee3a3705a91d25907f3
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::SwitchCategory - Owned Enumeration Literals		
Name	Short Name	Value
ASC		Arming Switch - Command
AST		Arming Switch - Time
ASV		Arming Switch - Victim Operated
FSC		Firing Switch - Command
FST		Firing Switch - Time
FSV		Firing Switch - Victim Operated
Undefined		
<i>Results truncated to first 20 rows...</i>		

725	<p>SwitchTECHINT INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::SwitchTECHINT Type: <Class></p>	<p>A trigger, switch or some other direct or indirect means of setting the device off, such as a radio signal, trip wire, timer or firing button that someone presses. A common form of remote trigger is a cell phone, cordless phone, radio or garage door opener activated by someone who is watching. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_s4oL7F13Eeq_ycE4xm7uyA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::SwitchTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
DaisyChainType	<u>DaisyChainType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DeviceType	<u>DeviceType</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RCIEDCode	<u>String</u>	<u>SwitchTECHINT</u>	0..1	
RCIEDDescription	<u>String</u>	<u>SwitchTECHINT</u>	0..1	
RCIEDPowerOutput	<u>String</u>	<u>SwitchTECHINT</u>	0..1	
RCIEDTransmitFrequency	<u>String</u>	<u>SwitchTECHINT</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::SwitchTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>TECHINTStatusReport</u>	<u>TECHINT</u>	1..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
SwitchCategory	<u>SwitchCategory</u>	<u>SwitchTECHINT</u>	0..1	
SwitchContainer	<u>String</u>	<u>SwitchTECHINT</u>	0..1	
SwitchType	<u>SwitchTypeType</u>	<u>SwitchTECHINT</u>	0..1	
Switches	<u>SwitchTECHINT</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..*	
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
TechnicalComments	<u>String</u>	<u>ImprovisedExplosiveDeviceTECHINT</u>	0..1	
UnknownSwitchAssesment	<u>Boolean</u>	<u>SwitchTECHINT</u>	0..1	

726	<p>SwitchTypeType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::SwitchTypeType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_66f57fb75f8746a981922c6742dff899</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::IED::SwitchTypeType - Owned Enumeration Literals		
Name	Short Name	Value
AI		Active Infrared
CC		Collapsing Circuit
CCR		Chemical - Chemical Reaction
CPD		Chemical - Pyrotechnic Delay
CPM		Command Projectile - Membrane
CPP		Command Projectile - Plate
CW		Command Wire
EC		Electronic - Clock
ET		Electronic - Timer
EW		Electronic - Watch
MCM		Mechanical - Clock Mechanism
MD		Mechanical - Displacement
MS		Membrane Switch
OPT		Optical
PCW		Pressure - Crush Wire
PP		Pressure - Plunger
PPL		Pressure - Plate
PPR		Pressure/Pressure Release
PR		Pressure Release
PT		Pressure - Tube
<i>Results truncated to first 20 rows...</i>		



727	System INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::System Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_jplP4CuiEeuVgZbrw16AKQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::System - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CandidateTarget	<u>CandidateTarget</u>	<u>Equipment</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ReportableItemIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumberIdentifier	<u>String</u>	<u>Materiel</u>	0..1	
StatusReports	<u>EquipmentStatusReport</u>	<u>Equipment</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::System - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINT	<u>TECHINT</u>	<u>Equipment</u>	1..1	Type of all (non-expendable) items needed to outfit/equip an individual or unit. [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]
Target	<u>Target</u>	<u>Equipment</u>	0..*	

728	<p>SystemPerformanceData</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::SystemPerformanceData</p> <p>Type: <Class></p>	<p><p> Detailed technical intelligence on OPFOR BM system performance characteristics. [BMD-ADD]</p></p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qMYbMAY5Eum2v_pqMzN1w</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::BallisticMissile::SystemPerformanceData - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
BMETSR	<u>BallisticMissileTECHINTStatusReport</u>	<u>SystemPerformanceData</u>	1..1	



729	SystemStatusReport INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemStatusReport Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_jpmeACUiEeuVgZbrw16AKQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
AccountingUnit	<u>Integer</u>	<u>EquipmentStatusReport</u>	0..1	
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AINP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Colour	<u>EquipmentColourType</u>	<u>EquipmentStatusReport</u>	0..1	
Condition	<u>ConditionType</u>	<u>EquipmentStatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>EquipmentStatusReport</u>	1..1	
EquipmentAttributes	<u>EquipmentAttribute</u>	<u>EquipmentStatusReport</u>	0..*	
Evaluation	<u>EquipmentEvaluationType</u>	<u>EquipmentStatusReport</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
Identifier	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Nomenclature	<u>String</u>	<u>EquipmentStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_Allegiance	<u>SP1_AllegianceType</u>	<u>EquipmentStatusReport</u>	1..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
SP2_Allegiance	<u>SP2_CountryCodeAllegiance</u>	<u>EquipmentStatusReport</u>	1..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIE</u>	1..*	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
Year	<u>Year4DigitType</u>	<u>EquipmentStatusReport</u>	0..1	



730	SystemTECHINT INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemTECHINT Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_jpmeAiUiEeuVgZbrw16AKQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>TECHINTStatusReport</u>	<u>TECHINT</u>	1..*	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemTECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	

731	<p>SystemTECHINTStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemTECHINTStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_jpmeBCUiEeuVgZbrw16AKQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplct Y	Description
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Range	<u>Distance</u>	<u>TECHINTStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Size	<u>DimensionsLengthWidthHeightType</u>	<u>TECHINTStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed	<u>Speed</u>	<u>TECHINTStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINTStatusReport</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::ElectronicWarfare::SystemTECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	

732	<p>TACREP INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::TACREP Type: <Class></p>	<p>This SIGINT report type will have specific structured metadata extracted from the body of the report product. This class is an unclassified placeholder because the detailed content is classified.</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_sr4WEKC4EeqLTN-8qqnNQw</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::TACREP - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::SIGINT::TACREP - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

733	<p>TECHINT INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINT Type: <Class></p>	<p>Type of all (non-expendable) items needed to outfit/equip an individual or unit. Equipment type is for relationship between equipment type and particular piece or group of equipment [AIDM Version 3/ BICC/ INTEL-FS Spiral 1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_EU1CAPlwEemoqLjBo08w4g</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Category	<u>EquipmentCategoryType</u>	<u>TECHINT</u>	0..1	
CommonName	<u>String</u>	<u>TECHINT</u>	0..1	
CountryOfOrigin	<u>SP1_CountryCode</u>	<u>TECHINT</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
Equipment	<u>Equipment</u>	<u>TECHINT</u>	0..*	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
FullModel	<u>String</u>	<u>TECHINT</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE</u>	1..1	
Model	<u>String</u>	<u>TECHINT</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_EquipmentTypeType	<u>SP1_EquipmentTypeType</u>	<u>TECHINT</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP2_EquipmentTypeType	<u>SP2_EquipmentType</u>	<u>TECHINT</u>	0..1	
StatusReports	<u>TECHINTStatusReport</u>	<u>TECHINT</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINT</u>	1..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINT</u>	0..*	
attribute1		<u>TECHINT</u>	1..1	

734	TECHINTAttribute INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTAttribute Type: <DataType>	TECHINT Attribute is an extension point for TECHINT BSO platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_GUe2MJ5vEqMWMRVs5m1MQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTAttribute - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AttrbuteValue	<u>String</u>		0..1	
Confidence	<u>Confidence</u>		0..1	
IntelligenceInformationNecessity	<u>IntelligenceInformationNecessity</u>		0..1	
TECHINTAttributeEnumType	<u>TECHINTAttributeEnumType</u>		0..1	
TECHINTAttributeTypeEnumType	<u>TECHINTAttributeTypeEnumType</u>		0..1	

735	TECHINTAttributeEnumType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTAttributeEnumType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0D2FB38A31434FB6A827428F413CCE0A
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTAttributeEnumType - Owned Enumeration Literals

Name	Short Name	Value
Undefined		

Results truncated to first 20 rows...

736	TECHINTAttributeTypeEnumType INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTAttributeTypeEnumType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0D2FB38A31434FB6A827488F413CCE0E
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTAttributeTypeEnumType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

737	<p>TECHINTStatusReport</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTStatusReport</p> <p>Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_EUxXoPlwEemoqLjBo08w4g</p>
-----	--	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>StatusReport</u>	0..1	
AlternativelyKnownAs	<u>BSOAlternativedentity</u>	<u>StatusReport</u>	0..*	Alternate Name for the BSO. If the name is reported in more than one language, the name in other languages except English will be tracked here. Also, nicknames, loose translations of the name, aliases, etc. will also be tracked here. The Alternate Name will follow the naming convention for the specific BSO, if identified. [IFAS1-SOP]
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BSIIAttributes	<u>BattlespaceAttribute</u>	<u>StatusReport</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>StatusReport</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
BattlespaceIIE	<u>BattlespaceIIE</u>	<u>StatusReport</u>	1..1	
City	<u>String</u>	<u>StatusReport</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>StatusReport</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EquipmentType	<u>TECHINT</u>	<u>TECHINTStatusReport</u>	1..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Hostility	<u>HostilityType</u>	<u>StatusReport</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MIM_geographicLocation	<u>Location</u>	<u>StatusReport</u>	0..1	
Metadata	<u>BattlespaceMetadata</u>	<u>StatusReport</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
OrderOfBattleEquipment	<u>OrderOfBattleEquipmentType</u>	<u>TECHINTStatusReport</u>	0..1	
PMESII	<u>PMESII</u>	<u>StatusReport</u>	0..1	
Range	<u>Distance</u>	<u>TECHINTStatusReport</u>	0..1	
Region	<u>RegionType</u>	<u>StatusReport</u>	0..1	
SP1_ElevationUnit	<u>DistanceUnitsType</u>	<u>StatusReport</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_GgeographicElevation	<u>AltitudeType</u>	<u>StatusReport</u>	0..1	
Size	<u>DimensionsLengthWidthHeightType</u>	<u>TECHINTStatusReport</u>	0..1	
Source	<u>String</u>	<u>StatusReport</u>	0..1	Where the information originated from, e.g. from an external report. [IFAS-SP2]
Speed	<u>Speed</u>	<u>TECHINTStatusReport</u>	0..1	
StatusReportAssessment	<u>StatusReportAssessment</u>	<u>StatusReport</u>	0..1	
StatusReports	<u>StatusReport</u>	<u>BattlespaceIIE</u>	1..*	
SubCategory	<u>EquipmentSubCategoryType</u>	<u>TECHINTStatusReport</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>StatusReport</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINTStatusReport - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINTAttributes	<u>TECHINTAttribute</u>	<u>TECHINTStatusReport</u>	0..*	
Weight	<u>Mass</u>	<u>TECHINTStatusReport</u>	0..1	

738	<p>TECHINT_TECHINT</p> <p>INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINT_TECHINT</p> <p>Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_8es2oKBOEeyETpRON54d1Q</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINT_TECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BattlespaceIIE1	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
BattlespaceIIE2	<u>BattlespaceIIE</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..*	
ColourCode	<u>ColourCodeType</u>	<u>BattlespaceIIE BattlespaceIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
EquipmentEquipmentRelationshipType	<u>EquipmentEquipmentRelationshipCategoryCode</u>	<u>TECHINT TECHINT</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>BattlespaceMetadata</u>	<u>BattlespaceIIE BattlespaceIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE IIE</u>	0..1	
Strength	<u>StrengthType</u>	<u>IIE IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Battlespace::Object::Materiel::Equipment::TECHINT_TECHINT - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TECHINT1	<u>TECHINT</u>	<u>TECHINT TECHINT</u>	0..*	
TECHINT2	<u>TECHINT</u>	<u>TECHINT TECHINT</u>	0..*	

739	TLIRole INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TLIRole Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpIxPBÜvEeuBSdMjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TLIRole - Owned Enumeration Literals

Name	Short Name	Value
AAR		Air to Air Refuelling
AD		Air Defence
ASFAO		Anti Surface Force Air Operations
C3		Command, Control and Communications
EW		Electronic Warfare
MISC		Miscellaneous
MPA		Maritime Patrol
OCA		Offensive Counter Air
RECCE		Reconnaissance (formerly called TAR)
SA		Strategic Attack
SAR		Search And Rescue
SOF		Special Operations Forces
TPT		Transport
TST		Time Sensitive Targeting
Undefined		

Results truncated to first 20 rows...

740	<p>TacticalMessage INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::Tactical Message Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_Qznp8KITEeyktZquZBKZ_w</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::TacticalMessage - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Address	<u>PhysicalAddress</u>	<u>ProductIIE</u>	0..1	
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
BasicEncyclopediaNumber	<u>BasicEncyclopediaNumberType</u>	<u>ProductIIE</u>	0..1	The Basic Encyclopaedia (BE) Number is generated by a number of agencies involved in maintaining United States military databases and exists for a very large number of significant installations in the world. The AIntP-03 Key is based on a very similar data structure and can be easily converted to a BE Number. It is, however, recommended that when the BE Number for an Installation (or Facility) is known that it should be entered into the BE NUMBER Field and the BE NUMBER IS KEY Field switched to "Y" (Yes). Thus the BE Number would act as the Key for your record, improving the ability to interchange records without duplication or the creation on multiple, mismatched records on a single Place.[AINTP-3]
CSDSourceLibrary	<u>String</u>	<u>ProductIIE</u>	0..1	
CardStatus	<u>CardStatus</u>	<u>ProductIIE</u>	0..1	
CentrePoint	<u>Point</u>	<u>ProductIIE</u>	0..1	
City	<u>String</u>	<u>ProductIIE</u>	0..1	
CommonType	<u>CommonType</u>	<u>ProductIIE</u>	0..1	
Country	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsSTANAG	<u>Boolean</u>	<u>ProductIIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Product::BallisticMissile::TacticalMessage - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Key	<u>String</u>	<u>Entity</u>	1..1	
Language	<u>Language</u>	<u>ProductIIE</u>	0..1	
Level	<u>Integer</u>	<u>ProductIIE</u>	0..1	
LowerRight	<u>Point</u>	<u>ProductIIE</u>	0..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
MetadataConfidentialityLabel	<u>ConfidentialityLabelType</u>	<u>ProductIIE</u>	0..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Region	<u>RegionType</u>	<u>ProductIIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SpatialCountryCodes	<u>SP1_CountryCode</u>	<u>ProductIIE</u>	0..1	
SubRegion	<u>SubRegionType</u>	<u>ProductIIE</u>	0..1	
SubjectCategoryTargets	<u>String</u>	<u>ProductIIE</u>	0..1	
SubjectiveQualityCode	<u>SubjectiveQualityCode</u>	<u>ProductIIE</u>	0..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetNumbers	<u>String</u>	<u>ProductIIE</u>	0..1	
TemporalEnd	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
TemporalStart	<u>DateTimeZuluType</u>	<u>ProductIIE</u>	0..1	
UpperLeft	<u>Point</u>	<u>ProductIIE</u>	0..1	

741	<p>Target INTEL-FS Spiral 2::NATO::JISR::Staff::Target::Target Type: <Class></p>	<p>An area, structure, object, person or group of people against which lethal or non-lethal capability can be employed to create specific psychological or physical effects. Note: person includes their mindset, thought processes, attitudes and behaviours. (This term and definition is a modification of an existing NATO agreed term and/or definition in AJP-3.9 and is being processed for NATO Agreed status.) [AJP-2.1]</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_khdWwEE0Eeu4wqzcLTBJvQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::Target - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
JTS_Target	<u>JTS_TARGET</u>	<u>Target</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

743	TargetAttribute INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetAttribute Type: <DataType>	Target Attribute is an extension point for Target BSO.[IFAS-SP2] platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpKiRhUvEeuBSdmjVejhEA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetAttribute - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AttrbuteValue	<u>String</u>		0..1	
Confidence	<u>Confidence</u>		0..1	
IntelligenceInformationNecessity	<u>IntelligenceInformationNecessity</u>		0..1	
TargetAttributeEnumType	<u>TargetAttributeEnumType</u>		1..1	
TargetAttributeTypeEnumType	<u>TargetAttributeTypeEnumType</u>		1..1	

744	TargetAttributeEnumType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetAttributeEnumType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ69xUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetAttributeEnumType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

745	TargetAttributeTypeEnumType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetAttributeTypeEnumType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ6-BUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetAttributeTypeEnumType - Owned Enumeration Literals		
Name	Short Name	Value
Undefined		
<i>Results truncated to first 20 rows...</i>		

746	TargetBase INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetBase Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpKhkxUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetBase - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
IsProhibited	<u>String</u>	<u>TargetBase</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
NTDCode	<u>FunctionalCategoryCode</u>	<u>TargetBase</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
RecceCategoryCode	<u>CategoryCode</u>	<u>TargetBase</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetBase - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
TargetMedia	<u>TargetMedia</u>	<u>TargetBase</u>	1..*	
TargetPoint	<u>TargetPoint</u>	<u>TargetBase</u>	1..*	
TargetText	<u>TargetText</u>	<u>TargetBase</u>	1..*	
WeaponSolution	<u>WeaponSolution</u>	<u>TargetBase</u>	1..*	

747	TargetEquipmentRelationshipTypeType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetEquipmentRelationshipTypeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ6-RUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetEquipmentRelationshipTypeType - Owned Enumeration Literals		
Name	Short Name	Value
C W		commands or controls during wartime
Undefined		
<i>Results truncated to first 20 rows...</i>		

748	TargetList INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetList Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_lotSsEE0Eeu4wqzcLTBJvQ
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetList - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
JTS_List_Target	<u>JTS_LIST_TARGET</u>	<u>TargetList</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

750	TargetListStatus INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetListStatus us Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ6_BUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetListStatus - Owned Enumeration Literals		
Name	Short Name	Value
DRAFT		DRAFT
RELEASED		RELEASED
Undefined		
<i>Results truncated to first 20 rows...</i>		

751	<p>TargetList_TargetBase INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetList_Tar getBase Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpKhxxUvEeuBSdmjVejhEA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetList_TargetBase - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
DMPIEntityId	<u>String</u>	<u>TargetList_TargetBase</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
DesiredEffect	<u>AtoObjective</u>	<u>TargetList_TargetBase</u>	1..1	
DesiredEffectTime	<u>String</u>	<u>TargetList_TargetBase</u>	1..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
ListId	<u>String</u>	<u>TargetList_TargetBase</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
NominatingAgency	<u>String</u>	<u>TargetList_TargetBase</u>	1..1	
PriorityCC	<u>JTSPriority</u>	<u>TargetList_TargetBase</u>	1..1	
PriorityJTCB	<u>JTSPriority</u>	<u>TargetList_TargetBase</u>	1..1	
PriorityNumber	<u>String</u>	<u>TargetList_TargetBase</u>	0..1	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
RelationTypeName	<u>String</u>	<u>TargetList_TargetBase</u>	1..1	
Role	<u>TLIRole</u>	<u>TargetList_TargetBase</u>	1..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetList_TargetBase - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
ServicingAgency	<u>String</u>	<u>TargetList_TargetBase</u>	1..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE_StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE_StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	
SubServicingAgency	<u>String</u>	<u>TargetList_TargetBase</u>	1..1	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetBase	<u>TargetBase</u>	<u>TargetList_TargetBase</u>	1..*	
TargetEntityId	<u>String</u>	<u>TargetList_TargetBase</u>	1..1	
TargetList	<u>TargetList</u>	<u>TargetList_TargetBase</u>	1..*	
TargetListStatus	<u>TargetListStatus</u>	<u>TargetList_TargetBase</u>	1..1	

752	<p>TargetMedia</p> <p>INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetMedia</p> <p>Type: <Class></p>	<p>Target Media should support linkage in to Products (Documents, reports, imagery, videos, etc.) Access to media that is specific to targeting and, as such, has different ACLs on it should be supported by ABAC, policy, PDP, etc</p> <p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_6MrXEExDEeyCvcJpwXTyh</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetMedia - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
Author	<u>String</u>	<u>TargetMedia</u>	1..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
DMPID	<u>String</u>	<u>TargetMedia</u>	1..1	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
MediaID	<u>String</u>	<u>TargetMedia</u>	1..1	
MediaType	<u>String</u>	<u>TargetMedia</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Origin	<u>String</u>	<u>TargetMedia</u>	1..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetMedia - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetId	<u>String</u>	<u>TargetMedia</u>	1..1	

753	<p>TargetObjective INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetObjective Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_-7eXcEE0Eeu4wqzcLTBJvQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetObjective - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
JTS_Target_Objective	<u>JTS TARGET OBJECTIVE B2</u>	<u>TargetObjective</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

754	TargetOrganisationRelationshipTypeType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetOrganisationRelationshipTypeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ7FhUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetOrganisationRelationshipTypeType - Owned Enumeration Literals		
Name	Short Name	Value
C WB		is commanded or controlled during wartime by
Undefined		
<i>Results truncated to first 20 rows...</i>		

755	TargetPersonRelationshipTypeType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetPersonRelationshipTypeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ7GRUvEeuBSdmjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetPersonRelationshipTypeType - Owned Enumeration Literals		
Name	Short Name	Value
UKN		Unknown
Undefined		
<i>Results truncated to first 20 rows...</i>		

756	<p>TargetPhase INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetPhase Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_0ZjQ0EE0Eeu4wqzcLTBJvQ</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetPhase - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
JTS_Phase	<u>JTS PHASE</u>	<u>TargetPhase</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

757	TargetPlaceRelationshipTypeType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetPlaceRelationshipTypeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ7HBÜvEeuBSdMjVejhEA
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetPlaceRelationshipTypeType - Owned Enumeration Literals		
Name	Short Name	Value
UKN		Unknown
Undefined		
<i>Results truncated to first 20 rows...</i>		

758	TargetPoint INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetPoint Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpKiaBUvEeuBSdmjVejhEA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetPoint - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Accuracy	<u>String</u>		1..1	
DMPIID	<u>String</u>		1..1	
Datum	<u>String</u>		1..1	
Elevation	<u>String</u>		1..1	
PointNumber	<u>String</u>		0..1	
PositionAsOf	<u>String</u>		1..1	
TargetId	<u>String</u>		1..1	

759	TargetSetType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetSetType e Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ7HxUvEeuBSdmjVejhEA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetSetType - Owned Enumeration Literals		
Name	Short Name	Value
ADF		ADF Air Defence
AFA		AFA Air Forces and Airfields
AME		AME Adversary Media
C4I		C4I Cmnd, Cntrl, Communi, Computers, Intel
ELS		ELS Economic Leadership
GEP		GEP General Public
GFF		GFF Ground Forces and Facilities
IND		IND Industry
LOC		LOC Transportation/Lines of Communication
MCF		MCF Militant, Criminal Forces
MED		MED Media
MLS		MLS Military Leadership
MSL		MSL Ballistic Missiles
MSS		MSS Military Supply and Storage
NFP		NFP Naval Forces and Ports
PLS		PLS Political Leadership
POL		POL Petroleum Industry
PWR		PWR Electric Power
RLS		RLS Religious Leadership
ROF		ROF ROE Defined Forces, Groups, Individuals
<i>Results truncated to first 20 rows...</i>		

760	TargetText INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetText Type: <DataType>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpKifhUvEeuBSdmjVejhEA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetText - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
DMPIID	<u>String</u>		1..1	
TargetId	<u>String</u>		1..1	
TextData	<u>String</u>		1..1	
TextType	<u>String</u>		1..1	

761	<p>TargetTypeType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetTypeType Type: <Enumeration></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ7WxUvEeuBSdmjVejhEA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetTypeType - Owned Enumeration Literals		
Name	Short Name	Value
1		AIRFIELDS
10		TERRAIN RECONNAISSANCE
11		COASTAL RECONNAISSANCE
12		BRIDGES and TUNNELS
13		WATER CONTROL INSTALLATIONS
14		PORT INSTALLATIONS
15		RAIL INSTALLATIONS
16		INDUSTRIAL INSTALLATIONS
17		POWER INSTALLATIONS
18		URBAN AREAS / HABITATION
19		SPECIFIC STRUCTURE
2		ANTI-AIRCRAFT ARTILLERY and MISSILE SYSTEMS
3		ELECTRONIC INSTALLATIONS
4		HEADQUARTERS and BARRACKS
5		STORAGE and REPAIR INSTALLATIONS
6		GROUND ACTIVITY
7		OBSTACLE CROSSING
8		SHIPPING
9		ROUTE RECONNAISSANCE
Undefined		
<i>Results truncated to first 20 rows...</i>		

762	TargetUnitRelationshipTypeType INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetUnitRelationshipTypeType Type: <Enumeration>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpJ7ghUvEeuBSdmjVejhEA
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::SP1_Target::TargetUnitRelationshipTypeType - Owned Enumeration Literals		
Name	Short Name	Value
C1		commands or controls primarily
Undefined		
<i>Results truncated to first 20 rows...</i>		

763	<p>TargetingII INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetingII Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_CpKiTxUvEeuBSdmjVejhEA</p>
-----	---	---

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetingIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>

764	<p>TargetingIIE_ProductIIE INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetingIIE_ProductIIE Type: <AssociationClass></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_bkmbkE_9Euz5IRfvEwXdQ</p>
-----	--	--

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetingIIE_ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
ProductIIE	<u>ProductIIE</u>	<u>TargetingIIE ProductIIE</u>	0..*	
RelationDirectionType	<u>RelationDirectionType</u>	<u>IIE_IIE</u>	0..1	
SP1_EndDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SP1_StartDTG	<u>DateTimeZuluType</u>	<u>IIE_IIE</u>	0..1	
StaffIIE1	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffIIE2	<u>StaffIIE</u>	<u>StaffIIE StaffIIE</u>	0..*	
StaffMetadata	<u>StaffMetadata</u>	<u>StaffIIE StaffIIE</u>	1..1	
Strength	<u>StrengthType</u>	<u>IIE_IIE</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::Target::TargetingIIE_ProductIIE - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TargetingIIE	<u>TargetingIIE</u>	<u>TargetingIIE_ProductIIE</u>	0..*	

765	Task INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Task::Task Type: <Class>	platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_FD16MKZxEeq6MoiB2X-ZOQ
-----	---	--

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Task::Task - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
AnalystComment	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	Comment on the product. The Comment field will identify analyst comments regarding the implications of the information and other assessments. [IFAS1-SOP]
AssignedBy	<u>UnitOrSystemReferenceType</u>	<u>Task</u>	0..1	
AssignedTo	<u>UnitOrSystemReferenceType</u>	<u>Task</u>	0..1	
BPs	<u>BusinessProcess</u>	<u>IntelligenceInformationEntity</u>	0..*	
CTM	<u>ChoreographyTaskMessage</u>	<u>BusinessProcess</u>	1..*	
Description	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	
ExtensibleType	<u>ExtensibleTypeGroup</u>	<u>Entity</u>	0..1	
ID	<u>Integer</u>	<u>Entity</u>	0..1	
IIEAttributes	<u>IIEAttribute</u>	<u>IntelligenceInformationEntity</u>	0..*	
IIEs	<u>IntelligenceInformationEntity</u>	<u>BusinessProcess</u>	0..*	
ISRAssetActivityRequirement	<u>ISRAssetActivityRequirementType</u>	<u>Task</u>	0..*	
IdentifierUUID	<u>String</u>	<u>Entity</u>	0..1	
Key	<u>String</u>	<u>Entity</u>	1..1	
Metadata	<u>StaffMetadata</u>	<u>StaffIIE</u>	1..1	
Name	<u>String</u>	<u>Entity</u>	0..1	
Remark	<u>string</u>	<u>Task</u>	0..1	
SP1_GeoEntities	<u>Geometry</u>	<u>IntelligenceInformationEntity</u>	0..*	
SerialNumber	<u>SerialNumber</u>	<u>Task</u>	0..1	

INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Task::Task - Owned Attributes				
Attribute Name	Type Name	Defining Class	Mltplcty	Description
Summary	<u>String</u>	<u>IntelligenceInformationEntity</u>	0..1	<p>An account of the content of the resource, including abstracts in the case of document-like objects or content descriptions in the case of visual resources. It shall be in English language. [IPIWG-4.20]</p> <p>Summary of the product. The Summary field will summarise the latest known information about the BSO. When pre-populating a BSR from an earlier BSR, old and irrelevant text will be deleted/updated. [IFAS1-SOP]</p>
TaskCTM	<u>TaskCTM</u>	<u>Task</u>	1..*	
TaskInterval	<u>CalendarClockIntervalZuluType</u>	<u>Task</u>	0..1	
TaskPriority	<u>TaskPriorityType</u>	<u>Task</u>	0..1	

766	<p>TaskCTM INTEL-FS Spiral 2::NATO::JISR::Staff::IRMCM::Task::TaskCTM Type: <Class></p>	<p>platform:/resource/INTEL-FS/INTEL-FS%20CIM%20RDM.emx#_qsnL4KctEeq3hrtrHnJN5Q</p>
-----	--	---